Bibliography

[1] Dr. Fatih Birol. India Energy Outlook - World Energy Outlook Special Report 2015. Technical report, Energy Agency, International, 2015.

[2] A. Keyhani and A. M. Annaswamy. A new automatic generation control with heterogeneous assets for integration of renewables. In *2012 IEEE PES Innovative Smart Grid Technologies (ISGT)*, pages 1–6, Jan 2012.

[3] D. C. Das, A. K. Roy, and N. Sinha. Pso based frequency controller for wind-solar-diesel hybrid energy generation/energy storage system. In *2011 International Conference on Energy, Automation and Signal*, pages 1–6, Dec 2011.

[4] S. Bhongade, B. Tyagi, and H. O. Gupta. Automatic generation control scheme based wind power generating system. In *2011 Annual IEEE India Conference*, pages 1–6, Dec 2011.

[5] S. A. Pourmousavi, A. S. Cifala, and M. H. Nehrir. Impact of high penetration of pv generation on frequency and voltage in a distribution feeder. In *2012 North American Power Symposium (NAPS)*, pages 1–8, Sept 2012.

[6] H. Bevrani and P. R. Daneshmand. Fuzzy logic-based load-frequency control concerning high penetration of wind turbines. *IEEE Systems Journal*, 6(1):173–180, March 2012.

[7] Mukund R. Patel. *Wind and solar power systems : design, analysis, and operation*. Taylor & Francis, 2006.

[8] Dr. K. Uma Rao. *Power System: Operation and Control*. Wileyindia.

[9] Allen J. Wood, Bruce F. Wollenberg, and Gerald B. Sheble. *Power generation, operation, and control*.

[10] M. L. Kothari, P. S. Satsangi, and J. Nanda. Sampled-data automatic generation control of interconnected reheat thermal systems considering generation rate constraints. *IEEE Transactions on Power Apparatus and Systems*, PAS-100(5):2334–2342, May 1981.

[11] J. Nanda, M. L. Kothari, and P. S. Satsang. Automatic generation control of an interconnected hydrothermal system in continuous and discrete modes considering generation rate constraints. *IEE Proceedings D - Control Theory and Applications*, 130(1):17–27, January 1983.

[12] J. Nanda, A. Mangla, and S. Suri. Some new findings on automatic generation control of an interconnected hydrothermal system with conventional controllers. *IEEE Transactions on Energy Conversion*, 21(1):187–194, March 2006.

[13] M. L. Kothari, P. S. Satsangi, and J. Nanda. Sampled-data automatic generation control of interconnected reheat thermal systems considering generation rate constraints. *IEEE Power Engineering Review*, PER-1(6):71–71, June 1981.

[14] J. Nanda, S. Mishra, and L. C. Saikia. Maiden application of bacterial foraging-based optimization technique in multiarea automatic generation control. *IEEE Transactions on Power Systems*, 24(2):602–609, May 2009.

[15] J. Nanda and P. R. Bijwe. Optimal hydrothermal scheduling with cascaded plants using progressive optimality algorithm. *IEEE Power Engineering Review*, PER-1(4):76–76, April 1981.

[16] M. L. Kothari, J. Nanda, D. P. Kothari, and D. Das. Discrete-mode automatic generation control of a two-area reheat thermal system with new area control error. *IEEE Power Engineering Review*, 9(5):70–71, May 1989.

[17] P. S. N. Rao, K. S. P. Rao, and J. Nanda. A novel hybrid load flow method. *IEEE Power Engineering Review*, PER-1(1):27–28, Jan 1981.

[18] J. Nanda and B. L. Kaul. Automatic generation control of an interconnected power system. *Electrical Engineers, Proceedings of the Institution of*, 125(5):385–390, May 1978.

[19] M. L. Kothari and J. Nanda. Application of optimal control strategy to automatic generation control of a hydrothermal system. *IEE Proceedings D - Control Theory and Applications*, 135(4):268–274, July 1988.

[20] M. L. Kothari, J. Nanda, D. P. Kothari, and D. Das. Discrete-mode automatic generation control of a two-area reheat thermal system with new area control error. *IEEE Transactions on Power Systems*, 4(2):730–738, May 1989.

[21] M. L. Kothari and J. Nanda. Application of optimal control strategy to automatic generation control of a hydrothermal system. *IEE Proceedings D - Control Theory and Applications*, 135(4):268–274, July 1988.

[22] D. C. Das, A. K. Roy, and N. Sinha. Pso based frequency controller for wind-solar-diesel hybrid energy generation/energy storage system. In *2011 International Conference on Energy, Automation and Signal*, pages 1–6, Dec 2011.

[23] S. Bhongade, B. Tyagi, and H. O. Gupta. Automatic generation control scheme based wind power generating system. In *2011 Annual IEEE India Conference*, pages 1–6, Dec 2011.

[24] S. A. Pourmousavi, A. S. Cifala, and M. H. Nehrir. Impact of high penetration of pv generation on frequency and voltage in a distribution feeder. In *2012 North American Power Symposium (NAPS)*, pages 1–8, Sept 2012.

[25] R. Dhanalakshmi and S. Palaniswami. Application of multi stage fuzzy logic control for load frequency control of an isolated wind diesel hybrid power system. In *International Conference on Green technology and environmental Conservation (GTEC-2011)*, pages 309–315, Dec 2011.

[26] S. Jia and J. Chang. A multi-agent control method and realization in wind-solar hybrid power generation system. In *2009 International Conference on Energy and Environment Technology*, volume 1, pages 507–510, Oct 2009.

[27] M. R. I. Sheikh and N. Mondol. Application of self-tuning fpic to agc for load frequency control in wind farm interconnected large power system. In *2012 International Conference on Informatics, Electronics Vision (ICIEV)*, pages 812–816, May 2012.

[28] H. Zhong-xu, H. Huan-pao, Z. Zhi, and S. Ying. Optimization design on boiler-turbine coordinated control system with automatic generation control. In *2008 Joint International Conference on Power System Technology and IEEE Power India Conference*, pages 1–6, Oct 2008.

[29] Z. x. Han, C. x. Zhou, and Z. l. Zhu. Concept of analog flexible fuzzy control and its application in control system of power plant. In *2009 Sixth International Conference on Fuzzy Systems and Knowledge Discovery*, volume 6, pages 147–152, Aug 2009.

[30] Z. l. Liu, E. h. Zheng, J. Sun, and L. Chen. Decoupling control based on support machines ath-order inversion for the boiler-turbine coordinate systems. In *2011 Chinese Control and Decision Conference (CCDC)*, pages 2620–2623, May 2011.

[31] Lin Gao and Yiping Dai. Modeling large modern fossil-fueled steam-electric power plant and its coordinated control system for power system dynamic analysis. In *2010 International Conference on Power System Technology*, pages 1–5, Oct 2010.

[32] H. Qi, K. Zhang, and X. Dai. New energy balance controller of thermal generating unit. In *2010 Asia-Pacific Power and Energy Engineering Conference*, pages 1–4, March 2010.

[33] G. Hou, Y. Xi, J. Liu, and J. Zhang. Simulation research of the multi-variable generalized predictive control in 500mw unit plant coordinated control system. In *The 2011 International Conference on Advanced Mechatronic Systems*, pages 196–201, Aug 2011.

[34] L. U. N. de Silva, D. D. M. I. Deegala, I. M. M. Karunathilake, P. H. S. S. D. I. Kumari, J. R. Lucas, and P. S. N. de Silva. Automatic governor for tie-line control: A teaching tool. In *2015 Moratuwa Engineering Research Conference (MERCon)*, pages 82–87, April 2015.

[35] R. E. Cossé and T. P. Nguyen. Gas turbine generator governor speed/voltage control for non-complex, islanding operating systems — "which control strategy should i use?". In *2016 Petroleum and Chemical Industry Technical Conference (PCIC)*, pages 1–9, Sept 2016.

[36] M. S. Park and Y. H. Chun. Tuning of generating unit controller for the generators with governor. In *2009 Transmission Distribution Conference Exposition: Asia and Pacific*, pages 1–4, Oct 2009.

[37] C. T. Hsu, C. S. Chen, and C. H. Lin. Electric power system analysis and design of an expanding steel cogeneration plant. In *2010 IEEE Industry Applications Society Annual Meeting*, pages 1–8, Oct 2010.

[38] S. I. Al-Majed, S. Aramco, and T. Kakimoto. Gas turbine and generator controls: A user prospective. In *Petroleum and Chemical Industry Conference Europe Electrical and Instrumentation Applications*, pages 1–6, June 2011.

[39] R. E. Cosse, M. D. Alford, M. Hajiaghajani, and E. R. Hamilton. Turbine/generator governor droop/isochronous fundamentals - a graphical approach. In *2011 Record of Conference Papers Industry Applications Society 58th Annual IEEE Petroleum and Chemical Industry Conference (PCIC)*, pages 1–8, Sept 2011.

[40] R. E. Cosse, M. D. Alford, M. Hajiaghajani, and E. R. Hamilton. Fundamentals of turbine/generator speed control: A graphical approach for islanding applications. *IEEE Industry Applications Magazine*, 19(4):56–62, July 2013.

[41] J. Nanda, A. Mangla, and S. Suri. Some new findings on automatic generation control of an interconnected hydrothermal system with conventional controllers. *IEEE Transactions on Energy Conversion*, 21(1):187–194, March 2006.

[42] M. L. Kothari, K. Bhattacharya, and J. Nanda. Adaptive power system stabiliser based on pole-shifting technique. *IEE Proceedings - Generation, Transmission and Distribution*, 143(1):96–98, Jan 1996.

[43] J. Nanda, L. Hari, and M. L. Kothari. Economic emission load dispatch with line flow constraints using a classical technique. *IEE Proceedings - Generation, Transmission and Distribution*, 141(1):1–10, Jan 1994.

[44] M. L. Kothari, J. Nanda, and K. Bhattacharya. Design of variable structure power system stabilisers with desired eigenvalues in the sliding mode. *IEE Proceedings C - Generation, Transmission and Distribution*, 140(4):263–268, July 1993.

[45] M. L. Kothari, J. Nanda, and K. Bhattacharya. Discrete mode power system stabilisers. *IEE Proceedings C - Generation, Transmission and Distribution*, 140(6):523–531, Nov 1993.

[46] J. Nanda, P. R. Bijwe, J. Henry, and V. Bapi Raju. General purpose fast decoupled power flow. *IEE Proceedings C - Generation, Transmission and Distribution*, 139(2):87–92, March 1992.

[47] J. Nanda, L. Hari, and M. L. Kothari. Challenging algorithm for optimal reactive power dispatch through classical co-ordination equations. *IEE Proceedings C - Generation, Transmission and Distribution*, 139(2):93–101, Mar 1992.

[48] J. Nanda, L. Hari, M. L. Kothari, and J. Henry. Extremely fast economic load dispatch algorithm through modified co-ordination equations. *IEE Proceedings C - Generation, Transmission and Distribution*, 139(1):39–46, Jan 1992.

[49] J. Nanda, V. Bapi Raju, P. R. Bijwe, M. L. Kothari, and M. Joma. New findings of convergence properties of fast decoupled load flow algorithms. *IEE Proceedings C - Generation, Transmission and Distribution*, 138(3):218–220, May 1991.

[50] P. R. Bijwe, J. Nanda, and K. L. Puttabuddhi. Ranking of line outages in an ac-dc system causing overload and voltage problems. *IEE Proceedings C - Generation, Transmission and Distribution*, 138(3):207–211, May 1991.

[51] L. Hari, M. L. Kothari, and J. Nanda. Optimum selection of speed regulation parameters for automatic generation control in discrete mode considering generation rate constraints. *IEE Proceedings C - Generation, Transmission and Distribution*, 138(5):401–406, Sept 1991.

[52] J. Nanda, D. P. Kothari, and S. C. Srivastava. New optimal power-dispatch algorithm using fletcher's quadratic programming method. *IEE Proceedings C - Generation, Transmission and Distribution*, 136(3):153–161, May 1989.

[53] M. L. Kothari, J. Nanda, D. P. Kothari, and D. Das. Discrete-mode automatic generation control of a two-area reheat thermal system with new area control error. *IEEE Power Engineering Review*, 9(5):70–71, May 1989.

[54] M. L. Kothari, J. Nanda, D. P. Kothari, and D. Das. Discrete-mode automatic generation control of a two-area reheat thermal system with new area control error. *IEEE Transactions on Power Systems*, 4(2):730–738, May 1989.

[55] J. Nanda, D. P. Kothari, and K. S. Lingamurthy. Economic-emission load dispatch through goal programming techniques. *IEEE Transactions on Energy Conversion*, 3(1):26–32, Mar 1988.

[56] M. L. Kothari and J. Nanda. Application of optimal control strategy to automatic generation control of a hydrothermal system. *IEE Proceedings D - Control Theory and Applications*, 135(4):268–274, July 1988.

[57] M. L. Kothari and J. Nanda. Application of optimal control strategy to automatic generation control of a hydrothermal system. *IEE Proceedings D - Control Theory and Applications*, 135(4):268–274, July 1988.

[58] J. Nanda, D. P. Kothari, and S. C. Srivastava. Some important observations on fast decoupled load flow algorithm. *Proceedings of the IEEE*, 75(5):732–733, May 1987.

[59] P. S. N. Rao, K. S. P. Rao, and J. Nanda. An empirical criterion for the convergence of the fast decoupled load flow method. *IEEE Power Engineering Review*, PER-4(5):33–33, May 1984.

[60] P. s. N. Rao, K. s. P. Rao, and J. Nanda. An empirical criterion for the convergence of the fast decoupled load flow method. *IEEE Transactions on Power Apparatus and Systems*, PAS-103(5):974–981, May 1984.

[61] J. Nanda, M. L. Kothari, and P. S. Satsang. Automatic generation control of an interconnected hydrothermal system in continuous and discrete modes considering generation rate constraints. *IEE Proceedings D - Control Theory and Applications*, 130(1):17–27, January 1983.

[62] P. S. Nagendra Rao, K. S. Prakasa Rao, and J. Nanda. An exact fast load flow method including second order terms in rectangular coordinates. *IEEE Transactions on Power Apparatus and Systems*, PAS-101(9):3261–3268, Sept 1982.

[63] P. S. N. Rao, K. S. P. Rao, and J. Nanda. An exact fast load flow method including second order terms in rectangular coordinates. *IEEE Power Engineering Review*, PER-2(9):44–45, Sept 1982.

[64] M. L. Kothari, P. S. Satsangi, and J. Nanda. Sampled-data automatic generation control of interconnected reheat thermal systems considering generation rate constraints. *IEEE Transactions on Power Apparatus and Systems*, PAS-100(5):2334–2342, May 1981.

[65] M. L. Kothari, P. S. Satsangi, and J. Nanda. Sampled-data automatic generation control of interconnected reheat thermal systems considering generation rate constraints. *IEEE Power Engineering Review*, PER-1(6):71–71, June 1981.

[66] M. Raju, L. C. Saikia, and D. Saha. Automatic generation control in competitive market conditions with moth-flame optimization based cascade controller. In *2016 IEEE Region 10 Conference (TENCON)*, pages 734–738, Nov 2016.

[67] A. Rahman, L. C. Saikia, and N. Sinha. Automatic generation control of an unequal four-area thermal system using biogeography-based optimised 3dof-pid controller. *IET Generation, Transmission Distribution*, 10(16):4118–4129, 2016.

[68] A. Rahman, L. C. Saikia, and N. Sinha. Maiden application of hybrid pattern search-biogeography based optimisation technique in automatic generation control of a multi-area system incorporating interline power flow controller. *IET Generation, Transmission Distribution*, 10(7):1654–1662, 2016.

[69] S. Debbarma, L. C. Saikia, and N. Sinha. Automatic generation control of multi-area system using two degree of freedom fractional order pid controller: A preliminary study. In *2013 IEEE PES Asia-Pacific Power and Energy Engineering Conference (APPEEC)*, pages 1–6, Dec 2013.

[70] L. C. Saikia, A. Bharali, O. Dixit, T. Malakar, B. Sharma, and S. Kouli. Automatic generation control of multi-area hydro system using classical controllers. In *2012 1st International Conference on Power and Energy in NERIST (ICPEN)*, pages 1–6, Dec 2012.

[71] S. Debbarma and L. C. Saikia. Automatic generation control of multi-area system using non-integer order idd controller. In *2012 1st International Conference on Power and Energy in NERIST (ICPEN)*, pages 1–6, Dec 2012.

[72] S. Debbarma and L. C. Saikia. Effect of fractional-order controller on automatic generation control of a multi-area thermal system. In *International Conference on Sustainable Energy and Intelligent Systems (SEISCON 2011)*, pages 223–228, July 2011.

[73] L. C. Saikia and N. Sinha. Maiden application of fuzzy logic based idd controller for automatic generation control of multi-area hydrothermal system: A preliminary study. In *2010 20th Australasian Universities Power Engineering Conference*, pages 1–6, Dec 2010.

[74] J. Nanda, S. Mishra, and L. C. Saikia. Maiden application of bacterial foraging-based optimization technique in multiarea automatic generation control. *IEEE Transactions on Power Systems*, 24(2):602–609, May 2009.

[75] J. Nanda and L. C. Saikia. Comparison of performances of several types of classical controller in automatic generation control for an interconnected multi-area thermal system. In *2008 Australasian Universities Power Engineering Conference*, pages 1–6, Dec 2008.

[76] A. Rahman, S. K. Sahu, L. C. Saikia, and P. Dash. Agc of a multi-area thermal-ccgt system using cuckoo search optimized classical controllers. In *2015 International Conference on Energy, Power and Environment: Towards Sustainable Growth (ICEPE)*, pages 1–6, June 2015.

[77] S. Debbarma, L. C. Saikia, N. Sinha, B. Kar, and A. Datta. Fractional order two degree of freedom control for agc of an interconnected multi-source power system. In *2016 IEEE International Conference on Industrial Technology (ICIT)*, pages 505–510, March 2016.

[78] P. Dash, L. C. Saikia, and S. K. Das. Agc of a multi-area hydro-thermal system with bes and firefly optimized pid controller. In *2014 Eighteenth National Power Systems Conference (NPSC)*, pages 1–6, Dec 2014.

[79] L. C. Saikia, S. K. Das, P. Dash, and M. Raju. Multi - area agc with ac/dc link and bes and cuckoo search optimized pid controller. In *Proceedings of the 2015 Third International Conference on Computer, Communication, Control and Information Technology (C3IT)*, pages 1–6, Feb 2015.

[80] P. Dash, L. C. Saikia, and N. Sinha. Agc of a multi-area interconnected system with facts and firefly optimized 2dof pid controller. In *Proceedings of The 2014 International Conference on Control, Instrumentation, Energy and Communication (CIEC)*, pages 397–401, Jan 2014.

[81] L. C. Saikia, A. Paul, P. Dash, and N. B. D. Choudhury. Agc of an interconnected multi-area hydrothermal system using a neuro-fuzzy controller. In *Proceedings of The 2014 International Conference on Control, Instrumentation, Energy and Communication (CIEC)*, pages 407–411, Jan 2014.

[82] P. Dash, L. C. Saikia, and N. Sinha. Agc of a multi - area system using firefly optimized two degree of freedom pid controller. In *2014 POWER AND ENERGY SYSTEMS: TOWARDS SUSTAINABLE ENERGY*, pages 1–6, March 2014.

[83] P. Dash, L. C. Saikia, R. Kedia, and N. Sinha. Damping of oscillations using tcps with bf technique in a three-area thermal system. In *2014 POWER AND ENERGY SYSTEMS: TOWARDS SUSTAINABLE ENERGY*, pages 1–6, March 2014.

[84] L. C. Saikia, S. Debbarma, N. Sinha, and P. Dash. Agc of a multi-area hydrothermal system using thyristor controlled series capacitor. In *2013 Annual IEEE India Conference (INDICON)*, pages 1–6, Dec 2013.

[85] L. C. Saikia, A. Chowdhury, N. Shakya, S. Shukla, and P. K. Soni. Agc of a multi area gas-thermal system using firefly optimized idf controller. In *2013 Annual IEEE India Conference (INDICON)*, pages 1–6, Dec 2013.

[86] L. C. Saikia. Agc of a three area thermal system using mlpnn controller: A preliminary study. In *2012 9th International Conference on Electrical Engineering/Electronics, Computer, Telecommunications and Information Technology*, pages 1–4, May 2012.

[87] S. Debbarma and L. C. Saikia. Bacterial foraging based fopid controller in agc of an interconnected two-area reheat thermal system under deregulated environment. In *IEEE-International Conference On Advances In Engineering, Science And Management (ICAESM -2012)*, pages 303–308, March 2012.

[88] L. C. Saikia and S. Debbarma. Application of a non-integer order controller in agc of a two area thermal system under deregulated environment: A preliminary study. In *International Conference on Sustainable Energy and Intelligent Systems (SEISCON 2011)*, pages 390–395, July 2011.

[89] S. Debbarma, A. Nath, U. Sarma, and L. C. Saikia. Cuckoo search algorithm based two degree of freedom controller for multi-area thermal system. In *2015 International Conference on Energy, Power and Environment: Towards Sustainable Growth (ICEPE)*, pages 1–6, June 2015.

[90] P. Rabbanifar and S. Jadid. Stochastic multi-objective tie-line power flow and frequency control in market clearing of multi-area electricity markets considering power system security. *IET Generation, Transmission Distribution*, 8(12):1960–1978, 2014.

[91] A. M. Ersdal, L. Imsland, and K. Uhlen. Model predictive load-frequency control. *IEEE Transactions on Power Systems*, 31(1):777–785, Jan 2016.

[92] Shun Lu, Liqun Gao, and Zhenyu Fan. Relation of frequency to power flow in tie-line of northeast power gird in china. In *2006 6th World Congress on Intelligent Control and Automation*, volume 2, pages 7577–7581, 2006.

[93] H. Banakar, C. Luo, and B. T. Ooi. Impacts of wind power minute-to-minute variations on power system operation. *IEEE Transactions on Power Systems*, 23(1):150–160, Feb 2008.

[94] S. A. Pourmousavi, A. S. Cifala, and M. H. Nehrir. Impact of high penetration of pv generation on frequency and voltage in a distribution feeder. In *2012 North American Power Symposium (NAPS)*, pages 1–8, Sept 2012.

[95] I. Ndiaye, Xinhui Wu, and M. Agamy. Impact of micro-inverter reactive power support capability in high penetration residential pv networks. In *2015 IEEE 42nd Photovoltaic Specialist Conference (PVSC)*, pages 1–6, June 2015.

[96] A. K. Barnes, J. C. Balda, A. Escobar-Mejía, and S. O. Geurin. Placement of energy storage coordinated with smart pv inverters. In *2012 IEEE PES Innovative Smart Grid Technologies (ISGT)*, pages 1–7, Jan 2012.

[97] H. Bevrani and P. R. Daneshmand. Fuzzy logic-based load-frequency control concerning high penetration of wind turbines. *IEEE Systems Journal*, 6(1):173–180, March 2012.

[98] D. C. Das, A. K. Roy, and N. Sinha. Pso based frequency controller for wind-solar-diesel hybrid energy generation/energy storage system. In *2011 International Conference on Energy, Automation and Signal*, pages 1–6, Dec 2011.

[99] M. Datta, T. Senjyu, A. Yona, T. Funabashi, and C. H. Kim. A coordinated control method for leveling pv output power fluctuations of pv -diesel hybrid systems connected to isolated power utility. *IEEE Transactions on Energy Conversion*, 24(1):153–162, March 2009.

[100] B. Ernst and B. Engel. Grid integration of distributed pv-generation. In *2012 IEEE Power and Energy Society General Meeting*, pages 1–7, July 2012.

[101] P. Attaviriyanupap, K. Tokuhara, N. Itaya, M. Marmiroli, Y. Tsukamoto, and Y. Kojima. Estimation of photovoltaic power generation output based on solar irradiation and frequency classification. In *2011 IEEE PES Innovative Smart Grid Technologies*, pages 1–7, Nov 2011.

[102] M. Datta, H. Ishikawa, H. Naitoh, and T. Senjyu. Lfc by coordinated virtual inertia mimicking and pevs in power utility with mw-class distributed pv generation. In *2012 IEEE 13th Workshop on Control and Modeling for Power Electronics (COMPEL)*, pages 1–8, June 2012.

[103] S. A. Jeddi, S. Hamidreza Abbasi, and F. Shabaninia. Load frequency control of two area interconnected power system (diesel generator and solar pv) with pi and fgspi controller. In *The 16th CSI International Symposium on Artificial Intelligence and Signal Processing (AISP 2012)*, pages 526–531, May 2012.

[104] B. I. Crăciun, T. Kerekes, D. Séra, and R. Teodorescu. Overview of recent grid codes for pv power integration. In *2012 13th International Conference on Optimization of Electrical and Electronic Equipment (OPTIM)*, pages 959–965, May 2012.

[105] Zhenhua Jiang. Power management of hybrid photovoltaic - fuel cell power systems. In *2006 IEEE Power Engineering Society General Meeting*, pages 6 pp.–, 2006.

[106] M. Datta, H. Ishikawa, H. Naitoh, and T. Senjyu. Lfc by coordinated virtual inertia mimicking and pevs in power utility with mw-class distributed pv generation. In *2012 IEEE 13th Workshop on Control and Modeling for Power Electronics (COMPEL)*, pages 1–8, June 2012.

[107] Y. Kurita, Y. Moriya, H. Kakisaka, and S. Iwamoto. A novel lfc scheme using storage battery control and generator feed-forward control for large-scale wind power penetration. In *2016 IEEE Region 10 Conference (TENCON)*, pages 3332–3335, Nov 2016.

[108] N. E. Y. Kouba, M. Menaa, M. Hasni, and M. Boudour. Lfc enhancement concerning large wind power integration using new optimised pid controller and rfbs. *IET Generation, Transmission Distribution*, 10(16):4065–4077, 2016.

[109] S. Shibasaki, M. Toge, and S. Iwamoto. Load frequency control using a nas battery system controlled by a kaiman filter. In *2012 10th International Power Energy Conference (IPEC)*, pages 236–241, Dec 2012.

[110] M. A. Abdel-Warth, M. Abdel-Akher, A. Eid, and M. M. Aly. Deployment and control of phevs in electrical power systems with wind power penetration. In *2016 Eighteenth International Middle East Power Systems Conference (MEPCON)*, pages 735–740, Dec 2016.

[111] F. K. Abo-Elyousr. Load frequency controller design for two area interconnected power system with dfig based wind turbine via ant colony algorithm. In *2016 Eighteenth International Middle East Power Systems Conference (MEPCON)*, pages 253–260, Dec 2016.

[112] Yu Kurita, Yukimasa Moriya, and Shinichi Iwamoto. Control of storage batteries using a disturbance observer in load frequency control for large wind power penetration. In *2015 IEEE Power Energy Society General Meeting*, pages 1–5, July 2015.

[113] M. Takagi, K. Yamaji, and H. Yamamoto. Power system stabilization by charging power management of plug-in hybrid electric vehicles with lfc signal. In *2009 IEEE Vehicle Power and Propulsion Conference*, pages 822–826, Sept 2009.

[114] A. D. Shakib, E. Spahic, and G. Balzer. Optimal location of series facts devices to control line overloads in power systems with high wind feeding. In *2009 IEEE Bucharest PowerTech*, pages 1–7, June 2009.

[115] R. Sharma and Sathans. Survey on hybrid (wind/solar) renewable energy system and associated control issues. In *2014 IEEE 6th India International Conference on Power Electronics (IICPE)*, pages 1–6, Dec 2014.

[116] H. Bevrani, A. Ghosh, and G. Ledwich. Renewable energy sources and frequency regulation: survey and new perspectives. *IET Renewable Power Generation*, 4(5):438–457, September 2010.

[117] A. Arabali, M. Ghofrani, M. Etezadi-Amoli, and M. S. Fadali. Stochastic performance assessment and sizing for a hybrid power system of solar/wind/energy storage. *IEEE Transactions on Sustainable Energy*, 5(2):363–371, April 2014.

[118] H.C. Chiang, T.T. Ma, Y.H. Cheng, J.M. Chang, and W.N. Chang. Design and implementation of a hybrid regenerative power system combining grid–tie and uninterruptible power supply functions. *IET Renewable Power Generation*, 4(1):85, 2010.

[119] Mojtaba Khederzadeh, Hamed Maleki, and Vahid Asgharian. Frequency control improvement of two adjacent microgrids in autonomous mode using back to back Voltage-Sourced Converters. *International Journal of Electrical Power and Energy Systems*, 74:126–133, 2016.

[120] Database: Solar & wind power plants on Islands - THEnergy.

[121] *State wise installed solar power capacity.* Ministry of New and Renewable Energy, Govt. of India, 2016.

[122] *State wise installed capacity as of 19 October 2016.*

[123] *State-wise break-up of solar power target by the year 2022.*

[124] *State-wise monthly renewable power generation, CEA.*

[125] *Ministry of New and Renewable Energy, Annual Report 2015-2016.*

[126] Ministry of New and Renewable Energy. A new dawn in Renewable Energy- India attains 4th position in global wind power installed capacity;, 2016.

[127] Mayank Aggarwal. India adds record 5,400MW wind power in 2016-17 - Livemint.

[128] Shri J K Jethani. Draft National Wind-Solar Hybrid Policy.

[129] Wai Kean Yap and Vishy Karri. An off-grid hybrid PV/diesel model as a planning and design tool, incorporating dynamic and ANN modelling techniques. *Renewable Energy*, 78:42–50, 2015.

[130] A V Pavan Kumar, Alivelu M. Parimi, and K. Uma Rao. Implementation of MPPT Control Using Fuzzy Logic in Solar-Wind Hybrid Power System. In *2015 IEEE International Conference on Signal Processing, Informatics, Communication and Energy Systems (SPICES)*, pages 1–5. IEEE, 2015.

[131] P. Bharadwaj, K. N. Chaudhury, and V. John. Sequential optimization for pv panel parameter estimation. *IEEE Journal of Photovoltaics*, 6(5):1261–1268, Sept 2016.

[132] M. A. Islam, N. Mohammad, and P. K. S. Khan. Modeling and performance analysis of a generalized photovoltaic array in matlab. In *Power Electronics, Drives and Energy Systems (PEDES) 2010 Power India, 2010 Joint International Conference on*, pages 1–5, Dec 2010.

[133] M. Suthar, G. K. Singh, and R. P. Saini. Comparison of mathematical models of photo-voltaic (pv) module and effect of various parameters on its performance. In *Energy Efficient Technologies for Sustainability (ICEETS), 2013 International Conference on*, pages 1354–1359, April 2013.

[134] S. Bal, A. Anurag, and B. C. Babu. Comparative analysis of mathematical modeling of photo-voltaic (pv) array. In *2012 Annual IEEE India Conference (INDICON)*, pages 269–274, Dec 2012.

[135] M. H. Beshr, H. A. Khater, and A. A. Abdelraouf. Modelling of a residential solar stand-alone power system. In *Nuclear Renewable Energy Conference (INREC), 2010 1st International*, pages 1–6, March 2010.

[136] W. Xiao, F. F. Edwin, G. Spagnuolo, and J. Jatskevich. Efficient approaches for modeling and simulating photovoltaic power systems. *IEEE Journal of Photovoltaics*, 3(1):500–508, Jan 2013.

[137] N. Wang, M. Wu, and G. Shi. Study on characteristics of photovoltaic cells based on matlab simulation. In *Power and Energy Engineering Conference (APPEEC), 2011 Asia-Pacific*, pages 1–4, March 2011.

[138] N. C. Sahoo, I. Elamvazuthi, N. M. Nor, P. Sebastian, and B. P. Lim. Pv panel modelling using simscape. In *Energy, Automation, and Signal (ICEAS), 2011 International Conference on*, pages 1–4, Dec 2011.

[139] O. Shekoofa and M. Taherbaneh. Modelling of silicon solar panel by matlab/simulink and evaluating the importance of its parameters in a space application. In *2007 3rd International Conference on Recent Advances in Space Technologies*, pages 719–724, June 2007.

[140] Seifi Mohammad, Azura Bt.Che Soh, Noor Izzrib. Abd. Wahab, and Hassan Mohd Khair B. A Comparative Study of PV Models in Matlab/Simulink. *International Journal of Electrical, Computer, Energetic, Electronic and Communication Engineering*, 7(2):122–127, 2013.

[141] G. Bhuvaneswari and R. Annamalai. Development of a solar cell model in matlab for pv based generation system. In *2011 Annual IEEE India Conference*, pages 1–5, Dec 2011.

[142] J A Ramos-hernanz, J J Campayo, E Zulueta, O Barambones, P Eguía, and I Zamora. Obtaining the characteristics curves of a photocell by different methods. (11), 2013.

[143] Abu Tariq, Mohammed Asim, and Mohd Tariq. Simulink based modeling , simulation and Performance Evaluation of an MPPT for maximum power generation on resistive load. *2nd International Conference on Environmental Science and Technology*, 6:397–401, 2011.

[144] A-300 Solar Cell. (70):2003, 2003.

[145] V. Sangsawang and S. Chaitusaney. Modeling of photovoltaic module from commercial specification in datasheet. In *Electrical Engineering/Electronics, Computer, Telecommunications and Information Technology (ECTI-CON), 2012 9th International Conference on*, pages 1–4, May 2012.

[146] I. H. Altas and A. M. Sharaf. A photovoltaic array simulation model for matlab-simulink gui environment. In *2007 International Conference on Clean Electrical Power*, pages 341–345, May 2007.

[147] Z. Salam, K. Ishaque, and H. Taheri. An improved two-diode photovoltaic (pv) model for pv system. In *Power Electronics, Drives and Energy Systems (PEDES) 2010 Power India, 2010 Joint International Conference on*, pages 1–5, Dec 2010.

[148] A. Jenifer., N. R. Newlin, G. Rohini., and V. Jamuna. Development of matlab simulink model for photovoltaic arrays. In *Computing, Electronics and Electrical Technologies (ICCEET), 2012 International Conference on*, pages 436–442, March 2012.

[149] http://www.solarshop-europe.net/solar-components/solarmodules/sharp_nu-e245-j5_m_1152.html.

[150] J. S. A. Rahavi, T. Kanagapriya, and R. Seyezhai. Design and analysis of interleaved boost converter for renewable energy source. In *Computing, Electronics and Electrical Technologies (ICCEET), 2012 International Conference on*, pages 447–451, March 2012.

[151] H. Wu, K. Sun, R. Chen, H. Hu, and Y. Xing. Full-bridge three-port converters with wide input voltage range for renewable power systems. *IEEE Transactions on Power Electronics*, 27(9):3965–3974, Sept 2012.

[152] Z. Zhang, O. C. Thomsen, M. A. E. Andersen, and H. R. Nielsen. Dual-input isolated full-bridge boost dc-dc converter based on the distributed transformers. *IET Power Electronics*, 5(7):1074–1083, August 2012.

[153] Z. Ouyang, Z. Zhang, M. A. E. Andersen, and O. C. Thomsen. Four quadrants integrated transformers for dual-input isolated dc - dc converters. *IEEE Transactions on Power Electronics*, 27(6):2697–2702, June 2012.

[154] Y. Tang, T. Wang, and D. Fu. Multicell switched-inductor/switched-capacitor combined active-network converters. *IEEE Transactions on Power Electronics*, 30(4):2063–2072, April 2015.

[155] K. J. Hartnett, J. G. Hayes, M. S. Rylko, B. J. Barry, and J. W. Masłoń. Comparison of 8-kw cctt im and discrete inductor interleaved boost converter for renewable energy applications. *IEEE Transactions on Industry Applications*, 51(3):2455–2469, May 2015.

[156] M. Das and V. Agarwal. Design and analysis of a high-efficiency dc- dc converter with soft switching capability for renewable energy applications requiring high voltage gain. *IEEE Transactions on Industrial Electronics*, 63(5):2936–2944, May 2016.

[157] T. J. Liang, H. H. Liang, S. M. Chen, J. F. Chen, and L. S. Yang. Analysis, design, and implementation of a bidirectional double-boost dc-dc converter. *IEEE Transactions on Industry Applications*, 50(6):3955–3962, Nov 2014.

[158] A. W. Leedy and K. E. Garcia. Approximation of p-v characteristic curves for use in maximum power point tracking algorithms. In *System Theory (SSST), 2013 45th Southeastern Symposium on*, pages 88–93, March 2013.

[159] A. Ilyas, M. R. Khan, and M. Ayyub. Lookup table based modeling and simulation of solar photovoltaic system. In *2015 Annual IEEE India Conference (INDICON)*, pages 1–6, Dec 2015.

[160] A. Korodi. Building a knowledge base to obtain the maximum power point for a pv panel. In *Control Applications (CCA), 2012 IEEE International Conference on*, pages 1098–1103, Oct 2012.

[161] V. R. Kota and M. N. Bhukya. A simple and efficient mppt scheme for pv module using 2-dimensional lookup table. In *2016 IEEE Power and Energy Conference at Illinois (PECI)*, pages 1–7, Feb 2016.

[162] P. P. Das and S. Chattopadhyay. Smooth mode transition of a dc bus voltage controlled pv inverter using a novel phase locked loop method. In *2015 IEEE Applied Power Electronics Conference and Exposition (APEC)*, pages 2133–2140, March 2015.

[163] M. A. Elgendy, B. Zahawi, and D. J. Atkinson. Operating characteristics of the p amp;o algorithm at high perturbation frequencies for standalone pv systems. *IEEE Transactions on Energy Conversion*, 30(1):189–198, March 2015.

[164] K. Sundareswaran, V. Vigneshkumar, P. Sankar, S. P. Simon, P. Srinivasa Rao Nayak, and S. Palani. Development of an improved p amp;o algorithm assisted through a colony of foraging ants for mppt in pv system. *IEEE Transactions on Industrial Informatics*, 12(1):187–200, Feb 2016.

[165] A. Costa de Souza, F. Cardoso Melo, T. Lima Oliveira, and C. Eduardo Tavares. Performance analysis of the computational implementation of a simplified pv model and mppt algorithm. *IEEE Latin America Transactions*, 14(2):792–798, Feb 2016.

[166] D. C. Jones and R. W. Erickson. Probabilistic analysis of a generalized perturb and observe algorithm featuring robust operation in the presence of power curve traps. *IEEE Transactions on Power Electronics*, 28(6):2912–2926, June 2013.

[167] B. Subudhi and R. Pradhan. A comparative study on maximum power point tracking techniques for photovoltaic power systems. *IEEE Transactions on Sustainable Energy*, 4(1):89–98, Jan 2013.

[168] D. Sera, L. Mathe, T. Kerekes, S. V. Spataru, and R. Teodorescu. On the perturb-and-observe and incremental conductance mppt methods for pv systems. *IEEE Journal of Photovoltaics*, 3(3):1070–1078, July 2013.

[169] Tekeshwar Prasad Sahu and T. V. Dixit. Modelling and analysis of perturb amp; observe and incremental conductance mppt algorithm for pv array using cuk converter. In *Electrical, Electronics and Computer Science (SCEECS), 2014 IEEE Students' Conference on*, pages 1–6, March 2014.

[170] S. Dhar, R. Sridhar, and G. Mathew. Implementation of pv cell based standalone solar power system employing incremental conductance mppt algorithm. In *Circuits, Power and Computing Technologies (ICCPCT), 2013 International Conference on*, pages 356–361, March 2013.

[171] R. Arulmurugan and N. S. Vanitha. Numerical analysis of incremental conductance with cyclic measurement of the mppt algorithm for pv power generation. In *Sustainable Energy and Intelligent Systems (SEISCON 2013), IET Chennai Fourth International Conference on*, pages 78–84, Dec 2013.

[172] R. Faraji, A. Rouholamini, H. R. Naji, R. Fadaeinedjad, and M. R. Chavoshian. Fpga-based real time incremental conductance maximum power point tracking controller for photovoltaic systems. *IET Power Electronics*, 7(5):1294–1304, May 2014.

[173] B. Masood, M. S. Siddique, R. M. Asif, and M. Zia ul Haq. Maximum power point tracking using hybrid perturb amp; observe and incremental conductance techniques. In *Engineering Technology and Technopreneuship (ICE2T), 2014 4th International Conference on*, pages 354–359, Aug 2014.

[174] M. A. Elgendy, B. Zahawi, and D. J. Atkinson. Assessment of the incremental conductance maximum power point tracking algorithm. *IEEE Transactions on Sustainable Energy*, 4(1):108–117, Jan 2013.

[175] S. Jain, A. Vaibhav, and L. Goyal. Comparative analysis of mppt techniques for pv in domestic applications. In *Power India International Conference (PIICON), 2014 6th IEEE*, pages 1–6, Dec 2014.

[176] A. G. Sarigiannidis, S. A. Stathis, and A. G. Kladas. Performance evaluation of mppt techniques for pv array incorporated into electric vehicle roof. In *2015 International Conference on Renewable Energy Research and Applications (ICRERA)*, pages 1069–1073, Nov 2015.

[177] A. Kouchaki, H. Iman-Eini, and B. Asaei. Maximum power point tracking algorithm based on i-v characteristic of pv array under uniform and non-uniform conditions. In *2012 IEEE International Conference on Power and Energy (PECon)*, pages 331–336, Dec 2012.

[178] M. Balato and M. Vitelli. A hybrid mppt technique based on the fast estimate of the maximum power voltages in pv applications. In *2013 Eighth International Conference and Exhibition on Ecological Vehicles and Renewable Energies (EVER)*, pages 1–7, March 2013.

[179] S. K. Kollimalla and M. K. Mishra. A novel adaptive p amp;o mppt algorithm considering sudden changes in the irradiance. *IEEE Transactions on Energy Conversion*, 29(3):602–610, Sept 2014.

[180] Y. Jiang, J. A. Abu Qahouq, and T. A. Haskew. Adaptive step size with adaptive-perturbation-frequency digital mppt controller for a single-sensor photovoltaic solar system. *IEEE Transactions on Power Electronics*, 28(7):3195–3205, July 2013.

[181] H. A. Sher, A. F. Murtaza, A. Noman, K. E. Addoweesh, K. Al-Haddad, and M. Chiaberge. A new sensorless hybrid mppt algorithm based on fractional short-circuit current measurement and p amp;o mppt. *IEEE Transactions on Sustainable Energy*, 6(4):1426–1434, Oct 2015.

[182] S. K. Kollimalla and M. K. Mishra. Variable perturbation size adaptive p amp;o mppt algorithm for sudden changes in irradiance. *IEEE Transactions on Sustainable Energy*, 5(3):718–728, July 2014.

[183] M. A. A. Mohd Zainuri, M. A. Mohd Radzi, A. C. Soh, and N. A. Rahim. Development of adaptive perturb and observe-fuzzy control maximum power point tracking for photovoltaic boost dc-dc converter. *IET Renewable Power Generation*, 8(2):183–194, March 2014.

[184] E. Koutroulis and K. Kalaitzakis. Design of a maximum power tracking system for wind-energy-conversion applications. *IEEE Transactions on Industrial Electronics*, 53(2):486–494, April 2006.

[185] Y. M. Kawale and S. Dutt. Comparative study of converter topologies used for pmsg based wind power generation. In *Computer and Electrical Engineering, 2009. ICCEE '09. Second International Conference on*, volume 2, pages 367–371, Dec 2009.

[186] *State-wise monthly renewable power generation, CEA.*

[187] State & Year-wise WEG Installations — Wind Power India,http://www.windpowerindia.com/state-year-wise-weg-installations/.

[188] NLDC, http://www.nldc.in/MonthlyReports.aspx.

[189] Y. Zou and J. He. Comprehensive modeling, simulation and experimental validation of permanent magnet synchronous generator wind power system. In *2016 IEEE/IAS 52nd Industrial and Commercial Power Systems Technical Conference (I CPS)*, pages 1–9, May 2016.

[190] A. S. Satpathy, D. Kastha, and N. K. Kishore. Modeling of small wind turbine characteristics. In *2016 IEEE 6th International Conference on Power Systems (ICPS)*, pages 1–6, March 2016.

[191] V. Reyes, J. J. Rodríguez, O. Carranza, and R. Ortega. Review of mathematical models of both the power coefficient and the torque coefficient in wind turbines. In *2015 IEEE 24th International Symposium on Industrial Electronics (ISIE)*, pages 1458–1463, June 2015.

[192] E. Bolte and M. Landwehr. Mathematical model of small wind turbines. In *Ecological Vehicles and Renewable Energies (EVER), 2014 Ninth International Conference on*, pages 1–6, March 2014.

[193] H. Kala and K. S. Sandhu. Effect of change in power coefficient on the performance of wind turbines with different dimensions. In *2016 International Conference on Microelectronics, Computing and Communications (MicroCom)*, pages 1–4, Jan 2016.

[194] V. Reyes, J. J. Rodríguez, O. Carranza, and R. Ortega. Review of mathematical models of both the power coefficient and the torque coefficient in wind turbines. In *2015 IEEE 24th International Symposium on Industrial Electronics (ISIE)*, pages 1458–1463, June 2015.

[195] Y. Xia, K. H. Ahmed, and B. W. Williams. Wind turbine power coefficient analysis of a new maximum power point tracking technique. *IEEE Transactions on Industrial Electronics*, 60(3):1122–1132, March 2013.

[196] D. Sahu. Maximum power extraction for direct driven variable speed wind turbine system using pmsg and fixed pitch angle. In *Control Computing Communication Materials (ICCCCM), 2013 International Conference on*, pages 1–7, Aug 2013.

[197] Zhang Xin-Fang, Xu Da-Ping, and Liu Yi-Bing. Adaptive optimal fuzzy control for variable speed fixed pitch wind turbines. In *Intelligent Control and Automation, 2004. WCICA 2004. Fifth World Congress on*, volume 3, pages 2481–2485 Vol.3, June 2004.

[198] K. Busawon, L. Dodson, and M. Jovanovic. Estimation of the power coefficient in a wind conversion system. In *Proceedings of the 44th IEEE Conference on Decision and Control*, pages 3450–3455, Dec 2005.

[199] K. Busawon, M. Jovanovic, and Lee Dodson. Power coefficient estimation in a wind energy conversion system. In *Power Electronics and Motion Control Conference, 2006. EPE-PEMC 2006. 12th International*, pages 1873–1877, Aug 2006.

[200] K. Busawon, L. Dodson, and M. Jovanovic. Estimation of the power coefficient in a wind conversion system. In *Proceedings of the 44th IEEE Conference on Decision and Control*, pages 3450–3455, Dec 2005.

[201] VERTICAL AXIS WIND TURBINE PARTS — Green Mechanic.

[202] Bogga Wind Power.

[203] UGE Eddy on building.

[204] Report on Renewable Energy and its Implementation - Assignment Point.

[205] D. M. Miao and J. X. Shen. Comparative study on permanent magnet synchronous generator systems with various power conversion topologies. In *Power Engineering, Energy and Electrical Drives (POWERENG), 2013 Fourth International Conference on*, pages 1738–1743, May 2013.

[206] J. G. Slootweg and W. L. Kling. Aggregated modelling of wind parks in power system dynamics simulations. In *Power Tech Conference Proceedings, 2003 IEEE Bologna*, volume 3, pages 6 pp. Vol.3–, June 2003.

[207] H. Shariatpanah, R. Fadaeinedjad, and M. Rashidinejad. A new model for pmsg-based wind turbine with yaw control. *IEEE Transactions on Energy Conversion*, 28(4):929–937, Dec 2013.

[208] Y. Xia, K. H. Ahmed, and B. W. Williams. A new maximum power point tracking technique for permanent magnet synchronous generator based wind energy conversion system. *IEEE Transactions on Power Electronics*, 26(12):3609–3620, Dec 2011.

[209] Y. Xia, K. H. Ahmed, and B. W. Williams. A new maximum power point tracking technique for permanent magnet synchronous generator based wind energy conversion system. *IEEE Transactions on Power Electronics*, 26(12):3609–3620, Dec 2011.

[210] R. J. Wai, C. Y. Lin, and Y. R. Chang. Novel maximum-power-extraction algorithm for pmsg wind generation system. *IET Electric Power Applications*, 1(2):275–283, March 2007.

[211] E. Koutroulis and K. Kalaitzakis. Design of a maximum power tracking system for wind-energy-conversion applications. *IEEE Transactions on Industrial Electronics*, 53(2):486–494, April 2006.

[212] A. Rolan, A. Luna, G. Vazquez, D. Aguilar, and G. Azevedo. Modeling of a variable speed wind turbine with a permanent magnet synchronous generator. In *2009 IEEE International Symposium on Industrial Electronics*, pages 734–739, July 2009.

[213] E. N. López-Ortiz, D. Campos-Gaona, and E. L. Moreno-Goytia. Modelling of a wind turbine with permanent magnet synchronous generator. In *North American Power Symposium (NAPS), 2012*, pages 1–6, Sept 2012.

[214] S. Janakiraman and W. Shireen. An optimal speed wind turbine test bench system for pmsg machines with mpp control. In *2014 IEEE PES General Meeting — Conference Exposition*, pages 1–5, July 2014.

[215] P. V. Sandeep and A. Vijayakumari. Grid connected wind driven permanent magnet synchronous generator with high frequency solid state transformer. In *2016 International Conference on Emerging Technological Trends (ICETT)*, pages 1–6, Oct 2016.

[216] I. S. B. Kumar and S. Bindu. Direct control technique for pmsg based variable speed wind applications. In *2016 International Conference on Electrical, Electronics, and Optimization Techniques (ICEEOT)*, pages 2543–2548, March 2016.

[217] C. Sorandaru, S. Musuroi, M. C. Ancuti, G. M. Erdodi, and D. I. Petrescu. Equivalent power for a wind power system. In *2016 IEEE 11th International Symposium on Applied Computational Intelligence and Informatics (SACI)*, pages 225–228, May 2016.

[218] R. M. Linus and P. Damodharan. Maximum power point tracking of pmsg based grid connected wecs using quadrature axis current. In *2015 International Conference on Renewable Energy Research and Applications (ICRERA)*, pages 671–676, Nov 2015.

[219] C. Sorandaru, S. Musuroi, M. C. Ancuti, G. M. Erdodi, and D. I. Petrescu. The control of the wind power systems by imposing the dc current. In *2015 IEEE 10th Jubilee International Symposium on Applied Computational Intelligence and Informatics*, pages 259–264, May 2015.

[220] M. Heydari and K. Smedley. A cost-effective sensorless variable-speed wind energy system. In *The 6th Power Electronics, Drive Systems Technologies Conference (PEDSTC2015)*, pages 597–602, Feb 2015.

[221] R. Kotti and W. Shireen. Maximum power point tracking of a variable speed pmsg wind power system with dc link reduction technique. In *2014 IEEE PES General Meeting — Conference Exposition*, pages 1–5, July 2014.

[222] R. Doshi, V. Jotangiya, M. Bhatt, and S. Andipara. Meticulous analysis and optimization of maximum power point tracking techniques for standalone wind energy conversion system. In *2016 IEEE 1st International Conference on Power Electronics, Intelligent Control and Energy Systems (ICPEICES)*, pages 1–5, July 2016.

[223] J. Chen, T. Lin, C. Wen, and Y. Song. Design of a unified power controller for variable-speed fixed-pitch wind energy conversion system. *IEEE Transactions on Industrial Electronics*, 63(8):4899–4908, Aug 2016.

[224] L. Li, Y. Ren, M. Alsumiri, J. Brindley, and L. Jiang. Maximum power point tracking of wind turbine based on optimal power curve detection under variable wind speed. In *International Conference on Renewable Power Generation (RPG 2015)*, pages 1–6, Oct 2015.

[225] R. Kotti, S. Janakiraman, and W. Shireen. Adaptive sensorless maximum power point tracking control for pmsg wind energy conversion systems. In *2014 IEEE 15th Workshop on Control and Modeling for Power Electronics (COMPEL)*, pages 1–8, June 2014.

[226] J. Chen, J. Chen, and C. Gong. On optimizing the transient load of variable-speed wind energy conversion system during the mpp tracking process. *IEEE Transactions on Industrial Electronics*, 61(9):4698–4706, Sept 2014.

[227] J. Gao, J. Lu, K. Huang, Y. Zhang, and S. Huang. A novel variable step hill-climb search algorithm used for direct driven pmsg. In *Energy and Environment Technology, 2009. ICEET '09. International Conference on*, volume 1, pages 511–514, Oct 2009.

[228] K. Kurohane, T. Senjyu, A. Yona, N. Urasaki, T. Goya, and T. Funabashi. A hybrid smart ac/dc power system. *IEEE Transactions on Smart Grid*, 1(2):199–204, Sept 2010.

[229] Bagen and R. Billinton. Evaluation of different operating strategies in small stand-alone power systems. *IEEE Transactions on Energy Conversion*, 20(3):654–660, Sept 2005.

[230] F. Blaabjerg, R. Teodorescu, M. Liserre, and A. V. Timbus. Overview of control and grid synchronization for distributed power generation systems. *IEEE Transactions on Industrial Electronics*, 53(5):1398–1409, Oct 2006.

[231] K. A. Kim, C. Xu, L. Jin, and P. T. Krein. A dynamic photovoltaic model incorporating capacitive and reverse-bias characteristics. *IEEE Journal of Photovoltaics*, 3(4):1334–1341, Oct 2013.

[232] Subhadeep Bhattacharjee and Shantanu Acharya. Pv–wind hybrid power option for a low wind topography. *Energy Conversion and Management*, 89:942 – 954, 2015.

[233] A. Hajizadeh, M. A. Golkar, and A. Feliachi. Voltage control and active power management of hybrid fuel-cell/energy-storage power conversion system under unbalanced voltage sag conditions. *IEEE Transactions on Energy Conversion*, 25(4):1195–1208, Dec 2010.

[234] Shafiqur Rehman, Md. Mahbub Alam, J.P. Meyer, and Luai M. Al-Hadhrami. Feasibility study of a wind–pv–diesel hybrid power system for a village. *Renewable Energy*, 38(1):258 – 268, 2012.

[235] K Boubaker, A Colantoni, and E Allegrini. Renewable energy in eastern north africa in terms of patterns of coupling to czisch european hvdc super grid. *International Journal of Renewable Energy Development*, 2(2):125–129, 2013.

[236] Mehdi Hashemi-Tilehnoee, Dayan Babayani, and Masoud Khaleghi. Evaluating wind energy potential in gorgan–iran using two methods of weibull distribution function. *International Journal of Renewable Energy Development*, 5(1):43–48, 2016.

[237] M.F. Khan and M.R. Khan. Wind power generation in india: Evolution, trends and prospects. *International Journal of Renewable Energy Development*, 2(3):175–186, 2013.

[238] COC Oko, E.O Diemuodeke, E.O Omunakwe, and E Nnamdi. Design and economic analysis of a photovoltaic system: A case study. *International Journal of Renewable Energy Development*, 1(3):65–73, 2012.

[239] J. M. Espi and J. Castello. Wind turbine generation system with optimized dc-link design and control. *IEEE Transactions on Industrial Electronics*, 60(3):919–929, March 2013.

[240] H. Shariatpanah, R. Fadaeinedjad, and M. Rashidinejad. A new model for pmsg-based wind turbine with yaw control. *IEEE Transactions on Energy Conversion*, 28(4):929–937, Dec 2013.

[241] J. C. Wu and Y. H. Wang. Power conversion interface for small-capacity wind power generation system. *IET Generation, Transmission Distribution*, 8(4):689–696, April 2014.

[242] J. Yao, H. Li, Z. Chen, X. Xia, X. Chen, Q. Li, and Y. Liao. Enhanced control of a dfig-based wind-power generation system with series grid-side converter under unbalanced grid voltage conditions. *IEEE Transactions on Power Electronics*, 28(7):3167–3181, July 2013.

[243] A. K. Barnes, J. C. Balda, and A. Escobar-Mejía. A semi-markov model for control of energy storage in utility grids and microgrids with pv generation. *IEEE Transactions on Sustainable Energy*, 6(2):546–556, April 2015.

[244] C. Konstantopoulos and E. Koutroulis. Global maximum power point tracking of flexible photo-voltaic modules. *IEEE Transactions on Power Electronics*, 29(6):2817–2828, June 2014.

[245] P. Kinjal, K. B. Shah, and G. R. Patel. Comparative analysis of p o and inc mppt algorithm for pv system. In *2015 International Conference on Electrical, Electronics, Signals, Communication and Optimization (EESCO)*, pages 1–6, Jan 2015.

[246] S. Jain, A. Vaibhav, and L. Goyal. Comparative analysis of mppt techniques for pv in domestic applications. In *2014 6th IEEE Power India International Conference (PIICON)*, pages 1–6, Dec 2014.

[247] M.M. Rajan Singaravel and S. Arul Daniel. Studies on battery storage requirement of {PV} fed wind-driven induction generators. *Energy Conversion and Management*, 67:34 – 43, 2013.

[248] R. G. Wandhare and V. Agarwal. Novel integration of a pv-wind energy system with enhanced efficiency. *IEEE Transactions on Power Electronics*, 30(7):3638–3649, July 2015.

[249] G. Bhuvaneswari and R. Annamalai. Development of a solar cell model in matlab for pv based generation system. In *2011 Annual IEEE India Conference*, pages 1–5, Dec 2011.

[250] Diana Neves, Miguel C. Brito, and Carlos A. Silva. Impact of solar and wind forecast uncertainties on demand response of isolated microgrids. *Renewable Energy*, 87, Part 2:1003 – 1015, 2016. Optimization Methods in Renewable Energy Systems Design.

[251] Romain Juban, Henrik Ohlsson, Mehdi Maasoumy, Louis Poirier, and J. Zico Kolter. A multiple quantile regression approach to the wind, solar, and price tracks of {GEFCom2014}. *International Journal of Forecasting*, 32(3):1094 – 1102, 2016.

[252] Y. Yang and L. Dong. Short-term pv generation system direct power prediction model on wavelet neural network and weather type clustering. In *2013 5th International Conference on Intelligent Human-Machine Systems and Cybernetics*, volume 1, pages 207–211, Aug 2013.

[253] Y. Li, J. Zhang, J. Xiao, and Y. Tan. Short-term prediction of the output power of pv system based on improved grey prediction model. In *Proceedings of the 2014 International Conference on Advanced Mechatronic Systems*, pages 547–551, Aug 2014.

[254] N. N. Arjun, V. Prema, D. K. Kumar, P. Prashanth, V. S. Preekshit, and K. U. Rao. Multivariate regression models for prediction of wind speed. In *2014 International Conference on Data Science Engineering (ICDSE)*, pages 171–176, Aug 2014.

[255] J. Zeng and W. Qiao. Short-term solar power prediction using an rbf neural network. In *2011 IEEE Power and Energy Society General Meeting*, pages 1–8, July 2011.

[256] T. H. M. El-Fouly, E. F. El-Saadany, and M. M. A. Salama. One day ahead prediction of wind speed and direction. *IEEE Transactions on Energy Conversion*, 23(1):191–201, March 2008.

[257] X. Yang, F. Jiang, and H. Liu. Short-term solar radiation prediction based on svm with similar data. In *2nd IET Renewable Power Generation Conference (RPG 2013)*, pages 1–4, Sept 2013.

[258] A. Yona, T. Senjyu, T. Funabashi, and C. H. Kim. Determination method of insolation prediction with fuzzy and applying neural network for long-term ahead pv power output correction. *IEEE Transactions on Sustainable Energy*, 4(2):527–533, April 2013.

[259] I. Jayawardene and G. K. Venayagamoorthy. Comparison of echo state network and extreme learning machine for pv power prediction. In *2014 IEEE Symposium on Computational Intelligence Applications in Smart Grid (CIASG)*, pages 1–8, Dec 2014.

[260] A. J. Sánchez, J. M. Escaño, A. J. Gallego, and E. F. Camacho. Fault tolerant mpc of a solar trough field based on classification and regression trees. In *2016 3rd Conference on Control and Fault-Tolerant Systems (SysTol)*, pages 152–157, Sept 2016.

[261] Leo Breiman. Bagging predictors. *Machine Learning*, 24(2):123–140, 1996.

[262] E. A. Bakirtzis and P. N. Biskas. Multiple time resolution stochastic scheduling for systems with high renewable penetration. *IEEE Transactions on Power Systems*, 32(2):1030–1040, March 2017.

[263] A. C. Luna, N. L. Diaz, M. Graells, J. C. Vasquez, and J. M. Guerrero. Mixed-integer-linear-programming-based energy management system for hybrid pv-wind-battery microgrids: Modeling, design, and experimental verification. *IEEE Transactions on Power Electronics*, 32(4):2769–2783, April 2017.

[264] Afshin Samadi, Robert Eriksson, Lennart Söder, Barry G. Rawn, and Jens C. Boemer. Coordinated active power-dependent voltage regulation in distribution grids with PV systems. *IEEE Transactions on Power Delivery*, 29(3):1454–1464, 2014.

[265] M. N. Arafat, A. Elrayyah, and Y. Sozer. An effective smooth transition control strategy using droop-based synchronization for parallel inverters. *IEEE Transactions on Industry Applications*, 51(3):2443–2454, May 2015.

[266] M. Ariany and G. B. Gharehpetian. A hierarchical approach for frequency regulation in islanded inverter-based microgrids. In *Iranian Conference on Smart Grids*, pages 1–5, May 2012.

[267] E. Ozdemir, S. Ozdemir, and L. M. Tolbert. Fundamental-frequency-modulated six-level diode-clamped multilevel inverter for three-phase stand-alone photovoltaic system. *IEEE Transactions on Industrial Electronics*, 56(11):4407–4415, Nov 2009.

[268] R. J. Wai, W. H. Wang, and C. Y. Lin. High-performance stand-alone photovoltaic generation system. *IEEE Transactions on Industrial Electronics*, 55(1):240–250, Jan 2008.

[269] D. S. Ochs, B. Mirafzal, and P. Sotoodeh. A method of seamless transitions between grid-tied and stand-alone modes of operation for utility-interactive three-phase inverters. *IEEE Transactions on Industry Applications*, 50(3):1934–1941, May 2014.

[270] Z. Yao, L. Xiao, and Y. Yan. Seamless transfer of single-phase grid-interactive inverters between grid-connected and stand-alone modes. *IEEE Transactions on Power Electronics*, 25(6):1597–1603, June 2010.

[271] M. Karimi-Ghartemani. Universal integrated synchronization and control for single-phase dc/ac converters. *IEEE Transactions on Power Electronics*, 30(3):1544–1557, March 2015.

[272] J. Kim, J. Lee, and K. Nam. Inverter-based local ac bus voltage control utilizing two dof control. *IEEE Transactions on Power Electronics*, 23(3):1288–1298, May 2008.

[273] Matthew Surprenant, Ian Hiskens, and Giri Venkataramanan. Phase locked loop control of inverters in a microgrid. *2011 IEEE Energy Conversion Congress and Exposition*, pages 667–672, 2011.

[274] Lin Yi-xi, Xu Jia-zhu, and Luo Long-fu. An improved droop control strategy in the islanding operation. *2013 Chinese Automation Congress*, pages 723–727, 2013.

[275] Saleh Ahmadi, Shoresh Shokoohi, and Hassan Bevrani. A fuzzy logic-based droop control for simultaneous voltage and frequency regulation in an AC microgrid. *International Journal of Electrical Power & Energy Systems*, 64:148–155, 2015.

[276] Rupesh G Wandhare and Vivek Agarwal. Novel Integration of a PV-Wind Energy System With Enhanced Efficiency. *Ieee Transactions on Power Electronics*, 30(7):3638–3649, 2015.

[277] Juan C. Vasquez, Josep M. Guerrero, Alvaro Luna, Pedro Rodríguez, and Remus Teodorescu. Adaptive droop control applied to voltage-source inverters operating in grid-connected and islanded modes. *IEEE Transactions on Industrial Electronics*, 56(10):4088–4096, 2009.

[278] Indian Electricity Grid Code, 2017-10-08.

[279] S. Kouro, J. I. Leon, D. Vinnikov, and L. G. Franquelo. Grid-connected photovoltaic systems: An overview of recent research and emerging pv converter technology. *IEEE Industrial Electronics Magazine*, 9(1):47–61, March 2015.

[280] M. Mills-Price, M. Scharf, S. Hummel, M. Ropp, D. Joshi, G. Zweigle, K. G. Ravikumar, R. Moxley, and B. Flerchinger. Interconnection control of distributed generation with time-synchronized phasors. In *2011 IEEE/PES Power Systems Conference and Exposition*, pages 1–8, March 2011.

[281] J. M. Carrasco, L. G. Franquelo, J. T. Bialasiewicz, E. Galvan, R. C. PortilloGuisado, M. A. M. Prats, J. I. Leon, and N. Moreno-Alfonso. Power-electronic systems for the grid integration of renewable energy sources: A survey. *IEEE Transactions on Industrial Electronics*, 53(4):1002–1016, June 2006.

[282] V. S. Bugade and P. K. Katti. Dynamic modelling of microgrid with distributed generation for grid integration. In *2015 International Conference on Energy Systems and Applications*, pages 103–107, Oct 2015.

[283] R. Davoodnezhad, D. G. Holmes, and B. P. McGrath. A three-level self-synchronizing hysteresis current regulator with constant switching frequency. In *2013 IEEE ECCE Asia Downunder*, pages 38–44, June 2013.

[284] H. Zhao, Q. Yang, and H. Zeng. Multi-loop virtual synchronous generator control of inverter-based dgs under microgrid dynamics. *IET Generation, Transmission Distribution*, 11(3):795–803, 2017.

[285] Q. C. Zhong, W. L. Ming, and Y. Zeng. Self-synchronized universal droop controller. *IEEE Access*, 4:7145–7153, 2016.

[286] Shilpi Bhattacharya, Prabal Deb, Sujit K. Biswas, and Suparna KarChowdhury. Performance and design of an open-delta connected grid tied bidirectional {PWM} converter. *International Journal of Electrical Power and Energy Systems*, 78:183 – 193, 2016.

[287] Mohammad Hassan Khooban and Taher Niknam. A new intelligent online fuzzy tuning approach for multi-area load frequency control: Self adaptive modified bat algorithm. *International Journal of Electrical Power and Energy Systems*, 71:254 – 261, 2015.

[288] C. Peng and J. Zhang. Delay-distribution-dependent load frequency control of power systems with probabilistic interval delays. *IEEE Transactions on Power Systems*, 31(4):3309–3317, July 2016.

[289] Z. Li, W. Wu, M. Shahidehpour, and B. Zhang. Adaptive robust tie-line scheduling considering wind power uncertainty for interconnected power systems. *IEEE Transactions on Power Systems*, 31(4):2701–2713, July 2016.

[290] R. Fan, J. Zhao, B. Pan, N. Chen, T. Wang, and H. Ma. Automatic generation control of three-area small hydro system based on fuzzy pid control. In *2014 International Conference on Power System Technology*, pages 2522–2528, Oct 2014.

[291] P. Khayyer and U. Ozguner. Decentralized control of smart grid with fixed and moving loads. In *2013 IEEE Power and Energy Conference at Illinois (PECI)*, pages 72–75, Feb 2013.

[292] T. Mahto and V. Mukherjee. Frequency stabilisation of a hybrid two-area power system by a novel quasi-oppositional harmony search algorithm. *IET Generation, Transmission Distribution*, 9(15):2167–2179, 2015.

[293] M. Garmroodi, D. J. Hill, G. Verbic, and J. Ma. Impact of tie-line power on inter-area modes with increased penetration of wind power. *IEEE Transactions on Power Systems*, 31(4):3051–3059, July 2016.

[294] Z. Li, M. Shahidehpour, W. Wu, B. Zeng, B. Zhang, and W. Zheng. Decentralized multiarea robust generation unit and tie-line scheduling under wind power uncertainty. *IEEE Transactions on Sustainable Energy*, 6(4):1377–1388, Oct 2015.

[295] J. Wang, Z. Gao, X. Teng, and X. Zhang. Research on real-time control strategy of tie-lines in uhv interconnected power grid. In *2011 International Conference on Advanced Power System Automation and Protection*, volume 1, pages 265–269, Oct 2011.

[296] N.J. Vinoth Kumar and M. Mohamed Thameem Ansari. A new design of dual mode type-ii fuzzy logic load frequency controller for interconnected power systems with parallel ac–dc tie-lines and capacitor energy storage unit. *International Journal of Electrical Power and Energy Systems*, 82:579 – 598, 2016.

[297] Abhijith Pappachen and A. Peer Fathima. Load frequency control in deregulated power system integrated with smes–tcps combination using {ANFIS} controller. *International Journal of Electrical Power and Energy Systems*, 82:519 – 534, 2016.