

# Contents

<b>Certificate</b>	<b>i</b>
<b>Acknowledgements</b>	<b>ii</b>
<b>Abstract</b>	<b>iv</b>
<b>Contents</b>	<b>vii</b>
<b>List of Figures</b>	<b>xi</b>
<b>List of Tables</b>	<b>xvi</b>
<b>1 Introduction</b>	<b>1</b>
1.1 Background . . . . .	1
1.1.1 Brief Review on Traditional LFC / AGC for Conventional generation: . . . . .	4
1.1.2 Brief Review on Interconnected RES generation: . . . . .	5
1.1.3 Motivation for Research: . . . . .	6
1.2 Aim, Objectives and Organization of Thesis . . . . .	8
<b>2 Literature Review</b>	<b>12</b>
2.1 Introduction . . . . .	12
2.1.1 Power Plant Control Modes: . . . . .	13
2.1.2 Generator, Load and Prime-mover Model: . . . . .	14
2.1.2.1 Model of Generator: . . . . .	14
2.1.2.2 Mathematical modeling of Load: . . . . .	15
2.1.2.3 Model of Prime-Mover: . . . . .	16
2.1.3 Model of Governor: . . . . .	16
2.1.3.1 Isochronous Operation: . . . . .	17
2.1.3.2 Droop Mode Operation: . . . . .	17
2.2 Literature survey on Automatic Generation Control(AGC) / Load Frequency Control (LFC) / Tie-line control in Conventional Power Generation: . . . . .	22
2.3 Literature review on Impact of RES Penetration into grid / Stand-alone operation/Hybrid system: . . . . .	24
2.4 Literature review on Hybrid Power System . . . . .	25
2.5 Gap in Research . . . . .	29
2.6 Summary: . . . . .	30

<b>3 Modeling of PV based generation for Hybrid power System</b>	<b>31</b>
3.1 Introduction . . . . .	31
3.2 PV Based Generation: . . . . .	32
3.2.1 Equation Based PV cell modeling . . . . .	35
3.2.1.1 Single diode model-A "By O/C Voltage and S/C current, 5 parameters":	36
3.2.1.2 single diode model B "By Equivalent circuit parameters, 5 parameter":	41
3.2.1.3 Two diode model C "By Equivalent circuit parameters, 8 parameter":	45
3.2.2 Model Based Implementation Of PV Cell In Simscape: . . . . .	47
3.2.2.1 single diode model D "By O/C Voltage and S/C current, 5 parameters":	48
3.2.2.2 single diode model E "By Equivalent circuit parameters, 5 parameters":	49
3.2.2.3 two diode model F "By Equivalent circuit parameters, 8 parameter":	49
3.2.3 SUNPOWER A-300 SOLAR CELL, MONO CRYSTALLINE SILICON DATA-SHEET . . . . .	50
3.3 Comparison of Characteristics of Equation-based and Model-based implementation of PV Cell with real-time data of PV cell extracted from Manufacturer data sheet: . . . . .	50
3.4 Implementation of PV based generation for DC load: . . . . .	55
3.4.1 Estimating the Values of $R_p$ and $R_s$ : . . . . .	58
3.4.2 MANUFACTURER DATA SHEET OF PV PANEL: . . . . .	59
3.4.3 Simulation of PV panel in PV based generation: . . . . .	60
3.4.4 DC / DC Boost Converter: . . . . .	62
3.4.5 Maximum Power Point Tracking Algorithm: . . . . .	66
3.4.5.1 Perturb and Observe (P & O) algorithm implementation: . . . . .	68
3.5 Simulation of PV based Generation: . . . . .	70
3.6 Summary: . . . . .	74
<b>4 Modeling of Wind Based Generation for Hybrid Power System</b>	<b>77</b>
4.1 Introduction . . . . .	77
4.2 Modeling of Wind-based generation . . . . .	78
4.2.1 Basic building blocks of Wind power generation . . . . .	80
4.3 Modeling of Wind turbine . . . . .	82
4.3.1 Speed and Power relation: . . . . .	82
4.3.2 Power extracted from the wind: . . . . .	84
4.3.3 Power Coefficient ( $C_p$ ): . . . . .	87
4.3.4 Vertical Axis Wind Turbine (VAWT): . . . . .	88
4.3.5 Horizontal Axis Wind Turbine (HAWT): . . . . .	92
4.4 Electrical Generator: . . . . .	97
4.4.1 Mathematical Modeling of PMSG: . . . . .	98
4.4.2 Boost Converter: . . . . .	102
4.4.3 Maximum Power Point Tracking Algorithm . . . . .	103
4.4.3.1 Tip Speed Ratio (TSR) control . . . . .	103
4.4.3.2 PSF control Implementation . . . . .	104
4.4.3.3 HCS control Implementation . . . . .	105
4.4.3.4 Hill Climb Search Control algorithm: . . . . .	106
4.5 Simulation results: . . . . .	106
4.5.1 Case i: Constant wind speed and constant resistive load:- . . . . .	107
4.5.2 Case ii: Constant wind speed and variable resistive load:- . . . . .	108
4.5.3 Case iii: Varying wind speed and constant resistive load:- . . . . .	109

4.5.4	Case iv: Varying wind speed and variable resistive load:- . . . . .	111
4.6	Summary: . . . . .	112
<b>5</b>	<b>Implementation of PV-Wind Hybrid Power system with FLC MPPT Controller for DC load using Real Time Data</b>	<b>114</b>
5.1	Introduction . . . . .	114
5.2	Proposed PV-Wind hybrid power system with DC Load . . . . .	118
5.3	Fuzzy Logic Controller (FLC): . . . . .	119
5.3.1	Fuzzy implementation of P & O algorithm . . . . .	119
5.4	Fuzzy Logic Control (FLC): . . . . .	121
5.4.1	Fuzzy implementation of MPPT algorithm . . . . .	122
5.5	System Description and Simulation results: . . . . .	124
5.6	Measured data of Wind Speed and Solar Illumination at BITS-Pilani, Hyderabad Campus	126
5.6.1	System Description and Simulation Results with measured Solar illumination and Wind speed data . . . . .	128
5.6.1.1	Constant Resistive load of 6kW with Real-time data of environmental conditions . . . . .	129
5.6.1.2	Varying Resistive Load with the Real Time data of Environmental Conditions . . . . .	130
5.7	Summary: . . . . .	131
<b>6</b>	<b>Short-term and Long-term Prediction of Solar illumination and Wind speed profile for the location</b>	<b>133</b>
6.1	Introduction . . . . .	133
6.2	Prediction Methodology . . . . .	134
6.2.1	Neural Network Model for Prediction . . . . .	135
6.2.2	Regression Tree Model (RTM) . . . . .	136
6.2.3	Multiple Linear Regression model . . . . .	137
6.3	Prediction of Solar Illumination . . . . .	138
6.3.1	NN model based Prediction Results . . . . .	138
6.3.2	RTM based Prediction Results . . . . .	139
6.3.3	MLR model based prediction Results . . . . .	140
6.4	Prediction wind speed . . . . .	141
6.4.1	NN model based Prediction Results . . . . .	141
6.4.2	RTM based Prediction Results . . . . .	142
6.4.3	MLR model based Prediction Results . . . . .	143
6.5	PV and Wind Power Prediction . . . . .	144
6.6	Forecasting the Solar irradiation and wind speed profile for Years 2016 and 2017: . . . . .	146
6.6.1	Forecast of Solar illumination and Wind speed profile for year 2016: . . . . .	147
6.6.2	Forecast of Solar illumination and Wind speed profile for year 2017: . . . . .	149
6.7	Summary: . . . . .	150
<b>7</b>	<b>Load Frequency Control of Stand-alone PV-Wind hybrid power system</b>	<b>151</b>
7.1	Introduction . . . . .	151
7.2	Stand-alone PV Wind Hybrid Power System . . . . .	152
7.3	A Discrete PLL based LFC of Autonomous PV-Wind Hybrid power system . . . . .	155
7.3.1	The measured data of Solar Illumination and Wind Speed . . . . .	157
7.3.2	System Description and Simulation results . . . . .	158

7.3.2.1	Constant resistive load of 20 kW with measured values of solar illumination and wind speed: . . . . .	159
7.3.2.2	Variable resistive load with measured values of solar illumination and wind speed: . . . . .	161
7.3.2.3	Increasing Load Pattern . . . . .	164
7.3.2.4	Decreasing Load Pattern . . . . .	165
7.3.2.5	Constant resistive load with 4 KW induction motor with variable load torque . . . . .	168
7.4	Droop Characteristics based LFC of Autonomous PV-Wind Hybrid Power System . . . . .	169
7.4.1	Simulation Results and Discussion . . . . .	173
7.4.1.1	Constant resistive load of 20 kW . . . . .	174
7.4.1.2	Decreasing load pattern from full load . . . . .	175
7.4.1.3	Increasing load pattern to full load . . . . .	176
7.4.1.4	Varying Resistive load pattern . . . . .	177
7.5	Summary: . . . . .	182
<b>8</b>	<b>Tie-line Frequency control of Interconnected PV-Wind Hybrid Power system</b>	<b>185</b>
8.1	Introduction . . . . .	185
8.2	Grid connected PV-Wind hybrid power system . . . . .	186
8.2.1	Modeling of Stage 1 . . . . .	187
8.2.2	Modeling of Stage 2: . . . . .	189
8.2.3	System Description and Simulation Results: . . . . .	192
8.3	Tie-line Frequency Bias Control of Interconnected PV Wind Hybrid Power system . . . . .	195
8.4	Droop characteristics design of Inverter: . . . . .	198
8.5	Mathematical Analysis: . . . . .	200
8.6	Simulation Results: . . . . .	201
8.7	Summary: . . . . .	204
<b>9</b>	<b>Conclusion</b>	<b>205</b>
<b>Bibliography</b>		<b>208</b>