

References

- ABAQUS (2013). ABAQUS/Standard user's manual. *Hibbit Karlsson, & Sorensen*. 13,1057.
- Adams, D. F., and Walrath, D. E. (1987). Further development of the Iosipescu shear test method. *Experimental Mechanics*, 27(2), 113-119.
- Adams, D. F., and Walrath, D. E. (1987). Current status of the Iosipescu shear test method. *Journal of Composite Materials*, 21(6), 494-507.
- Ashton, J. E., Hal-pin, J. C., and Petit, P. H. (1969). Primer on composite materials: analysis. (Progress in Materials Science Series). *Technomic Pub*, California, USA.
- AISC (2005). Construction manual, *American Institute of Steel Construction*, Chicago, USA.
- Amayreh, L., and Saka, M. P. (2005). Failure load prediction of castellated beams using artificial neural networks. *Asian Journal of Civil Engineering (Building and Housing)*, 6, 35-54.
- ASCE (2011). Pre-standard for load & resistance factor design (LRFD) of pultruded fiber reinforced polymer (FRP) structures. *American Society of Civil Engineering design manual*, USA.
- Ascione, F., and Mancusi, G. (2013). The influence of the web-flange junction stiffness on the mechanical behaviour of thin-walled pultruded beams. *Composites Part B: Engineering*, 55, 599-606.
- ASTM D3379 (1975). Standard test method for tensile strength and Young's modulus for high modulus single filament fibers. *American Society for Testing and Materials*, Philadelphia, USA.
- ASTM D4255 (1983). Standard test method for in-plane shear properties of polymer matrix composite materials by the rail shear method. *American Society for Testing and Materials*, Philadelphia, USA.
- ASTM D2344 (2000). Standard test method for short-beam strength of polymer matrix composite materials and their laminates. *American Society for Testing and Materials*, Philadelphia, USA.
- ASTM D638 (2002). Standard test method for tensile properties of plastics. *American Society for Testing and Materials*, Philadelphia, USA.
- ASTM D790 (2002). Standard test method for flexural properties of unreinforced and reinforced plastics and electrical insulating materials. *American Society of Testing and Materials*, Philadelphia, USA.

- ASTM D7078 (2005). Standard test method for shear properties of composite materials by V-notched rail shear method. *American Society for Testing and Materials*, Philadelphia, USA.
- ASTM D3410 (2008). Standard test method for compressive properties of polymer matrix composite materials with unsupported gage section by shear loading. *American Society for Testing and Materials*, Philadelphia, USA.
- ASTM D2584 (2008). Standard test method for ignition loss of cured reinforced resins. *American Society of Testing and Materials*, Philadelphia, USA.
- ASTM D3039 (2014). Standard test method for tensile properties of polymer matrix composite materials. *American Society of Testing and Materials*, Philadelphia, USA.
- Bakis, C. E., Bank, L. C., Brown, V., Cosenza, E., Davalos, J. F., Lesko, J. J., and Triantafillou, T. C. (2002). Fiber-reinforced polymer composites for construction-State-of-the-art review. *Journal of Composites for Construction*, 6(2), 73-87.
- Bansal, R. C., and Chhabra, P. (1981). Studies in surface-properties of carbon-fibers. Effect of surface oxidation on surface-areas of polyacrylonitrile-based carbon-fibers. *Indian Journal of Chemistry Section-A*, 20(5), 449-452.
- Bank, L. C. (1989). Flexural and shear moduli of full-section fiber reinforced plastic (FRP) pultruded beams. *Journal of Testing and Evaluation*, 17(1), 40-45.
- Bank, L. C. (1990). Shear properties of pultruded glass FRP materials. *Journal of Materials in Civil Engineering*, 2(2), 118-122.
- Bank, L. C., Nadipelli, M., and Gentry, T. R. (1994). Local buckling and failure of pultruded fiber-reinforced plastic beams. *Journal of Engineering Materials and Technology*, 116(2), 233-237.
- Bank, L. C., and Yin, J. (1999). Failure of web-flange junction in postbuckled pultruded I-beams. *Journal of Composites for Construction*, 3(4), 177-184.
- Bank, L. C. (2006). Composites for construction: structural design with FRP materials. *John Wiley & Sons*. New Jersey, USA
- Barbero, E. J., and Raftoyiannis, I. G. (1990). Buckling analysis of pultruded composite columns. *Impact and Buckling of Structures*, 47-52.

- Barbero, E. J. (1991). Pultruded structural shapes-from the constituents to structural behavior. *Society for the Advancement of Material and Process Engineering*, 27(1), 25–30.
- Barbero, E. J., and Raftoyiannis, I. G. (1994). Lateral and distortional buckling of pultruded I-beams. *Composite Structures*, 27(3), 261-268.
- Barbero, E. J. (1999). Introduction to composite materials design. *Taylor & Francis, Inc.*, Philadelphia, USA
- Barbero, E. J., and Damiani, T. M. (2003a). Interaction between static fatigue and zero-stress aging in E-glass fiber composites. *Journal of Composites for Construction*, 7(1), 3-9.
- Barbero, E. J., and Damiani, T. M. (2003b). Phenomenological prediction of tensile strength of E-glass composites from available aging and stress corrosion data. *Journal of Reinforced Plastics and Composites*, 22(4), 373-394.
- Brewer, J. C., and Lagace, P. A. (1988). Quadratic stress criterion for initiation of delamination. *Journal of Composite Materials*, 22(12), 1141-1155.
- Borowicz, D. T., and Bank, L. C. (2011). Behavior of pultruded fiber-reinforced polymer beams subjected to concentrated loads in the plane of the web. *Journal of Composites for Construction*, 15(2), 229-238.
- Borowicz, D. T., and Bank, L. C. (2013). Effect of web reinforcement on the behavior of pultruded fiber-reinforced polymer beams subjected to concentrated loads. *Construction and Building Materials*, 47, 347-357.
- Borowicz, D. T., and Bank, L. C. (2014). Web buckling in pultruded fiber-reinforced polymer deep beams subjected to concentrated loads. *Journal of Composites for Construction*, 18(3), 1-8.
- Boukhili, R., Hubert, P., and Gauvin, R. (1992). Flexural and shear properties of unidirectional pultruded composites. *Construction and Building Materials*, 6(1), 37-42.
- Boyer J. P. (1964). Castellated beam-new developments. *Engineering Journal, American Institute of Steel Construction*, 1, 104-108.
- Brooks, R. J., and Turvey, G. J. (1995). Lateral buckling of pultruded GRP I-section cantilevers. *Composite Structures*, 32(1-4), 203-215.
- Bulson, P. S., and Allen, H. G. (1980). Background to buckling. *McGraw-Hill*, New York, USA.

- Cen, E. (2005). Eurocode 3: Design of steel structures-Part 1-1: General rules and rules for buildings. *European Committee for Standardization*, Brussels.
- Chen Y and Wang, C. (2015). Test on pultruded GFRP I-section under web crippling. *Composites Part B: Engineering*, 77, 27-37.
- Clarke, J. L. (1996). EUROCOMP design code and handbook: Structural design of polymer composites. *E & FN Spon*, London, UK.
- CNR DT-205. (2007). Guide for the Design and Construction of Structures made of FRP Pultruded Elements. *National Research Council*, Rome, Italy
- Composite Technology. (1991). Advanced FRP structural shapes: Technical Data Guide.
- Correia, J. R., Branco, F. A., Silva, N. M. F., Camotim, D., and Silvestre, N. (2011). First-order, buckling and post-buckling behaviour of GFRP pultruded beams. Part 1: Experimental study. *Computers & Structures*, 89(21-22), 2052-2064.
- Correia, M. M. (2012). Structural behavior of pultruded GFRP profiles experimental study and numerical modeling. *Instituto Superior Técnico*, 1, 1-14.
- Craddock, J., and Yen, S. (1993). Experimental and theoretical results for composite material I-beams. *Proceedings 35th Structures, Structural Dynamics, and Materials Conference*. Hilton Head, SC, USA, 1633.
- Davalos, J. F., Salim, H. A., Qiao, P., Lopez-Anido, R., and Barbero, E. J. (1996a). Analysis and design of pultruded FRP shapes under bending. *Composites Part B: Engineering*, 27(3-4), 295-305.
- Davalos, J. F., Qiao, P., and Barbero, E. J. (1996b). Multiobjective material architecture optimization of pultruded FRP I-beams. *Composite Structures*, 35(3), 271-281.
- Davalos, J. F., and Qiao, P. (1997). Analytical and experimental study of lateral and distortional buckling of FRP wide-flange beams. *Journal of Composites for Construction*, 1(4), 150-159.
- Donnet, J. B. and Bansal R. C. (1990) Carbon Fibers, *Marcel Dekker, Inc.*, New York, USA.
- Duggal, S. K. (2010). Limit state design of steel structures. *Tata McGraw-Hill Education*. New Delhi, India
- Erden, S., Sever, K., Seki, Y., and Sarikanat, M. (2010). Enhancement of the mechanical properties of glass/polyester composites via matrix modification glass/polyester composite siloxane matrix modification. *Fibers and Polymers*, 11(5), 732-737.

- Feo, L., Mosallam, A. S., and Penna, R. (2013). Mechanical behavior of web-flange junctions of thin-walled pultruded I-profiles: an experimental and numerical evaluation. *Composites Part B: Engineering*, 48, 18-39.
- Feraboli, P., and Kedward, K. T. (2003). Four-point bend interlaminar shear testing of uni-and multi-directional carbon/epoxy composite systems. *Composites Part A: Applied Science and Manufacturing*, 34(12), 1265-1271.
- Fernandes, L. A., Gonilha, J., Correia, J. R., Silvestre, N., and Nunes, F. (2015). Web-crippling of GFRP pultruded profiles. Part 1: Experimental study. *Composite Structures*, 120, 565-577.
- Fiberline (1995), Fiberline design manual. Denmark.
- Fischer, S., Roman, I., Harel, H., Marom, G., and Wagner, H. D. (1981). Simultaneous determination of shear and Young's moduli in composites. *Journal of Testing and Evaluation*, 9(5), 303-307.
- Fitzer, E. (1989). Pan-based carbon fibers-present state and trend of the technology from the viewpoint of possibilities and limits to influence and to control the fiber properties by the process parameters. *Carbon*, 27(5), 621-645.
- Fletcher, I. A. (1994). Advanced composites. *International advanced composites industry*, Elsevier Science, New York, USA.
- Gandomi, A. H., Tabatabaei, S. M., Moradian, M. H., Radfar, A., and Alavi, A. H. (2011). A new prediction model for the load capacity of castellated steel beams. *Journal of Constructional Steel Research*, 67(7), 1096-1105.
- Gere, J. M., and Timoshenko, S. P. (1990). Mechanics of materials, PWS-KENT, Boston, USA.
- Gray, E. F., Browne, H. C., Burkhardt, W., Fowler, T. J., Lizzio, A., and McDermott, J. F. I. (1984). Structural plastics design manual. *Manuals and Reports on Engineering Practice*, American Society of Civil Engineers, 63.
- Grace, N. F., Soliman, A. K., Abdel-Sayed, G., and Saleh, K. R. (1998). Behavior and ductility of simple and continuous FRP reinforced beams. *Journal of Composites for Construction*, 2(4), 186-194.
- Green, A., Bisarnsin, T., and Love, E. A. (1994). Pultruded reinforced plastics for civil engineering structural applications. *Journal of Reinforced Plastics and Composites*, 13(10), 942-951.

- Hashin Z. and Rosen B.W. (1964) The elastic modeling of fiber-reinforced materials. *Journal of Applied Mechanics*, 31(2), 223-232.
- Hollaway, L. C., and Cadei, J. (2002). Progress in the technique of upgrading metallic structures with advanced polymer composites. *Progress in Structural Engineering and Materials*, 4(2), 131-148.
- Hosain, M. U., and Spiers, W. G. (1971). Failure of castellated beams due to rupture of welded joints. *Acier-Stahl-Steel*, 36(1), 34-40.
- Hosain, M. U., and Spiers, W. G. (1973). Experiments on castellated steel beams. *Journal of American Welding Society, Welding Research Supplement*, 52 (8) , 329-342.
- Howard, I. L. (2008). Practical approaches for evaluating bending and torsion of fiber reinforced polymer components using instrumented testing. *Journal of Applied Science & Engineering Technology*, 2, 24-30.
- Jacobasch, H. J., Grundke, K., Uhlmann, P., Simon, F., and Mäder, E. (1995). Comparison of surface-chemical methods for characterizing carbon fiber-epoxy resin composites. *Composite Interfaces*, 3(4), 293-320.
- Jones, R. M. (1975). Mechanics of composite materials. *McGraw Hill*, New York, USA.
- Kabir, M. Z., and Sherbourne, A. N. (1998). Optimal fibre orientation in lateral stability of laminated channel section beams. *Composites Part B: Engineering*, 29(1), 81-87.
- Knowles, P. R. (1991). Castellated beams. *Proceedings of the Institution of Civil Engineers*, 90(3), 521-536.
- Kollar, L. P., and Springer, G. S. (2003). Mechanics of composite materials. *Cambridge*, New York, USA.
- Lawson, R. M., Lim, J., Hicks, S. J., and Simms, W. I. (2006). Design of composite asymmetric cellular beams and beams with large web openings. *Journal of Constructional Steel Research*, 62(6), 614-629.
- Lee, S. M. (1990). International encyclopedia of composites: Filament Winding. *VCH*, New York, USA, 2, 162.
- Lee, J. (2001). Center of gravity and shear center of thin-walled open-section composite beams. *Composite structures*, 52(2), 255-260.

- Lee, J., and Lee, S. H. (2004). Flexural-torsional behavior of thin-walled composite beams. *Thin-Walled Structures*, 42(9), 1293-1305.
- Lee, J. (2005). Flexural analysis of thin-walled composite beams using shear-deformable beam theory. *Composite Structures*, 70(2), 212-222.
- Luciano, R., and Barbero, E. J. (1994). Formulas for the stiffness of composites with periodic microstructure. *International Journal of Solids and Structures*, 31(21), 2933-2944.
- Strongwell. (1999), EXTREN fiberglass structural shapes-Design manual. *Strongwell Inc.* Bristol, England.
- Miller, T. C., Chajes, M. J., Mertz, D. R., and Hastings, J. N. (2001). Strengthening of a steel bridge girder using CFRP plates. *Journal of Bridge Engineering*, 6(6), 514-522.
- Minghini, F., Tullini, N. and Laudiero, F. (2012). Full-section properties of pultruded FRP profiles using bending tests. *Proceedings of the 6th International Conference on FRP Composites in Civil Engineering (CICE)*, Rome, Italy, 1-8.
- Minghini, F., Tullini, N., and Laudiero, F. (2014). Identification of the short-term full-section moduli of pultruded FRP profiles using bending tests. *Journal of Composites for Construction*, 18(1), 1-9.
- Monette, L., Anderson, M. P., and Grest, G. S. (1993). The meaning of the critical length concept in composites: Study of matrix viscosity and strain rate on the average fiber fragmentation length in short-fiber polymer composites. *Polymer composites*, 14(2), 101-115.
- Mosallam, A. S., Feo, L., Elsadek, A., Pul, S., and Penna, R. (2014). Structural evaluation of axial and rotational flexibility and strength of web-flange junctions of open-web pultruded composites. *Composites Part B: Engineering*, 66, 311-327.
- Mottram, J. T. (1992). Lateral-torsional buckling of a pultruded I-beam. *Composites*, 23(2), 81-92.
- Nagaraj, V., and GangaRao, H. V. (1997). Static behavior of pultruded GFRP beams. *Journal of Composites for Construction*, 1(3), 120-129.
- Nethercot, D. A., and Kerdal, D. (1982). Lateral-torsional buckling of castellated beams. *The Structural Engineering*, 60B, 53-61.
- Neto, A. B. D. S. S., and Rovere La. H. L. (2007). Flexural stiffness characterization of fiber reinforced plastic (FRP) pultruded beams. *Composite Structures*, 81(2), 274-282.

- Pandey, M. D., Kabir, M. Z., and Sherbourne, A. N. (1995). Flexural-torsional stability of thin-walled composite I-section beams. *Composites Engineering*, 5(3), 321-342.
- Pan, N. (1996). The elastic constants of randomly oriented fiber composites: A new approach to prediction. *Science and Engineering of Composite Materials*, 5(2), 63-72.
- Pultrusions, C. (2013). The Pultex pultrusion design manual. *Alum Bank*, PA, USA
- Qiao, P., Davalos, J. F., and Barbero, E. J. (1998). Design optimization of fiber reinforced plastic composite shapes. *Journal of Composite Materials*, 32(2), 177-196.
- Redwood, R., and Demirdjian, S. (1998). Castellated beam web buckling in shear. *Journal of Structural Engineering*, 124(10), 1202-1207.
- Roberts, T. M., and Jhita, P. S. (1983). Lateral, local and distortional buckling of I-beams. *Thin-Walled Structures*, 1(4), 289-308.
- Roberts, T. M., and Al-Ubaidi, H. (2002). Flexural and torsional properties of pultruded fiber reinforced plastic I-profiles. *Journal of Composites for Construction*, 6(1), 28-34.
- Roberts, T. M., and Masri, H. M. K. J. A. H. (2003). Section properties and buckling behavior of pultruded FRP profiles. *Journal of Reinforced Plastics and Composites*, 22(14), 1305-1317.
- Sapkas, A., and Kollar, L. P. (2002). Lateral-torsional buckling of composite beams. *International Journal of Solids and Structures*, 39(11), 2939-2963.
- c, E. Y.S. (2004). Strengthening of thin-walled steel I-section beams using CFRP strips. In *Proceedings of the 4th Advanced Composites for Bridges and Structures Conference*. Alberta, Canada.
- Sherwood, P. M. (1996). Surface analysis of carbon and carbon fibers for composites. *Journal of Electron Spectroscopy and Related Phenomena*, 81(3), 319-342.
- Shindo, A. (1964). On the carbonization of polyacrylonitrile fiber. *Carbon*, 1(3), 391-392.
- Silva, N. M. F., Silvestre, N., and Camotim, D. (2010). GBT formulation to analyse the buckling behaviour of FRP composite open-section thin-walled columns. *Composite Structures*, 93(1), 79-92.
- Smith W. S. (1987). Engineered materials handbook. *ASM International*, Ohio, 1, 49.
- Sweedan, A. M. (2011). Elastic lateral stability of I-shaped cellular steel beams. *Journal of Constructional Steel Research*, 67(2), 151-163.

- Tang, M. M., and Bacon, R. (1964). Carbonization of cellulose fibers-I. Low temperature pyrolysis. *Carbon*, 2(3), 211-220.
- Tiwari, N. (2005). Introduction to composite materials and structures. *NPTEL*, IIT-Kanpur, Kanpur.
- Tolf, G., and Clarin, P. (1984). Comparison between flexural and tensile modulus of fibre composites. *Fibre Science and Technology*, 21(4), 319-326.
- Toprac, A. A., and Cooke, B. R. (1959). An experimental investigation of open-web beams. *Welding Research Council Bulletin*, 47, 1-10.
- Turvey, G. J. (1996). Effects of load position on the lateral buckling response of pultruded GRP cantilevers-comparisons between theory and experiment. *Composite Structures*, 35(1), 33-47.
- Turvey, G. J., and Zhang, Y. (2005). Tearing failure of web-flange junctions in pultruded GRP profiles. *Composites Part A: Applied Science and Manufacturing*, 36(2), 309-317.
- Turvey, G. J., and Zhang, Y. (2006a). Shear failure strength of web-flange junctions in pultruded GRP WF profiles. *Construction and Building Materials*, 20(1-2), 81-89.
- Turvey, G. J., and Zhang, Y. (2006b). Characterisation of the rotational stiffness and strength of web-flange junctions of pultruded GRP WF-sections via web bending tests. *Composites Part A: Applied Science and Manufacturing*, 37(2), 152-164.
- Wagner, H. D., Fischer, S., Roman, I., and Marom, G. (1981). The effect of fibre content on the simultaneous determination of Young's and shear moduli of unidirectional composites. *Composites*, 12(4), 257-259.
- Wagner, H. D., Marom, G., and Roman, I. (1982). Analysis of several loading methods for simultaneous determination of Young's and shear moduli in composites. *Fibre Science and Technology*, 16(1), 61-65.
- Wang, P., Ma, Q., and Wang, X. (2014). Investigation on Vierendeel mechanism failure of castellated steel beams with fillet corner web openings. *Engineering Structures*, 74, 44-51.
- Weitzsacker, C. L., Xie, M., and Drzal, L. T. (1997). Using XPS to investigate fiber/matrix chemical interactions in carbon-fiber-reinforced composites. *Surface and Interface Analysis*, 25(2), 53-63.
- Whitney, J. M., and Browning, C. E. (1985). On short-beam shear tests for composite materials. *Experimental Mechanics*, 25(3), 294-300.

- Wu, C., and Bai, Y. (2014). Web crippling behaviour of pultruded glass fibre reinforced polymer sections. *Composite Structures*, 108, 789-800.
- Zaarour, W., and Redwood, R. (1996). Web buckling in thin webbed castellated beams. *Journal of Structural Engineering*, 122(8), 860-866.
- Zureick, A., Kahn, L. F., and Bandy, B. J. (1995). Tests on deep I-shape pultruded beams. *Journal of Reinforced Plastics and Composites*, 14(4), 378-389.