

References

- [1] N. L. Van Adrichem, C. Doerr, and F. A. Kuipers, "OpenNetMon: Network Monitoring in OpenFlow Software-defined Networks." *Network Operations and Management Symposium (NOMS)*, IEEE, 2014, pp. 1–8. ↑xvi, ↑11, ↑17, ↑22, ↑25, ↑37, ↑38, ↑39, ↑59, ↑68, ↑69, ↑70, ↑72, ↑73, ↑76, ↑78, ↑80, ↑81
- [2] Z. Su, T. Wang, Y. Xia, and M. Hamdi, "CeMon: A Cost-effective Flow Monitoring System in Software Defined Networks," *Computer Networks*, vol. 92, pp. 101–115, 2015. ↑xvi, ↑xvii, ↑xviii, ↑12, ↑17, ↑18, ↑22, ↑25, ↑59, ↑68, ↑70, ↑71, ↑72, ↑73, ↑76, ↑106, ↑108, ↑109, ↑110, ↑111, ↑112, ↑113, ↑114, ↑115, ↑116, ↑117, ↑118
- [3] S. Rathee, R. Sharma, P. K. Jain, K. Haribabu, A. Bhatia, and S. Balasubramaniam, "OpenSnap: Collection of Globally Consistent Statistics in Software Defined Networks." *11th International Conference on Communication Systems & Networks (COMSNETS)*, IEEE, 2019, pp. 149–156. ↑xvi, ↑17, ↑22, ↑42, ↑59, ↑68, ↑71, ↑72, ↑76
- [4] H. Tahaei, R. Salleh, S. Khan, R. Izzard, K.-K. R. Choo, and N. B. Anuar, "A Multi-objective Software Defined Network Traffic Measurement," *Measurement*, vol. 95, pp. 317–327, 2017. ↑xvii, ↑xviii, ↑12, ↑18, ↑106, ↑108, ↑109, ↑110, ↑111, ↑112, ↑113, ↑114, ↑115, ↑116, ↑117, ↑118
- [5] W. Xia, Y. Wen, C. H. Foh, D. Niyato, and H. Xie, "A Survey on Software-Defined Networking," *IEEE Communications Surveys & Tutorials*, vol. 17, no. 1, pp. 27–51, 2015. ↑1, ↑4, ↑7
- [6] H. Kim and N. Feamster, "Improving Network Management with Software Defined Networking," *IEEE Communications Magazine*, vol. 51, no. 2, pp. 114–119, 2013. ↑1, ↑121
- [7] J. H. Jafarian, E. Al-Shaer, and Q. Duan, "Openflow Random Host Mutation: Transparent Moving Target Defense Using Software Defined Networking," in *Proceedings of the first workshop on Hot topics in software defined networks*, 2012, pp. 127–132. ↑1
- [8] J. Touch and R. Perlman, "Transparent Interconnection of Lots of Links (TRILL): Problem and Applicability Statement," 2009. ↑2
- [9] J. Moy *et al.*, "Ospf version 2," 1998. ↑2
- [10] C. Hedrick *et al.*, "Routing Information Protocol," RFC 1058, Rutgers University, Tech. Rep., 1988. ↑2
- [11] J. Postel *et al.*, "Internet Control Message Protocol," 1981. ↑2
- [12] D. Kreutz, F. M. Ramos, P. E. Verissimo, C. E. Rothenberg, S. Azodolmolky, and S. Uhlig, "Software-Defined Networking: A Comprehensive Survey," *Proceedings of the IEEE*, vol. 103, no. 1, pp. 14–76, 2015. ↑2, ↑16, ↑120, ↑121
- [13] A. C. Myers, "JFlow: Practical Mostly-Static Information Flow Control," in *Proceedings of the 26th ACM SIGPLAN-SIGACT symposium on Principles of programming languages*, 1999, pp. 228–241. ↑2
- [14] B. Claise, G. Sadasivan, V. Valluri, and M. Djernaes, "Cisco Systems NetFlow Services Export Version 9," 2004. ↑2, ↑25, ↑107
- [15] P. Phaal and M. Lavine, "sFlow Version 5 Specification," (RFC 3176), 2004. ↑2, ↑107
- [16] "Open Networking Foundation (ONF)," <https://www.opennetworking.org/>, [Online; accessed 12-10-2020]. ↑2
- [17] "Software-Defined Networking: The New Norm for Networks," <https://pdfs.semanticscholar.org/a3f6/9f6181a0b4d481073a21eafbcc434a800db6.pdf>, [Online; accessed 12-10-2020]. ↑2
- [18] N. McKeown, T. Anderson, H. Balakrishnan, G. Parulkar, L. Peterson, J. Rexford, S. Shenker, and J. Turner, "OpenFlow: Enabling Innovation in Campus Networks," *ACM SIGCOMM Computer Communication Review*, vol. 38, no. 2, pp. 69–74, 2008. ↑4, ↑24, ↑35, ↑42, ↑45, ↑65, ↑78, ↑121
- [19] R. Enns, M. Bjorklund, J. Schoenwaelder, and A. Bierman, "Network Configuration Protocol (NETCONF)," RFC 6241, 2011. ↑4, ↑126

- [20] L. Yang, R. Dantu, T. Anderson, and R. Gopal, "Forwarding and Control Element Separation (ForCES) Framework," RFC 3746, April, Tech. Rep., 2004. ↑4
- [21] E. Haleplidis, D. Joachimpillai, J. H. Salim, D. Lopez, J. Martin, K. Pentikousis, S. Denazis, and O. Koufopavlou, "ForCES Applicability to SDN-enhanced NFV," in *2014 Third European Workshop on Software Defined Networks*. IEEE, 2014, pp. 43–48. ↑4
- [22] A. Doria, J. H. Salim, R. Haas, H. M. Khosravi, W. Wang, L. Dong, R. Gopal, and J. M. Halpern, "Forwarding and Control Element Separation (ForCES) Protocol Specification." RFC, vol. 5810, pp. 1–124, 2010. ↑4
- [23] B. A. A. Nunes, M. Mendonca, X.-N. Nguyen, K. Obraczka, and T. Turletti, "A Survey of Software-Defined Networking: Past, Present, and Future of Programmable Networks," *IEEE Communications surveys & tutorials*, vol. 16, no. 3, pp. 1617–1634, 2014. ↑4, ↑15, ↑16
- [24] A. Rodriguez-Natal, S. Barkai, V. Ermagan, D. Lewis, F. Maino, and D. Farinacci, "Software Defined Networking extensions for the Locator/ID Separation Protocol," <https://trac.tools.ietf.org/id/draft-rodrigueznatal-lisp-sdn-00.txt>, accessed: 25-12-2020. ↑4
- [25] <https://buildmedia.readthedocs.org/media/pdf/ryu/latest/ryu.pdf>, accessed: 2019-05-14. ↑5, ↑65
- [26] P. Floodlight, "Floodlight," <https://floodlight.atlassian.net/wiki/spaces/floodlightcontroller/overview/>, accessed: 28-08-2020. ↑5, ↑16
- [27] M. McCauley, "POX," <https://github.com/noxrepo/pox>, accessed: 28-08-2020. ↑5
- [28] OpenDaylight, "OpenDaylight: A Linux Foundation Collaborative Project," <https://www.opendaylight.org/>, accessed: 28-08-2020. ↑5, ↑16
- [29] N. Gude, T. Koponen, J. Pettit, B. Pfaff, M. Casado, N. McKeown, and S. Shenker, "NOX: Towards an Operating System for Networks," *ACM SIGCOMM Computer Communication Review*, vol. 38, no. 3, pp. 105–110, 2008. ↑5, ↑16, ↑35
- [30] Y. E. Oktian, S. Lee, H. Lee, and J. Lam, "Distributed SDN controller system: A survey on design choice," *computer networks*, vol. 121, pp. 100–111, 2017. ↑5
- [31] A. Jalili, H. Nazari, S. Namvarasl, and M. Keshtgari, "A Comprehensive Analysis on Control Plane Deployment in SDN: In-Band versus Out-Of-Band Solutions," in *2017 IEEE 4th International Conference on Knowledge-Based Engineering and Innovation (KBEI)*. IEEE, 2017, pp. 1025–1031. ↑6
- [32] B. Pfaff, B. Lantz, B. Heller *et al.*, "Openflow Switch Specification, version 1.3. 0," *Open Networking Foundation*, pp. 39–46, 2012. ↑6, ↑66, ↑107, ↑125, ↑149
- [33] L. Ochoa Aday, C. Cervelló Pastor, and A. Fernández Fernández, "Current Trends of Topology Discovery in OpenFlow-based Software Defined Networks," 2015. ↑6, ↑7
- [34] X. Chen, Z. M. Mao, and J. Van Der Merwe, "ShadowNet: a platform for rapid and safe network evolution," in *Proceedings of the 2009 conference on USENIX Annual technical conference*, 2009, pp. 3–3. ↑7
- [35] R. Perlman, "Rbridges: Transparent Routing," in *IEEE INFOCOM 2004*, vol. 2. IEEE, 2004, pp. 1211–1218. ↑7
- [36] R. Perlman, D. Eastlake, D. Dutt, S. Gai, and A. Ghanwani, "Routing Bridges (RBridges): Base protocol Specification," RFC6325, July, vol. 10, 2011. ↑7
- [37] A. Hakiri, A. Gokhale, P. Berthou, D. C. Schmidt, and T. Gayraud, "Software-Defined Networking: Challenges and research opportunities for Future Internet," *Computer Networks*, vol. 75, pp. 453–471, 2014. ↑8
- [38] N. Yaseen, J. Sonchack, and V. Liu, "Synchronized Network Snapshots." *Proceedings of the 2018 Conference of the ACM Special Interest Group on Data Communication*, ACM, 2018, pp. 402–416. ↑8, ↑22, ↑23, ↑27
- [39] P. Bosshart, D. Daly, G. Gibb, M. Izzard, N. McKeown, J. Rexford, C. Schlesinger, D. Talayco, A. Vahdat, G. Varghese *et al.*, "P4: Programming Protocol-independent Packet Processors," *ACM SIGCOMM Computer Communication Review*, vol. 44, no. 3, pp. 87–95, 2014. ↑8, ↑121
- [40] K. M. Chandy and L. Lamport, "Distributed Snapshots: Determining Global States of Distributed Systems," *ACM Transactions on Computer Systems (TOCS)*, vol. 3, no. 1, pp. 63–75, 1985. ↑9, ↑23, ↑24
- [41] A. D. Kshemkalyani, M. Raynal, and M. Singhal, "An Introduction to Snapshot Algorithms in Distributed Computing," *Distributed systems engineering*, vol. 2, no. 4, p. 224, 1995. ↑9, ↑21, ↑23
- [42] D. Sinha, K. Haribabu, and S. Balasubramaniam, "Real-Time Monitoring of Network Latency in Software Defined Networks," in *2015 IEEE International Conference on Advanced Networks and Telecommunications Systems (ANTS)*. IEEE, 2015, pp. 1–3. ↑11

- [43] K. Phemius and M. Bouet, "Monitoring Latency with OpenFlow," in *Proceedings of the 9th International Conference on Network and Service Management (CNSM 2013)*, 2013, pp. 122–125. ↑11, ↑78, ↑80, ↑81
- [44] R. B. Santos, T. R. Ribeiro, and C. de AC César, "A Network Monitor and Controller using Only OpenFlow," in *2015 Latin American Network Operations and Management Symposium (LANOMS)*. IEEE, 2015, pp. 9–16. ↑11
- [45] M. Selmchenko, M. Beshley, O. Panchenko, and M. Klymash, "Development of Monitoring System for End-to-End Packet Delay Measurement in Software-Defined Networks," in *2016 13th International Conference on Modern Problems of Radio Engineering, Telecommunications and Computer Science (TCSET)*. IEEE, 2016, pp. 667–670. ↑11, ↑81
- [46] Q. He and S. Wang, "A Low-Cost Measurement Framework in Software Defined Networks," *International Journal of Communications, Network and System Sciences*, vol. 10, no. 5, pp. 54–66, 2017. ↑11, ↑81
- [47] W. Zhang, X. Zhang, H. Shi, and L. Zhou, "An efficient latency monitoring scheme in software defined networks," *Future Generation Computer Systems*, vol. 83, pp. 303–309, 2018. ↑11, ↑81
- [48] C. Yu, C. Lumezanu, A. Sharma, Q. Xu, G. Jiang, and H. V. Madhyastha, "Software-defined Latency Monitoring in Data Center Networks," in *International Conference on Passive and Active Network Measurement*. Springer, 2015, pp. 360–372. ↑11, ↑81
- [49] S. Ramanathan, Y. Kanza, and B. Krishnamurthy, "SDProber: A Software Defined Prober for SDN," in *Proceedings of the Symposium on SDN Research*, 2018, pp. 1–7. ↑11, ↑81
- [50] X. Zhang, W. Hou, L. Guo, Q. Zhang, P. Guo, and R. Li, "Joint Optimization of Latency Monitoring and Traffic Scheduling in Software Defined Heterogeneous Networks," *Mobile Networks and Applications*, vol. 25, no. 1, pp. 102–113, 2020. ↑11, ↑80
- [51] Y. Li, Z.-P. Cai, and H. Xu, "LLMP: Exploiting LLDP for Latency Measurement in Software-Defined Data Center Networks," *Journal of Computer Science and Technology*, vol. 33, no. 2, pp. 277–285, 2018. ↑11, ↑80
- [52] L. Liao and V. C. Leung, "LLDP Based Link Latency Monitoring in Software Defined Networks," in *2016 12th International Conference on Network and Service Management (CNSM)*. IEEE, 2016, pp. 330–335. ↑11, ↑78, ↑80, ↑81
- [53] M. Haiyan, Y. Jinyao, P. Georgopoulos, and B. Plattner, "Towards SDN Based Queuing Delay Estimation," *China Communications*, vol. 13, no. 3, pp. 27–36, 2016. ↑11, ↑82
- [54] B. Pfaff, J. Pettit, T. Koponen, E. Jackson, A. Zhou, J. Rajahalme, J. Gross, A. Wang, J. Stringer, P. Shelar *et al.*, "The Design and Implementation of Open vSwitch." 12th USENIX Symposium on Networked Systems Design and Implementation, NSDI, 2015, pp. 117–130. ↑11, ↑24, ↑35, ↑65, ↑67, ↑78, ↑83
- [55] A. Tootoonchian, M. Ghobadi, and Y. Ganjali, "OpenTM: Traffic Matrix Estimator for OpenFlow Networks." International Conference on Passive and Active Network Measurement. Springer, 2010, pp. 201–210. ↑12, ↑25, ↑106, ↑107
- [56] J. Rasley, B. Stephens, C. Dixon, E. Rozner, W. Felter, K. Agarwal, J. Carter, and R. Fonseca, "Planck: Millisecond-scale monitoring and control for commodity networks," in *ACM SIGCOMM Computer Communication Review*, vol. 44, no. 4. ACM, 2014, pp. 407–418. ↑12, ↑106, ↑107
- [57] C. Yu, C. Lumezanu, Y. Zhang, V. Singh, G. Jiang, and H. V. Madhyastha, "FlowSense: Monitoring Network Utilization with Zero Measurement Cost." International Conference on Passive and Active Network Measurement, Springer, 2013, pp. 31–41. ↑12, ↑26, ↑106, ↑107
- [58] S. Jain, A. Kumar, S. Mandal, J. Ong, L. Poutievski, A. Singh, S. Venkata, J. Wanderer, J. Zhou, M. Zhu *et al.*, "B4: Experience with a Globally-Deployed Software Defined WAN," *ACM SIGCOMM Computer Communication Review*, vol. 43, no. 4, pp. 3–14, 2013. ↑13, ↑128, ↑138
- [59] S. Natarajan, A. Ramaiah, and M. Mathen, "A Software Defined Cloud-Gateway Automation System using OpenFlow," in *2013 IEEE 2nd International Conference on Cloud Networking (CloudNet)*. IEEE, 2013, pp. 219–226. ↑13
- [60] C.-Y. Hong, S. Kandula, R. Mahajan, M. Zhang, V. Gill, M. Nanduri, and R. Wattenhofer, "Achieving High Utilization with Software-Driven WAN," in *ACM SIGCOMM Computer Communication Review*, vol. 43, no. 4. ACM, 2013, pp. 15–26. ↑13, ↑128, ↑138
- [61] B. Gu, M. Dong, C. Zhang, Z. Liu, and Y. Tanaka, "Real-Time Pricing for On-Demand Bandwidth Reservation in SDN-Enabled Networks," in *2017 14th IEEE Annual Consumer Communications & Networking Conference (CCNC)*. IEEE, 2017, pp. 696–699. ↑13

- [62] M. Caria, A. Jukan, and M. Hoffmann, "A Performance Study of Network Migration to SDN-enabled Traffic Engineering," in *2013 IEEE Global Communications Conference (GLOBECOM)*. IEEE, 2013, pp. 1391–1396. ↑13
- [63] R. Horvath, D. Nedbal, and M. Stieninger, "A Literature Review on Challenges and Effects of Software Defined Networking," *Procedia Computer Science*, vol. 64, pp. 552–561, 2015. ↑13
- [64] R. Amin, M. Reisslein, and N. Shah, "Hybrid SDN Networks: A Survey of Existing Approaches," *IEEE Communications Surveys & Tutorials*, vol. 20, no. 4, pp. 3259–3306, 2018. ↑13
- [65] D. K. Hong, Y. Ma, S. Banerjee, and Z. M. Mao, "Incremental Deployment of SDN in Hybrid Enterprise and ISP Networks," in *Proceedings of the Symposium on SDN Research*, 2016, pp. 1–7. ↑14, ↑136, ↑144, ↑146, ↑149, ↑151
- [66] C. Jin, C. Lumezanu, Q. Xu, Z.-L. Zhang, and G. Jiang, "Telekinesis: Controlling Legacy Switch Routing with OpenFlow in Hybrid Networks," in *Proceedings of the 1st ACM SIGCOMM Symposium on Software Defined Networking Research*. ACM, 2015, p. 20. ↑14, ↑136, ↑143, ↑152, ↑156, ↑158, ↑163, ↑181, ↑182, ↑184, ↑185
- [67] C. Jin, C. Lumezanu, Q. Xu, H. Mekky, Z.-L. Zhang, and G. Jiang, "Magnet: Unified Fine-grained Path Control in Legacy and OpenFlow Hybrid Networks," in *Proceedings of the Symposium on SDN Research*. ACM, 2017, pp. 75–87. ↑14, ↑143, ↑152, ↑156, ↑161, ↑163, ↑181, ↑184, ↑185
- [68] D. Levin, M. Canini, S. Schmid, F. Schaffert, and A. Feldmann, "Panopticon: Reaping the Benefits of Incremental SDN Deployment in Enterprise Networks," in *2014 USENIX Annual Technical Conference (USENIX ATC 14)*, 2014, pp. 333–345. ↑14, ↑120, ↑131, ↑136, ↑139, ↑144, ↑147, ↑151, ↑152, ↑156, ↑181, ↑182, ↑184
- [69] M. Caria, A. Jukan, and M. Hoffmann, "SDN Partitioning: A Centralized Control Plane for Distributed Routing Protocols," *IEEE Transactions on Network and Service Management*, vol. 13, no. 3, pp. 381–393, 2016. ↑14, ↑136, ↑140
- [70] M. Casado, T. Koponen, S. Shenker, and A. Tootoonchian, "Fabric: A Retrospective on Evolving SDN," in *Proceedings of the first workshop on Hot topics in software defined networks*. ACM, 2012, pp. 85–90. ↑14, ↑15, ↑129, ↑132
- [71] M. Caria and A. Jukan, "The PERFECT MATCH: Optical Bypass and SDN Partitioning," in *2015 IEEE 16th International Conference on High Performance Switching and Routing (HPSR)*. IEEE, 2015, pp. 1–6. ↑14, ↑139, ↑140
- [72] C.-Y. Chu, K. Xi, M. Luo, and H. J. Chao, "Congestion-Aware Single Link Failure Recovery in Hybrid SDN Networks," in *2015 IEEE Conference on Computer Communications (INFOCOM)*. IEEE, 2015, pp. 1086–1094. ↑14, ↑136, ↑143, ↑144, ↑150, ↑151
- [73] X. Jia, Y. Jiang, and Z. Guo, "Incremental Switch Deployment for Hybrid Software-Defined Networks," in *2016 IEEE 41st Conference on Local Computer Networks (LCN)*. IEEE, 2016, pp. 571–574. ↑14
- [74] X. Huang, S. Cheng, K. Cao, P. Cong, T. Wei, and S. Hu, "A Survey of Deployment Solutions and Optimization Strategies for Hybrid SDN Networks," *IEEE Communications Surveys & Tutorials*, vol. 21, no. 2, pp. 1483–1507, 2018. ↑14
- [75] K. Benzekki, A. El Fergougui, and A. Elbelrhiti Elalaoui, "Software-defined networking (SDN): a Survey," *Security and communication networks*, vol. 9, no. 18, pp. 5803–5833, 2016. ↑15, ↑16
- [76] A. Tootoonchian, S. Gorbunov, Y. Ganjali, M. Casado, and R. Sherwood, "On Controller Performance in Software-Defined Networks," in *Presented as part of the 2nd USENIX Workshop on Hot Topics in Management of Internet, Cloud, and Enterprise Networks and Services*, 2012. ↑15, ↑145
- [77] Z. Cai, A. L. Cox, and T. Ng, "Maestro: A System for Scalable OpenFlow Control," Tech. Rep., 2010. ↑15
- [78] D. Erickson, "The Beacon OpenFlow Controller," in *Proceedings of the second ACM SIGCOMM workshop on Hot topics in software defined networking*, 2013, pp. 13–18. ↑15
- [79] S. Hassas Yeganeh and Y. Ganjali, "Kandoo: A Framework for Efficient and Scalable Offloading of Control Applications," in *Proceedings of the first workshop on Hot topics in software defined networks*, 2012, pp. 19–24. ↑15
- [80] A. Voellmy, J. Wang, Y. R. Yang, B. Ford, and P. Hudak, "Maple: Simplifying SDN Programming using Algorithmic Policies," *ACM SIGCOMM Computer Communication Review*, vol. 43, no. 4, pp. 87–98, 2013. ↑15
- [81] D. Levin, A. Wundsam, B. Heller, N. Handigol, and A. Feldmann, "Logically Centralized? State Distribution Trade-offs in Software Defined Networks," in *Proceedings of the first workshop on Hot topics in software defined networks*, 2012, pp. 1–6. ↑15

- [82] T. Koponen, M. Casado, N. Gude, J. Stribling, L. Poutievski, M. Zhu, R. Ramanathan, Y. Iwata, H. Inoue, T. Hama *et al.*, “Onix: A Distributed Control Platform for Large-scale Production Networks,” in *OSDI*, vol. 10, 2010, pp. 1–6. ↑15, ↑16
- [83] A. Tootoonchian and Y. Ganjali, “Hyperflow: A Distributed Control Plane for OpenFlow,” in *Proceedings of the 2010 internet network management conference on Research on enterprise networking*, vol. 3, 2010. ↑15
- [84] B. Heller, R. Sherwood, and N. McKeown, “The Controller Placement Problem,” *ACM SIGCOMM Computer Communication Review*, vol. 42, no. 4, pp. 473–478, 2012. ↑15
- [85] A. Dixit, F. Hao, S. Mukherjee, T. Lakshman, and R. Kompella, “Towards an Elastic Distributed SDN Controller,” in *ACM SIGCOMM Computer Communication Review*, vol. 43, no. 4. ACM, 2013, pp. 7–12. ↑15, ↑144, ↑149
- [86] A. R. Curtis, J. C. Mogul, J. Tourrilhes, P. Yalagandula, P. Sharma, and S. Banerjee, “DevoFlow: Scaling Flow Management for High-Performance Networks,” in *Proceedings of the ACM SIGCOMM 2011 conference*, 2011, pp. 254–265. ↑15
- [87] J. C. Mogul and P. Congdon, “Hey, You Darned Counters! Get Off My Asic!” in *Proceedings of the first workshop on Hot topics in software defined networks*, 2012, pp. 25–30. ↑15
- [88] M. Yu, J. Rexford, M. J. Freedman, and J. Wang, “Scalable Flow-Based Networking with DIFANE,” *ACM SIGCOMM Computer Communication Review*, vol. 40, no. 4, pp. 351–362, 2010. ↑16
- [89] B. Salisbury, “The Northbound API- A Big Little Problem,” <http://networkstatic.net/the-northbound-api-2/>, June 2012, accessed: 28-12-2020. ↑16
- [90] R. Chua, “OpenFlow Northbound API - A New Olympic Sport,” <https://www.sdxcentral.com/articles/opinion-editorial/openflow-northbound-api-olympics/2012/07/>, July 2012, accessed: 28-12-2020. ↑16
- [91] J. Dix, “Clarifying the role of software-defined networking northbound APIs,” <https://www.networkworld.com/article/2165901/clarifying-the-role-of-software-defined-networking-northbound-apis.html>, MAY 2013, accessed: 28-12-2020. ↑16
- [92] I. Guis, “The SDN Gold Rush To The Northbound API,” <https://www.sdxcentral.com/articles/contributed/the-sdn-gold-rush-to-the-northbound-api/2012/11/>, Nov. 2016, accessed: 28-12-2020. ↑16
- [93] G. Ferro, “Northbound API, Southbound API, East/North – LAN Navigation in an OpenFlow World and an SDN Compass,” <https://etherealmind.com/northbound-api-southbound-api-eastnorth-lan-navigation-in-an-openflow-world-and-an-sdn-compass/>, Aug. 2012, accessed: 28-12-2020. ↑16
- [94] I. Pepelnjak, “SDN Controller northbound API is the crucial missing piece,” <https://blog.ipSPACE.net/2012/09/sdn-controller-northbound-api-is.html>, Sept. 2012, accessed: 28-12-2020. ↑16
- [95] S. Johnson, “A primer on northbound APIs: Their role in a software-defined network,” <https://searchnetworking.techtarget.com/feature/A-primer-on-northbound-APIs-Their-role-in-a-software-defined-network>, Dec. 2012, accessed: 28-12-2020. ↑16
- [96] C. Matsumoto, “ONF Will Tackle SDN’s Northbound Interface,” <https://www.sdxcentral.com/articles/news/onf-decides-tackle-sdns-northbound-interface/2013/10/>, Oct. 2013, accessed: 28-12-2020. ↑16
- [97] A. Voellmy and P. Hudak, “Nettle: Taking the Sting Out of Programming Network Routers,” in *International Symposium on Practical Aspects of Declarative Languages*. Springer, 2011, pp. 235–249. ↑16
- [98] N. Foster, R. Harrison, M. J. Freedman, C. Monsanto, J. Rexford, A. Story, and D. Walker, “Frenetic: A Network Programming Language,” *ACM Sigplan Notices*, vol. 46, no. 9, pp. 279–291, 2011. ↑16
- [99] C. Monsanto, N. Foster, R. Harrison, and D. Walker, “A Compiler and Run-time System for Network Programming Languages,” *Acm sigplan notices*, vol. 47, no. 1, pp. 217–230, 2012. ↑16
- [100] C. Monsanto, J. Reich, N. Foster, J. Rexford, and D. Walker, “Composing Software Defined Networks,” in *10th {USENIX} Symposium on Networked Systems Design and Implementation ({NSDI} 13)*, 2013, pp. 1–13. ↑16
- [101] A. Voellmy, H. Kim, and N. Feamster, “Procera: A Language for High-Level Reactive Network Control,” in *Proceedings of the first workshop on Hot topics in software defined networks*, 2012, pp. 43–48. ↑16
- [102] C. J. Anderson, N. Foster, A. Guha, J.-B. Jeannin, D. Kozen, C. Schlesinger, and D. Walker, “NetKAT: Semantic Foundations for Networks,” *Acm sigplan notices*, vol. 49, no. 1, pp. 113–126, 2014. ↑16

- [103] M. Marchetti, M. Colajanni, M. Messori, L. Aniello, and Y. Vigfusson, "Cyber Attacks on Financial Critical Infrastructures," in *Collaborative Financial Infrastructure Protection*. Springer, 2012, pp. 53–82. ↑16
- [104] S. M. Amin and A. M. Giacomoni, "Smart Grid, Safe Grid," *IEEE Power and Energy Magazine*, vol. 10, no. 1, pp. 33–40, 2011. ↑16
- [105] A. Nicholson, S. Webber, S. Dyer, T. Patel, and H. Janicke, "SCADA security in the light of Cyber-Warfare," *Computers & Security*, vol. 31, no. 4, pp. 418–436, 2012. ↑16
- [106] K.-K. R. Choo, "The cyber threat landscape: Challenges and future research directions," *Computers & security*, vol. 30, no. 8, pp. 719–731, 2011. ↑16
- [107] D. Kushner, "The Real Story of Stuxnet," *ieee Spectrum*, vol. 3, no. 50, pp. 48–53, 2013. ↑16
- [108] D. Kreutz, F. M. Ramos, and P. Verissimo, "Towards Secure and Dependable Software-Defined Networks," in *Proceedings of the second ACM SIGCOMM workshop on Hot topics in software defined networking*, 2013, pp. 55–60. ↑16
- [109] R. Klöti, V. Kotronis, and P. Smith, "OpenFlow: A Security Analysis," in *2013 21st IEEE International Conference on Network Protocols (ICNP)*. IEEE, 2013, pp. 1–6. ↑16
- [110] S. Shin and G. Gu, "Attacking Software-Defined Networks: A First Feasibility Study," in *Proceedings of the second ACM SIGCOMM workshop on Hot topics in software defined networking*, 2013, pp. 165–166. ↑16
- [111] K. Benton, L. J. Camp, and C. Small, "OpenFlow Vulnerability Assessment," in *Proceedings of the second ACM SIGCOMM workshop on Hot topics in software defined networking*, 2013, pp. 151–152. ↑16
- [112] D. Tipper, "Resilient network design: challenges and future directions," *Telecommunication Systems*, vol. 56, no. 1, pp. 5–16, 2014. ↑16
- [113] M. Ghobadi, S. H. Yeganeh, and Y. Ganjali, "Rethinking End-to-End Congestion Control in Software-Defined Networks," in *Proceedings of the 11th ACM Workshop on Hot Topics in networks*, 2012, pp. 61–66. ↑16
- [114] X. Zhang and C. Phillips, "Network Operator Independent Resilient Overlay for Mission Critical Applications (ROMCA)," in *2009 Fourth International Conference on Communications and Networking in China*. IEEE, 2009, pp. 1–5. ↑16
- [115] J. Han, D. Watson, and F. Jahanian, "Enhancing end-to-end availability and performance via topology-aware overlay networks," *Computer Networks*, vol. 52, no. 16, pp. 3029–3046, 2008. ↑16
- [116] P. Fonseca, R. Bennesby, E. Mota, and A. Passito, "A Replication Component for Resilient OpenFlow-Based Networking," in *2012 IEEE Network operations and management symposium*. IEEE, 2012, pp. 933–939. ↑16
- [117] P. Xiao, W. Qu, H. Qi, Z. Li, and Y. Xu, "The SDN Controller Placement Problem for WAN," in *2014 IEEE/CIC International Conference on Communications in China (ICCC)*. IEEE, 2014, pp. 220–224. ↑16
- [118] A. Capone, C. Cascone, A. Q. Nguyen, and B. Sanso, "Detour Planning for Fast and Reliable Failure Recovery in SDN with OpenState," in *2015 11th international conference on the design of reliable communication networks (DRCN)*. IEEE, 2015, pp. 25–32. ↑16
- [119] T. Pfeiffenberger, J. L. Du, P. B. Arruda, and A. Anzaloni, "Reliable and Flexible Communications for Power Systems: Fault-tolerant Multicast with SDN/OpenFlow," in *2015 7th International Conference on New Technologies, Mobility and Security (NTMS)*. IEEE, 2015, pp. 1–6. ↑16
- [120] A. Akella, B. Maggs, S. Seshan, A. Shaikh, and R. Sitaraman, "A Measurement-Based Analysis of Multihoming," in *Proceedings of the 2003 conference on Applications, technologies, architectures, and protocols for computer communications*, 2003, pp. 353–364. ↑16
- [121] P. Megyesi, A. Botta, G. Aceto, A. Pescapé, and S. Molnár, "Challenges and solution for measuring available bandwidth in software defined networks," *Computer Communications*, vol. 99, pp. 48–61, 2017. ↑21
- [122] A. Wundsam, D. Levin, S. Seetharaman, and A. Feldmann, "OFRewind: Enabling Record and Replay Troubleshooting for Networks," in *USENIX Annual Technical Conference*. USENIX Association, 2011, pp. 327–340. ↑23
- [123] K.-T. Foerster, S. Schmid, and S. Vissicchio, "Survey of Consistent Software-Defined Network Updates," *IEEE Communications Surveys & Tutorials*, vol. 21, no. 2, pp. 1435–1461, 2018. ↑23
- [124] N. Yaseen, J. Sonchack, and V. Liu, "tpprof: A Network Traffic Pattern Profiler," in *17th {USENIX} Symposium on Networked Systems Design and Implementation ({NSDI} 20)*, 2020, pp. 1015–1030. ↑23

- [125] Y. Li, R. Miao, C. Kim, and M. Yu, "Flowradar: A Better Netflow for Data Centers." 13th USENIX Symposium on Networked Systems Design and Implementation (NSDI), 2016, pp. 311–324. ↑25
- [126] —, "LossRadar: Fast Detection of Lost Packets in Data Center Networks." Proceedings of the 12th International Conference on emerging Networking EXperiments and Technologies, ACM, 2016, pp. 481–495. ↑26
- [127] S. R. Chowdhury, M. F. Bari, R. Ahmed, and R. Boutaba, "PayLess: A Low Cost Network Monitoring Framework for Software Defined Networks." Network Operations and Management Symposium (NOMS), IEEE, 2014, pp. 1–9. ↑26, ↑107
- [128] J. Suh, T. T. Kwon, C. Dixon, W. Felter, and J. Carter, "OpenSample: A Low-latency, Sampling-based Measurement Platform for Commodity SDN." 34th International Conference on Distributed Computing Systems (ICDCS), IEEE, 2014, pp. 228–237. ↑26, ↑107
- [129] J. Sherwin and C. J. Sreenan, "LogSnap: Creating Snapshots of OpenFlow Data Centre Networks for Offline Querying," in *2019 10th International Conference on Networks of the Future (NoF)*. IEEE, 2019, pp. 66–73. ↑26
- [130] C. Kim, A. Sivaraman, N. Katta, A. Bas, A. Dixit, and L. J. Wobker, "In-band Network Telemetry via Programmable Dataplanes," in *ACM SIGCOMM*, vol. 15, 2015. ↑27
- [131] https://www.cisco.com/en/US/docs/switches/lan/catalyst3850/software/release/3.2_0_se/multibook/configuration_guide/b_consolidated_config_guide_3850_chapter_010000.html, accessed: 2020-02-21. ↑28
- [132] I. I. Awan, N. Shah, M. Imran, M. Shoaib, and N. Saeed, "An improved mechanism for flow rule installation in In-band SDN," *Journal of Systems Architecture*, vol. 96, pp. 32–51, 2019. ↑29
- [133] "IEEE 802.1D-2004 - IEEE Standard for Local and metropolitan area networks: Media Access Control (MAC) Bridges," [https://standards.ieee.org/standard/802\[_\]1D-2004.html](https://standards.ieee.org/standard/802[_]1D-2004.html), [Online; accessed 17-08-2020]. ↑30
- [134] "QoS Frequently Asked Questions," <https://www.cisco.com/c/en/us/support/docs/quality-of-service-qos/qos-policing/22833-qos-faq.html>, [Online; accessed 09-08-2020]. ↑32
- [135] "Cisco IOS Quality of Service Solutions Configuration Guide, Release 12.2," https://www.cisco.com/c/en/us/td/docs/ios/12_2/qos/configuration/guide/fqos_c/qcfconmg.html, accessed: 2018-04-05. ↑35, ↑152, ↑174
- [136] M. Devera and D. Cohen, "HTB Linux Queuing Discipline Manual-user Guide," *last updated May*, vol. 5, 2002. ↑35, ↑39
- [137] B. Lantz, B. Heller, and N. McKeown, "A Network in a Laptop: Rapid Prototyping for Software-defined Networks." Proceedings of the 9th ACM SIGCOMM Workshop on Hot Topics in Networks, ACM, 2010, p. 19. ↑37, ↑65, ↑163
- [138] A. Botta, A. Dainotti, and A. Pescapè, "A Tool for the Generation of Realistic Network Workload for Emerging Networking Scenarios," *Computer Networks*, vol. 56, no. 15, pp. 3531–3547, 2012. ↑37, ↑69, ↑74, ↑91
- [139] T. H. Lai and T. H. Yang, "On Distributed Snapshots," *Information Processing Letters*, vol. 25, no. 3, pp. 153–158, 1987. ↑44
- [140] D. Awduche, A. Chiu, A. Elwalid, I. Widjaja, and X. Xiao, "Overview and Principles of Internet Traffic Engineering," RFC 3272, may, Tech. Rep., 2002. ↑58
- [141] "Open vSwitch Manual," <http://www.openvswitch.org/support/dist-docs/ovs-fields.7.txt>, [Online; accessed 16-03-2019]. ↑66
- [142] S. Hemminger *et al.*, "Network Emulation with NetEm." Linux conf au, 2005, pp. 18–23. ↑75
- [143] M. Karakus and A. Duresi, "Quality of Service (QoS) in Software Defined Networking (SDN): A Survey," *Journal of Network and Computer Applications*, vol. 80, pp. 200–218, 2017. ↑77
- [144] L. L. Peterson and B. S. Davie, *Computer Networks: A Systems Approach*. Elsevier, 2007. ↑78
- [145] L. Liao, V. C. M. Leung, and M. Chen, "An Efficient and Accurate Link Latency Monitoring Method for Low-Latency Software-Defined Networks," *IEEE Transactions on Instrumentation and Measurement*, vol. 68, no. 2, pp. 377–391, 2019. ↑78, ↑80
- [146] A. Atary and A. Bremner-Barr, "Efficient Round-Trip Time Monitoring in OpenFlow Networks," in *IEEE INFOCOM 2016 - The 35th Annual IEEE International Conference on Computer Communications*, 2016, pp. 1–9. ↑78, ↑80, ↑81

- [147] V. Altukhov and E. Chemeritskiy, "On real-time delay monitoring in software-defined networks," in *2014 International Science and Technology Conference (Modern Networking Technologies)(MoNeTeC)*. IEEE, 2014, pp. 1–6. ↑78, ↑80, ↑82
- [148] A. Csoma, L. Toka, and A. Gulyás, "On Lower Estimating Internet Queuing Delay," in *2015 38th International Conference on Telecommunications and Signal Processing (TSP)*, 2015, pp. 299–303. ↑78
- [149] A. Yassine, H. Rahimi, and S. Shirmohammadi, "Software Defined Network Traffic Measurement: Current Trends and Challenges," *IEEE Instrumentation & Measurement Magazine*, vol. 18, no. 2, pp. 42–50, 2015. ↑79, ↑80
- [150] S. Zander, G. Armitage, T. Nguyen, M. Lutz, and B. Tyo, "Minimally Intrusive Round Trip Time Measurements Using Synthetic Packet-Pairs," 2006. ↑79
- [151] "Ryu SDN framework using OpenFlow 1.3," <https://osrg.github.io/ryu-book/en/Ryubook.pdf>, accessed: 2020-05-15. ↑79
- [152] W. Li, J. Yang, and D. Zhang, "A Method to Calculate Queuing Delay for Real-Time Services in IP Networks," in *2010 2nd International Workshop on Intelligent Systems and Applications*, 2010, pp. 1–4. ↑82
- [153] "Open vSwitch Release 2.13.90," http://docs.openvswitch.org/{_}/downloads/en/latest/pdf/, accessed: 2020-05-12. ↑84
- [154] L. Angrisani, G. Ventre, L. Peluso, and A. Tedesco, "Measurement of Processing and Queuing Delays Introduced by an Open-Source Router in a Single-Hop Network," *IEEE transactions on instrumentation and measurement*, vol. 55, no. 4, pp. 1065–1076, 2006. ↑85
- [155] W. Almesberger *et al.*, "Linux Network Traffic Control—Implementation Overview," 1999. ↑85
- [156] https://lartc.org/manpages/tc-pfifo_fast.pdf, accessed: 2020-05-13. ↑85
- [157] "Linux Advanced Routing & Traffic Control HOWTO," <https://www.lartc.org/lartc.html>, accessed: 2020-05-13. ↑85
- [158] <https://lartc.org/manpages/tc-htb.pdf>, accessed: 2020-05-13. ↑85
- [159] S. Floyd and V. Paxson, "Difficulties in Simulating the Internet," *IEEE/ACM Transactions on Networking*, vol. 9, no. 4, pp. 392–403, 2001. ↑87
- [160] S.-H. Kim and W. Whitt, "Statistical Analysis with Little's Law," *Operations Research*, vol. 61, no. 4, pp. 1030–1045, 2013. ↑87, ↑88, ↑89, ↑103
- [161] S. W. Smith, *The Scientist and Engineer's Guide to Digital Signal Processing*. USA: California Technical Publishing, 1997. ↑91
- [162] "Linux Programmer's Manual," <http://man7.org/linux/man-pages/man7/rtnetlink.7.html>, accessed: 2020-04-25. ↑98
- [163] L. Pagani and P. J. Scott, "Curvature based sampling of curves and surfaces," *Computer Aided Geometric Design*, vol. 59, pp. 32–48, 2018. ↑106, ↑108, ↑109
- [164] "Data Set for IMC 2010 Data Center Measurement," http://pages.cs.wisc.edu/tben-son/IMC10_Data.html, [Online; accessed 15-09-2020]. ↑112
- [165] M. Casado, M. J. Freedman, J. Pettit, J. Luo, N. McKeown, and S. Shenker, "Ethane: Taking Control of the Enterprise," in *ACM SIGCOMM Computer Communication Review*, vol. 37, no. 4. ACM, 2007, pp. 1–12. ↑120
- [166] Z. A. Qazi, C.-C. Tu, L. Chiang, R. Miao, V. Sekar, and M. Yu, "SIMPLE-fying Middlebox Policy Enforcement Using SDN," *ACM SIGCOMM computer communication review*, vol. 43, no. 4, pp. 27–38, 2013. ↑120, ↑152
- [167] M. Casado, T. Garfinkel, A. Akella, M. J. Freedman, D. Boneh, N. McKeown, and S. Shenker, "SANE: A Protection Architecture for Enterprise Networks," in *Usenix Security*, 2006. ↑120
- [168] T. Benson, A. Akella, and D. Maltz, "Unraveling the Complexity of Network Management," in *Proceedings of the 6th USENIX Symposium on Networked Systems Design and Implementation*, ser. NSDI'09. Berkeley, CA, USA: USENIX Association, 2009, pp. 335–348. ↑120
- [169] M. Boucadair and C. Jacquenet, "Software-Defined Networking: A Perspective from within a Service Provider Environment," 2014. ↑120
- [170] M. Jammal, T. Singh, A. Shami, R. Asal, and Y. Li, "Software Defined Networking: State of the Art and Research Challenges," *Computer Networks*, vol. 72, pp. 74–98, 2014. ↑121
- [171] S. Sezer, S. Scott-Hayward, P. K. Chouhan, B. Fraser, D. Lake, J. Finnegan, N. Viljoen, M. Miller, and N. Rao, "Are We Ready for SDN? Implementation Challenges for Software-Defined Networks," *IEEE Communications Magazine*, vol. 51, no. 7, pp. 36–43, 2013. ↑121

- [172] S. Hartman, M. Wasserman, and D. Zhang, "Security Requirements in the Software Defined Networking Model," *IETF Draft (draft-hartman-sdnsec-requirements)*, 2013. ↑121
- [173] S. Vissicchio, L. Vanbever, and O. Bonaventure, "Opportunities and Research Challenges of Hybrid Software Defined Networks," *ACM SIGCOMM Computer Communication Review*, vol. 44, no. 2, pp. 70–75, 2014. ↑121, ↑126
- [174] J. Galán-Jiménez, "Exploiting the Control Power of SDN During the Transition from IP to SDN Networks," *International Journal of Communication Systems*, vol. 31, no. 5, p. e3504, 2018. ↑123
- [175] H. Park, B. Cho, I.-s. Hwang, and J. R. Lee, "Study on the SDN-IP-based solution of well-known bottleneck problems in private sector of national R&E network for big data transfer," *Concurrency and Computation: Practice and Experience*, vol. 30, no. 1, p. e4365, 2018. ↑123
- [176] S. Vissicchio, L. Vanbever, L. Cittadini, G. Xie, O. Bonaventure *et al.*, "Safe Updates of Hybrid SDN Networks," UCL, Tech. Rep., 2013. ↑123, ↑144, ↑147
- [177] M. Tanha, D. Sajjadi, R. Ruby, and J. Pan, "Traffic Engineering Enhancement by Progressive Migration to SDN," *IEEE Communications Letters*, vol. 22, no. 3, pp. 438–441, 2018. ↑123
- [178] S. Vissicchio, L. Vanbever, L. Cittadini, G. G. Xie, and O. Bonaventure, "Safe Routing Reconfigurations with Route Redistribution," in *INFOCOM, 2014 Proceedings IEEE*. IEEE, 2014, pp. 199–207. ↑124
- [179] J. He and W. Song, "Achieving Near-Optimal Traffic Engineering in Hybrid Software Defined Networks," in *IFIP Networking Conference (IFIP Networking), 2015*. IEEE, 2015, pp. 1–9. ↑124, ↑144, ↑150
- [180] R. Kandoi, "Deploying Software-Defined Networks: a Telco Perspective," 2015. ↑125, ↑144
- [181] M. Caesar, D. Caldwell, N. Feamster, J. Rexford, A. Shaikh, and J. van der Merwe, "Design and Implementation of a Routing Control Platform," in *Proceedings of the 2nd conference on Symposium on Networked Systems Design & Implementation-Volume 2*. USENIX Association, 2005, pp. 15–28. ↑126, ↑135, ↑144
- [182] F. Balus, N. Bitar, K. Ogaki, and D. Stiliadis, "Federated SDN-based Controllers for NVO3," 2013. ↑126
- [183] A. Atlas, T. Nadeau, and D. Ward, "Interface to the Routing System Framework," *Internet-Draft*, 2013. ↑126
- [184] L. Vanbever and S. Vissicchio, "Enabling SDN in Old School Networks with Software-Controlled Routing Protocols," in *Presented as part of the Open Networking Summit 2014 (ONS 2014)*, 2014. ↑127, ↑135, ↑144, ↑149
- [185] V. Fuentes, J. Matias, A. Mendiola, M. Huarte, J. Unzilla, and E. Jacob, "Integrating complex legacy systems under OpenFlow control: The DOCSIS use case," in *2014 Third European Workshop on Software Defined Networks*. IEEE, 2014, pp. 37–42. ↑127, ↑142
- [186] F. Le, G. G. Xie, and H. Zhang, "Theory and New Primitives for Safely Connecting Routing Protocol Instances," *ACM SIGCOMM Computer Communication Review*, vol. 40, no. 4, pp. 219–230, 2010. ↑128
- [187] Y. Wang, M. Schapira, and J. Rexford, "Neighbor-Specific BGP: More Flexible Routing Policies While Improving Global Stability," in *ACM SIGMETRICS Performance Evaluation Review*, vol. 37, no. 1. ACM, 2009, pp. 217–228. ↑128
- [188] A. Manzalini and R. Saracco, "Software Networks at the Edge: A Shift of Paradigm," in *2013 IEEE SDN for Future Networks and Services (SDN4FNS)*. IEEE, 2013, pp. 1–6. ↑129
- [189] "Big Virtual Switch Network Virtualization with the Open SDN Architecture." [Online]. Available: <http://www.bigswitch.com/sites/default/files/sdnresources/bvsdatasheet.pdf> ↑131
- [190] M. Caria, T. Das, and A. Jukan, "Divide and Conquer: Partitioning OSPF networks with SDN," in *2015 IFIP/IEEE International Symposium on Integrated Network Management (IM)*. IEEE, 2015, pp. 467–474. ↑131, ↑139, ↑140, ↑144, ↑146, ↑148, ↑149
- [191] H. Lu, N. Arora, H. Zhang, C. Lumezanu, J. Rhee, and G. Jiang, "Hybnet: Network Manager for a Hybrid Network Infrastructure," in *Proceedings of the Industrial Track of the 13th ACM/IFIP/USENIX International Middleware Conference*. ACM, 2013, p. 6. ↑131, ↑139, ↑141, ↑144, ↑145
- [192] S. H. Yeganeh, A. Tootoonchian, and Y. Ganjali, "On Scalability of Software-Defined Networking," *IEEE Communications Magazine*, vol. 51, no. 2, pp. 136–141, 2013. ↑134
- [193] R. Katiyar, P. Pawar, A. Gupta, and K. Kataoka, "Auto-Configuration of SDN Switches in SDN/Non-SDN Hybrid Network," in *Proceedings of the Asian Internet Engineering Conference*. ACM, 2015, pp. 48–53. ↑136, ↑146
- [194] R. Hand and E. Keller, "ClosedFlow: OpenFlow-like Control over Proprietary Devices," in *Proceedings of the third workshop on Hot topics in software defined networking*. ACM, 2014, pp. 7–12. ↑136, ↑141, ↑144, ↑145, ↑148

- [195] S. Agarwal, M. Kodialam, and T. Lakshman, "Traffic Engineering in Software Defined Networks," in *INFOCOM, 2013 Proceedings IEEE*. IEEE, 2013, pp. 2211–2219. ↑136, ↑144
- [196] O. Tilmans and S. Vissicchio, "IGP-as-a-Backup for Robust SDN Networks," in *10th International Conference on Network and Service Management (CNSM) and Workshop*. IEEE, 2014, pp. 127–135. ↑136, ↑142
- [197] S. Vissicchio, O. Tilmans, L. Vanbever, and J. Rexford, "Central Control Over Distributed Routing," *ACM SIGCOMM Computer Communication Review*, vol. 45, no. 4, pp. 43–56, 2015. ↑135, ↑136
- [198] S. Vissicchio, L. Vanbever, and J. Rexford, "Sweet Little Lies: Fake Topologies for Flexible Routing," in *Proceedings of the 13th ACM Workshop on Hot Topics in Networks*. ACM, 2014, p. 3. ↑135, ↑136
- [199] R. Hartert, S. Vissicchio, P. Schaus, O. Bonaventure, C. Filsfils, T. Telkamp, and P. Francois, "A Declarative and Expressive Approach to Control Forwarding Paths in Carrier-Grade Networks," in *ACM SIGCOMM Computer Communication Review*, vol. 45, no. 4. ACM, 2015, pp. 15–28. ↑136, ↑137
- [200] D. Parniewicz, R. Doriguzzi Corin, L. Ogrodowczyk, M. Rashidi Fard, J. Matias, M. Gerola, V. Fuentes, U. Toseef, A. Zaalouk, B. Belter *et al.*, "Design and Implementation of an OpenFlow Hardware Abstraction Layer," in *Proceedings of the 2014 ACM SIGCOMM workshop on Distributed cloud computing*. ACM, 2014, pp. 71–76. ↑136, ↑141, ↑144, ↑147, ↑148
- [201] O. Tilmans, S. Vissicchio, L. Vanbever, and J. Rexford, "Fibbing in action: On-demand load-balancing for better video delivery," in *Proceedings of the 2016 conference on ACM SIGCOMM 2016 Conference*. ACM, 2016, pp. 619–620. ↑137
- [202] M. Caria and A. Jukan, "Link Capacity Planning for Fault Tolerant Operation in Hybrid SDN/OSPF Networks," in *2016 IEEE Global Communications Conference (GLOBECOM)*. IEEE, 2016, pp. 1–6. ↑140, ↑144
- [203] A. Mishra, D. Bansod, and K. Haribabu, "A Framework for OpenFlow-like Policy-based Routing in Hybrid Software Defined Networks," in *INC, 2016*, pp. 97–102. ↑140
- [204] Y. Nakahodo, T. Naito, and E. Oki, "Implementation of Smart-OSPF in Hybrid Software-Defined Network," in *2014 4th IEEE International Conference on Network Infrastructure and Digital Content*. IEEE, 2014, pp. 374–378. ↑140
- [205] A. K. Mishra and A. Sahoo, "S-OSPF: A Traffic Engineering Solution for OSPF based Best Effort Networks," in *IEEE GLOBECOM 2007-IEEE Global Telecommunications Conference*. IEEE, 2007, pp. 1845–1849. ↑140
- [206] B. Belter, D. Parniewicz, L. Ogrodowczyk, A. Binczewski, M. Stroiński, V. Fuentes, J. Matias, M. Huarte, and E. Jacob, "Hardware Abstraction Layer as an SDN-enabler for Non-OpenFlow Network Equipment," in *2014 Third European Workshop on Software Defined Networks*. IEEE, 2014, pp. 117–118. ↑142
- [207] "ALIEN Hardware Platforms." [Online]. Available: http://www.fp7-alien.eu/?page_id=62 ↑142
- [208] T. Feng and J. Bi, "OpenRouteFlow: Enable Legacy Router as a Software-Defined Routing Service for Hybrid SDN," in *2015 24th International Conference on Computer Communication and Networks (ICCCN)*. IEEE, 2015, pp. 1–8. ↑143, ↑144
- [209] Y. Guo, Z. Wang, X. Yin, X. Shi, and J. Wu, "Traffic Engineering in SDN/OSPF Hybrid Network," in *Network Protocols (ICNP), 2014 IEEE 22nd International Conference on*. IEEE, 2014, pp. 563–568. ↑144, ↑150
- [210] A. Agarwal, S. Gupta, and A. Talwar, "A Hybrid Approach to Networking : Integrating OpenFlow and Legacy Switches using OpenDayLight," 2015. ↑144
- [211] R. Jmal and L. C. Fourati, "Implementing Shortest Path Routing Mechanism using Openflow POX Controller," in *Networks, Computers and Communications, The 2014 International Symposium on*. IEEE, 2014, pp. 1–6. ↑144
- [212] F. Pakzad, M. Portmann, W. L. Tan, and J. Indulska, "Efficient Topology Discovery in Software Defined Networks," in *Signal Processing and Communication Systems (ICSPCS), 2014 8th International Conference on*. IEEE, 2014, pp. 1–8. ↑144, ↑145
- [213] L. Ochoa Aday, C. Cervelló Pastor, and A. Fernández Fernández, "Current Trends of Topology Discovery in OpenFlow-based Software Defined Networks," 2015. ↑144
- [214] F. Pakzad, M. Portmann, W. L. Tan, and J. Indulska, "Efficient topology discovery in OpenFlow-based Software Defined Networks," *Computer Communications*, vol. 77, pp. 52–61, 2016. ↑144, ↑145
- [215] S. Sharma, D. Staessens, D. Colle, M. Pickavet, and P. Demeester, "Enabling Fast Failure Recovery in OpenFlow Networks," in *2011 8th International Workshop on the Design of Reliable Communication Networks (DRCN)*. IEEE, 2011, pp. 164–171. ↑144

- [216] S. Sharma, D. Staessens, M. Pickavet, D. Colle, and P. Demeester, "Fast failure recovery for in-band OpenFlow networks," in *2013 9th international conference on the Design of reliable communication networks (drcn)*. IEEE, 2013, pp. 52–59. ↑144
- [217] A. K. Saha, K. Sambyo, and C. Bhunia, "Topology Discovery, Loop Finding and Alternative Path Solution in POX Controller," in *Proceedings of the International MultiConference of Engineers and Computer Scientists*, vol. 2, 2016. ↑144
- [218] "HP SDN Hybrid Network Architecture, Scalable, Low-risk Network Deployments using Hybrid SDN." [Online]. Available: <https://www.hpe.com/h20195/V2/getpdf.aspx/4AA5-6738ENW.pdf?ver=1.0> ↑144
- [219] Y. Fu, J. Bi, K. Gao, Z. Chen, J. Wu, and B. Hao, "Orion: A Hybrid Hierarchical Control Plane of Software-Defined Networking for Large-Scale Networks," in *2014 IEEE 22nd International Conference on Network Protocols*. IEEE, 2014, pp. 569–576. ↑144, ↑149
- [220] "SNMP4SDN:Beryllium Developer Guide - OpenDaylight Project." [Online]. Available: <http://docs.opendaylight.org/en/stable-boron/user-guide/snmp4sdn-user-guide.html> ↑148
- [221] D. Awduche, A. Chiu, A. Elwalid, I. Widjaja, and X. Xiao, "Overview and Principles of Internet Traffic Engineering," Tech. Rep., 2002. ↑149
- [222] D. Levin, M. Canini, S. Schmid, and A. Feldmann, "Incremental SDN Deployment in Enterprise Networks," *ACM SIGCOMM Computer Communication Review*, vol. 43, no. 4, pp. 473–474, 2013. ↑151
- [223] M. Reitblatt, N. Foster, J. Rexford, C. Schlesinger, and D. Walker, "Abstractions for Network Update," *ACM SIGCOMM Computer Communication Review*, vol. 42, no. 4, pp. 323–334, 2012. ↑152
- [224] S. Rathee, M. Swamy, K. Haribabu, A. Bhatia *et al.*, "Achieving Waypoint Enforcement in Multi-VLAN Hybrid SDN," in *2018 10th International Conference on Communication Systems & Networks (COMSNETS)*. IEEE, 2018, pp. 519–521. ↑156, ↑181, ↑182, ↑183
- [225] S. Rathee, T. D. R. Kumar, K. Haribabu, and A. Bhatia, "A Framework to Achieve Full Waypoint Enforcement in Hybrid SDN Networks," in *International Conference on Advanced Information Networking and Applications*. Springer, 2019, pp. 325–340. ↑156, ↑181
- [226] C. P. David, "An Ethernet Address Resolution Protocol," *RFC 826*, 1982. ↑163
- [227] J. C. Neumann, *The Book of GNS3: Build Virtual Network Labs Using Cisco, Juniper, and More*. No Starch Press, 2015. ↑167
- [228] "Cisco 2600XM Series and Cisco 2691 - Cisco IOS Release 12.2(15)Z],"
https://www.cisco.com/c/en/us/td/docs/ios/12_2/12_2z/release/notes/rn2600zj.html, accessed: 04-09-2020. ↑167
- [229] R. Pang, M. Allman, M. Bennett, J. Lee, V. Paxson, and B. Tierney, "A First Look at Modern Enterprise Traffic," in *Proceedings of the 5th ACM SIGCOMM conference on Internet Measurement*. USENIX Association, 2005, pp. 2–2. ↑182
- [230] "LBNL Enterprise Trace Repository," <http://www.icir.org/enterprise-tracing/>, accessed: 04-09-2020. ↑182