

## **References**

- Abdel Gader, A.G.M., Alhaider, A.A., 2016. The unique medicinal properties of camel products: A review of the scientific evidence. *J. Taibah Univ. Med. Sci.*  
<https://doi.org/10.1016/j.jtumed.2015.12.007>
- Afifi, 2010. Effect of Camelâ™s Milk on Cisplatin-Induced Nephrotoxicity in Swiss Albino Mice. *Am. J. Biochem. Biotechnol.* 6, 141–147.  
<https://doi.org/10.3844/ajbbsp.2010.141.147>
- Aggarwal, B.B., 2003. Signalling pathways of the TNF superfamily: A double-edged sword. *Nat. Rev. Immunol.* <https://doi.org/10.1038/nri1184>
- Agrawal, R.P., Beniwal, R., Kochhar, D.K., Tuteja, F.C., Ghorui, S.K., Sahani, M.S., Sharma, S., 2005. Camel milk as an adjunct to insulin therapy improves long-term glycemic control and reduction in doses of insulin in patients with type-1 diabetes: A 1 year randomized controlled trial [1]. *Diabetes Res. Clin. Pract.* <https://doi.org/10.1016/j.diabres.2004.12.007>
- Agrawal, R.P., Budania, S., Sharma, P., Gupta, R., Kochhar, D.K., Panwar, R.B., Sahani, M.S., 2007. Zero prevalence of diabetes in camel milk consuming Raica community of north-west Rajasthan, India. *Diabetes Res. Clin. Pract.* 76, 290–296.  
<https://doi.org/10.1016/j.diabres.2006.09.036>
- Agrawal, R.P., Swami, S., Beniwal, R., Kochhar, D., Sahani, M., Tuteja, F., Ghorui, S.K., 2003. Effect of camel milk on glycemic control, lipid profile and diabetes quality of life in type 1 diabetes: a randomised prospective controlled cross over study. undefined.

Agrawal, R.P., Tantia, P., Jain, S., Agrawal, R., Agrawal, V., 2013. Camel milk: a possible boon for type 1 diabetic patients. undefined.

Ahmed AS, A.N., Mustafa HA, Idris AA, Ismail AMA, et al, 2011. The role of camel milk in the reactivation of liver damaged by Sudanese liquor ( Aragi ). Sudan. J. Public Heal. 6, 157–163.

Aits, S., Gustafsson, L., Hallgren, O., Brest, P., Gustafsson, M., Trulssom, M., Mossberg, A.K., Simon, H.U., Mograbi, B., Svanborg, C., 2009. HAMLET (human  $\alpha$ -lactalbumin made lethal to tumor cells) triggers autophagic tumor cell death. Int. J. Cancer 124, 1008–1019.  
<https://doi.org/10.1002/ijc.24076>

Al-Ayadhi, L.Y., Elamin, N.E., 2013. Camel milk as a potential therapy as an antioxidant in autism spectrum disorder (ASD). Evidence-based Complement. Altern. Med. 2013.  
<https://doi.org/10.1155/2013/602834>

Assaf, R., Ruppanneb, R., 1992. Antibacterial and antiviral activity of camel milk protective proteins. J. Dairy Res. 59, 169–175. <https://doi.org/10.1017/S0022029900030417>

Atri, M.S., Saboury, A.A., Moosavi-Movahedi, A.A., Goliae, B., Sefidbakht, Y., Alijanvand, H.H., Sharifzadeh, A., Niasari-Naslaji, A., 2011. Structure and stability analysis of cytotoxic complex of camel  $\alpha$ -lactalbumin and unsaturated fatty acids produced at high temperature. J. Biomol. Struct. Dyn. 28, 919–928.  
<https://doi.org/10.1080/07391102.2011.10508618>

Atri, M.S., Saboury, A.A., Yousefi, R., Dalgalarrodo, M., Chobert, J.M., Haertlé, T., Moosavi-Movahedi, A.A., 2010. Comparative study on heat stability of camel and bovine apo and holo  $\alpha$ -lactalbumin. J. Dairy Res. 77, 43–79. <https://doi.org/10.1017/S0022029909990367>

Badawy, A.A., El-Magd, M.A., AlSadrah, S.A., 2018. Therapeutic Effect of Camel Milk and Its Exosomes on MCF7 Cells In Vitro and In Vivo. *Integr. Cancer Ther.* 17, 1235–1246.

<https://doi.org/10.1177/1534735418786000>

Badr, G., Ramadan, N.K., Abdel-Tawab, H.S., Ahmed, S.F., Mahmoud, M.H., 2018. Camel whey protein protects lymphocytes from apoptosis via the PI3K-AKT, NF-?B, ATF-3, and HSP-70 signaling pathways in heat-stressed male mice. *Biochem. Cell Biol.* 96, 407–416.

<https://doi.org/10.1139/bcb-2017-0217>

Badr, G., Ramadan, N.K., Sayed, L.H., Badr, B.M., Omar, H.M., Selamoglu, Z., 2017. Why whey? Camel whey protein as a new dietary approach to the management of free radicals and for the treatment of different health disorders. *Iran. J. Basic Med. Sci.* 20, 338–349.

<https://doi.org/10.22038/IJBMS.2017.8573>

Bawono, P., Heringa, J., 2014. PRALINE: A versatile multiple sequence alignment toolkit. *Methods Mol. Biol.* 1079, 245–262. [https://doi.org/10.1007/978-1-62703-646-7\\_16](https://doi.org/10.1007/978-1-62703-646-7_16)

Beg, O.U., von Bahr-Lindström, H., Zaidi, Z.H., Jörnvall, H., 1986. Characterization of a camel milk protein rich in proline identifies a new  $\beta$ -casein fragment. *Regul. Pept.* 15, 55–61.

[https://doi.org/10.1016/0167-0115\(86\)90075-3](https://doi.org/10.1016/0167-0115(86)90075-3)

Brinkmann, C.R., Heegaard, C.W., Petersen, T.E., Jensenius, J.C., Thiel, S., 2011. The toxicity of bovine  $\alpha$ -lactalbumin made lethal to tumor cells is highly dependent on oleic acid and induces killing in cancer cell lines and noncancer-derived primary cells. *FEBS J.* 278, 1955–1967. <https://doi.org/10.1111/j.1742-4658.2011.08112.x>

Callero, M.A., Loaiza-Pérez, A.I., 2011. The Role of Aryl Hydrocarbon Receptor and Crosstalk with Estrogen Receptor in Response of Breast Cancer Cells to the Novel Antitumor Agents

Benzothiazoles and Aminoflavone. *Int. J. Breast Cancer* 2011, 1–9.

<https://doi.org/10.4061/2011/923250>

Conesa, C., Sánchez, L., Rota, C., Pérez, M.D., Calvo, M., Farnaud, S., Evans, R.W., 2008.

Isolation of lactoferrin from milk of different species: Calorimetric and antimicrobial studies. *Comp. Biochem. Physiol. - B Biochem. Mol. Biol.* 150, 131–139.

<https://doi.org/10.1016/j.cbpb.2008.02.005>

Cortez-Retamozo, V., Backmann, N., Senter, P.D., Wernery, U., De Baetselier, P., Muyldermans, S., Revets, H., 2004. Efficient Cancer Therapy with a Nanobody-Based Conjugate. *Cancer Res.* 64, 2853–2857. <https://doi.org/10.1158/0008-5472.CAN-03-3935>

Corthay, A., Gasser, S., 2014. Does the immune system naturally protect against cancer?

<https://doi.org/10.3389/fimmu.2014.00197>

Davanzo, R., Zauli, G., Monasta, L., Vecchi Brumatti, L., Abate, M.V., Ventura, G., Rimondi, E., Secchiero, P., Demarini, S., 2013. Human colostrum and breast milk contain high levels of TNF-related apoptosis-inducing ligand (TRAIL). *J. Hum. Lact.* 29, 23–25.

<https://doi.org/10.1177/0890334412441071>

Davis, M.K., n.d. Review of the evidence for an association between infant feeding and childhood cancer. [https://doi.org/10.1002/\(SICI\)1097-0215\(1998\)78:11](https://doi.org/10.1002/(SICI)1097-0215(1998)78:11)

De Genst, E., Silence, K., Decanniere, K., Conrath, K., Loris, R., Kinne, J., Muyldermans, S., Wyns, L., 2006. Molecular basis for the preferential cleft recognition by dromedary heavy-chain antibodies. *Proc. Natl. Acad. Sci. U. S. A.* 103, 4586–4591.  
<https://doi.org/10.1073/pnas.0505379103>

Desmyter, A., Decanniere, K., Muyldermans, S., Wyns, L., 2001. Antigen Specificity and High Affinity Binding Provided by One Single Loop of a Camel Single-domain Antibody. *J. Biol. Chem.* 276, 26285–26290. <https://doi.org/10.1074/jbc.M102107200>

Desmyter, A., Transue, T.R., Ghahroudi, M.A., Thi, M.H.D., Poortmans, F., Hamers, R., Muyldermans, S., Wyns, L., 1996. Crystal structure of a camel single-domain V(H) antibody fragment in complex with lysozyme. *Nat. Struct. Biol.* 3, 803–811. <https://doi.org/10.1038/nsb0996-803>

Dubey, U.S., Lal, M., Mittal, A., Kapur, S., 2016. Therapeutic potential of camel milk. *Emirates J. Food Agric.* 28, 164–176. <https://doi.org/10.9755/ejfa.2015-04-122>

Düringer, C., Hamiche, A., Gustafsson, L., Kimura, H., Svanborg, C., 2003. HAMLET Interacts with Histones and Chromatin in Tumor Cell Nuclei. *J. Biol. Chem.* 278, 42131–42135. <https://doi.org/10.1074/jbc.M306462200>

Ehlayel, M., Bener, A., Abu Hazeima, K., Al-Mesaifri, F., 2011. Camel Milk Is a Safer Choice than Goat Milk for Feeding Children with Cow Milk Allergy. *ISRN Allergy* 2011, 1–5. <https://doi.org/10.5402/2011/391641>

Ehlayel, M.S., Hazeima, K.A., Al-Mesaifri, F., Bener, A., 2011. Camel milk: An alternative for cow's milk allergy in children. *Allergy Asthma Proc.* 32, 255–258. <https://doi.org/10.2500/aap.2011.32.3429>

El-Agamy, E.I., Nawar, M., Shamsia, S.M., Awad, S., Haenlein, G.F.W., 2009. Are camel milk proteins convenient to the nutrition of cow milk allergic children? *Small Rumin. Res.* 82, 1–6. <https://doi.org/10.1016/j.smallrumres.2008.12.016>

El-Fakharany, E., Tabll, A., Wahab, A., Haroun, B., Redwan, E.-R., 2008. Potential Activity of Camel Milk-Amylase and Lactoferrin against Hepatitis C Virus Infectivity in HepG2 and Lymphocytes. *Hepat. Mon.* 2008 82 8.

El Miniawy, H.M.F., Ahmed, K.A., Mansour, S.A., Salah Khattab, M.M., 2017. In vivo antitumour potential of camel's milk against hepatocellular carcinoma in rats and its improvement of cisplatin renal side effects. *Pharm. Biol.* 55, 1513–1520.  
<https://doi.org/10.1080/13880209.2017.1309553>

Elagamy, E.I., Ruppanner, R., Ismail, A., Champagne, C.P., Assaf, R., 1996. Purification and characterization of lactoferrin, lactoperoxidase, lysozyme and immunoglobulins from camel's milk. *Int. Dairy J.* 6, 129–145. [https://doi.org/10.1016/0958-6946\(94\)00055-7](https://doi.org/10.1016/0958-6946(94)00055-7)

Faye, B., 2014. Anatomical and physiological adaptation of domestic animals to ecosystem constraints : The example of the camel in arid lands. undefined.

Fischer, W., Gustafsson, L., Mossberg, A.K., Gronli, J., Mork, S., Bjerkvig, R., Svanborg, C., 2004. Human  $\alpha$ -Lactalbumin Made Lethal to Tumor Cells (HAMLET) Kills Human Glioblastoma Cells in Brain Xenografts by an Apoptosis-Like Mechanism and Prolongs Survival. *Cancer Res.* 64, 2105–2112. <https://doi.org/10.1158/0008-5472.CAN-03-2661>

Goldsby, R., Kindt, T.J., Osborne, B.A. and Kuby, J. (2003) Chapter 2: Cells and Organs of the Immune System. In: Immunology, 5th Edition, W. H. Freeman and Company, New York, 24-56.

Gustafsson, L., Aits, S., Önnerfjord, P., Trulsson, M., Storm, P., Svanborg, C., 2009. Changes in proteasome structure and function caused by HAMLET in tumor cells. *PLoS One* 4.  
<https://doi.org/10.1371/journal.pone.0005229>

Håkansson, A., Zhivotovsky, B., Orrenius, S., Sabharwal, H., Svanborg, C., 1995. Apoptosis induced by a human milk protein. Proc. Natl. Acad. Sci. U. S. A. 92, 8064–8068.

<https://doi.org/10.1073/pnas.92.17.8064>

Hakansson, A. 1999. Apoptosis induced by a human milk protein complex. Cellular and structural studies in tumour cells and bacteria. Lund University.

Hamers-Casterman, C., Atarhouch, T., Muyldermans, S., Robinson, G., Hammers, C., Songa, E.B., Bendahman, N., Hammers, R., 1993. Naturally occurring antibodies devoid of light chains. Nature 363, 446–448. <https://doi.org/10.1038/363446a0>

Hamzawy, M.A., El-Ghandour, Y.B., Abdel-Aziem, S.H., Ali, Z.H., 2018. Leptin and camel milk abate oxidative stress status, genotoxicity induced in valproic acid rat model of autism. Int. J. Immunopathol. Pharmacol. 32, 1–11. <https://doi.org/10.1177/2058738418785514>

Harmsen, M.M., De Haard, H.J., 2007. Properties, production, and applications of camelid single-domain antibody fragments. Appl. Microbiol. Biotechnol. <https://doi.org/10.1007/s00253-007-1142-2>

Harmsen, M.M., Ruuls, R.C., Nijman, I.J., Niewold, T.A., Frenken, L.G.J., De Geus, B., 2000. Llama heavy-chain V regions consist of at least four distinct subfamilies revealing novel sequence features. Mol. Immunol. 37, 579–590. [https://doi.org/10.1016/S0161-5890\(00\)00081-X](https://doi.org/10.1016/S0161-5890(00)00081-X)

Harrison, R.A., Hasson, S.S., Harmsen, M., Laing, G.D., Conrath, K., Theakston, R.D.G., 2006. Neutralisation of venom-induced haemorrhage by IgG from camels and llamas immunised with viper venom and also by endogenous, non-IgG components in camelid sera. Toxicon 47, 364–368. <https://doi.org/10.1016/j.toxicon.2005.10.017>

Henkels, K.M., Turchi, J.J., 1999. Cisplatin-induced Apoptosis Proceeds by Caspase-3-dependent and-independent Pathways in Cisplatin-resistant and-sensitive Human Ovarian Cancer Cell Lines 1, *Cancer Research*.

Horinaka, M., Yoshida, T., Kishi, A., Akatani, K., Yasuda, T., Kouhara, J., Wakada, M., Sakai, T., 2010. Lactobacillus strains induce TRAIL production and facilitate natural killer activity against cancer cells. *FEBS Lett.* 584, 577–582. <https://doi.org/10.1016/j.febslet.2009.12.004>

J, W., Z, F., Z, P., 1998. Composition of milk from three Camel(*Camelus dromedarius*) breeds in Kenya during lactation. *Milchwissenschaft* 53, 136–139.

Kamal, H., Jafar, S., Mudgil, P., Murali, C., Amin, A., Maqsood, S., 2018. Inhibitory properties of camel whey protein hydrolysates toward liver cancer cells, dipeptidyl peptidase-IV, and inflammation. *J. Dairy Sci.* 101, 8711–8720. <https://doi.org/10.3168/jds.2018-14586>

Kerzee, J.K., Ramos, K.S., 2001. Constitutive and inducible expression of Cyp1a1 and Cyp1b1 in vascular smooth muscle cells: Role of the Ahr bHLH/PAS transcription factor. *Circ. Res.* 89, 573–582. <https://doi.org/10.1161/hh1901.097083>

Khatoon, H., Najam, R., Mirza, T., Sikandar, B., Ishaq, H., Anser, H., 2015. Evaluation of anticonvulsant and neuroprotective effects of camel milk in strychnine-induced seizure model. *Asian Pacific J. Trop. Dis.* 5, 817–820. [https://doi.org/10.1016/S2222-1808\(15\)60937-9](https://doi.org/10.1016/S2222-1808(15)60937-9)

Könning, D., Zielonka, S., Grzeschik, J., Empting, M., Valldorf, B., Krah, S., Schröter, C., Sellmann, C., Hock, B., Kolmar, H., 2017. Camelid and shark single domain antibodies: structural features and therapeutic potential. *Curr. Opin. Struct. Biol.* <https://doi.org/10.1016/j.sbi.2016.10.019>

Konuspayeva, G., Faye, B., Loiseau, G., 2009. The composition of camel milk: A meta-analysis of the literature data. *J. Food Compos. Anal.* <https://doi.org/10.1016/j.jfca.2008.09.008>

Korashy, H.M., El Gendy, M.A.M., Alhaider, A.A., El-Kadi, A.O., 2012a. Camel milk modulates the expression of aryl hydrocarbon receptor-regulated genes, Cyp1a1, Nqo1, and Gsta1, in murine hepatoma hepa 1c1c7 cells. *J. Biomed. Biotechnol.* 2012. <https://doi.org/10.1155/2012/782642>

Korashy, H.M., Maayah, Z.H., Abd-Allah, A.R., El-Kadi, A.O.S., Alhaider, A.A., 2012b. Camel milk triggers apoptotic signaling pathways in human hepatoma HepG2 and breast cancer MCF7 cell lines through transcriptional mechanism. *J. Biomed. Biotechnol.* 2012. <https://doi.org/10.1155/2012/593195>

Korish, A.A., 2014. The antidiabetic action of camel milk in experimental type 2 diabetes mellitus: An overview on the changes in incretin hormones, insulin resistance, and inflammatory cytokines. *Horm. Metab. Res.* 46, 404–411. <https://doi.org/10.1055/s-0034-1368711>

Krishnankutty, R., Iskandarani, A., Therachiyil, L., Uddin, S., Azizi, F., Kulinski, M., Bhat, A.A., Mohammad, R.M., 2018. Anticancer activity of camel milk via induction of autophagic death in human colorectal and breast cancer cells. *Asian Pacific J. Cancer Prev.* 19, 3501–3509. <https://doi.org/10.31557/APJCP.2018.19.12.3501>

Küçükçongar, A., Oluç, A., Pinarli, F.G., Karadeniz, C., Okur, A., Kaya, Z., Çelik, B., 2015. Breastfeeding and Childhood Cancer: Is Breastfeeding Preventative to Childhood Cancer? *Pediatr. Hematol. Oncol.* 32, 374–381. <https://doi.org/10.3109/08880018.2015.1058447>

Magjeed, N.A.A., 2005. Corrective effect of milk camel on some cancer biomarkers in blood of

rats intoxicated with aflatoxin B1. *J. Saudi Chem. Soc.* 9, 253–263.

Mariani, S.M., Krammer, P.H., 1998. Surface expression of TRAIL/Apo-2 ligand in activated mouse T and B cells. *Eur. J. Immunol.* 28, 1492–1498. [https://doi.org/10.1002/\(SICI\)1521-4141\(199805\)28:05<1492::AID-IMMU1492>3.0.CO;2-X](https://doi.org/10.1002/(SICI)1521-4141(199805)28:05<1492::AID-IMMU1492>3.0.CO;2-X)

Mathur, G.P., Gupta, N., Mathur, S., Gupta, V., Pradhan, S., Dwivedi, J.N., Tripathi, B.N., Kushwaha, K.P., Sathy, N., Modi, U.J., 1993. Breastfeeding and childhood cancer. *Indian Pediatr.* 30, 651–657.

Melendez, M.E., Silva-Oliveira, R.J., Vicente, A.L.S.A., Arantes, L.M.R.B., de Carvalho, A.C., Epstein, A.L., Reis, R.M., Carvalho, A.L., 2018. Construction and characterization of a new TRAIL soluble form, active at picomolar concentrations. *Oncotarget* 9, 27233–27241. <https://doi.org/10.18632/oncotarget.25519>

Mossberg, A.K., Hou, Y., Svensson, M., Holmqvist, B., Svanborg, C., 2010. HAMLET Treatment Delays Bladder Cancer Development. *J. Urol.* 183, 1590–1597. <https://doi.org/10.1016/j.juro.2009.12.008>

Mossberg, A.K., Wullt, B., Gustafsson, L., Månsson, W., Ljunggren, E., Svanborg, C., 2007. Bladder cancers respond to intravesical instillation of HAMLET (human  $\alpha$ -lactalbumin made lethal to tumor cells). *Int. J. Cancer* 121, 1352–1359. <https://doi.org/10.1002/ijc.22810>

Muyldermans, S., 2013. Nanobodies: Natural single-domain antibodies. *Annu. Rev. Biochem.* <https://doi.org/10.1146/annurev-biochem-063011-092449>

Muyldermans, S., Atarhouch, T., Saldanha, J., Barbosa, J.A.R.G., Hamers, R., 1994. Sequence and structure of vh domain from naturally occurring camel heavy chain immunoglobulins

lacking light chains. *Protein Eng. Des. Sel.* 7, 1129–1135.

<https://doi.org/10.1093/protein/7.9.1129>

Nakamura, T., Aizawa, T., Kariya, R., Okada, S., Demura, M., Kawano, K., Makabe, K.,

Kuwajima, K., 2013. Molecular mechanisms of the cytotoxicity of human  $\alpha$ -lactalbumin made lethal to tumor cells (HAMLET) and other protein-oleic acid complexes. *J. Biol. Chem.* 288, 14408–14416. <https://doi.org/10.1074/jbc.M112.437889>

Narmuratova, M., Konuspayeva, G., Loiseau, G., Serikbaeva, A., Barouh, N., Montet, D., Faye, B., 2006. Fatty acids composition of dromedary and bactrian camel milk in Kazakhstan. *J. Camel Pract. Res.*

Nebert, D.W., Dalton, T.P., Okey, A.B., Gonzalez, F.J., 2004. Role of aryl hydrocarbon receptor-mediated induction of the CYP1 enzymes in environmental toxicity and cancer. *J. Biol. Chem.* <https://doi.org/10.1074/jbc.R400004200>

Nebert, D.W., Roe, A.L., Dieter, M.Z., Solis, W.A., Yang, Y., Dalton, T.P., 2000. Role of the aromatic hydrocarbon receptor and (Ah) gene battery in the oxidative stress response, cell cycle control, and apoptosis, in: *Biochemical Pharmacology*. Elsevier, pp. 65–85.  
[https://doi.org/10.1016/S0006-2952\(99\)00310-X](https://doi.org/10.1016/S0006-2952(99)00310-X)

Newman, J., 1995. How breast milk protects newborns. *Sci. Am.* 273(6) - 76.

Nguyen, V.K., Hamers, R., Wyns, L., Muyldermans, S., 2000. Camel heavy-chain antibodies: Diverse germline V(H)H and specific mechanisms enlarge the antigen-binding repertoire. *EMBO J.* 19, 921–930. <https://doi.org/10.1093/emboj/19.5.921>

Nikkhah, A., 2011. Science of Camel and Yak Milks: Human Nutrition and Health Perspectives.

Food Nutr. Sci. 02, 667–673. <https://doi.org/10.4236/fns.2011.26092>

Omar, A., Harbourne, N., Oruna-Concha, M.J., 2016. Quantification of major camel milk proteins by capillary electrophoresis. Int. Dairy J. 58, 31–35.  
<https://doi.org/10.1016/J.IDAIRYJ.2016.01.015>

Parodi, P., 2007. A Role for Milk Proteins and their Peptides in Cancer Prevention. Curr. Pharm. Des. 13, 813–828. <https://doi.org/10.2174/138161207780363059>

Rath, E.M., Duff, A.P., Håkansson, A.P., Vacher, C.S., Liu, G.J., Knott, R.B., Church, W.B., 2015. Structure and potential cellular targets of HAMLET-like anti-cancer compounds made from milk components. J. Pharm. Pharm. Sci. <https://doi.org/10.18433/J3G60C>

Redington, J., Breydo, L., Almehdar, H., Redwan, E., Uversky, V., 2016.  $\alpha$ -Lactalbumin: Of Camels and Cows. Protein Pept. Lett. 23, 1072–1080.  
<https://doi.org/10.2174/0929866523666160517123738>

Ross, D., 2004. Quinone reductases multitasking in the metabolic world. Drug Metab. Rev. <https://doi.org/10.1081/DMR-200033465>

Shabo, Y., Barzel, R., Margoulis, M., Yagil, R., 2005. Camel milk for food allergies in children. Isr. Med. Assoc. J. 7, 796–798.

Shah, P.P., Saurabh, K., Pant, M.C., Mathur, N., Parmar, D., 2009. Evidence for increased cytochrome P450 1A1 expression in blood lymphocytes of lung cancer patients. Mutat. Res. - Fundam. Mol. Mech. Mutagen. 670, 74–78.  
<https://doi.org/10.1016/j.mrfmmm.2009.07.006>

Shamsia, S.M., 2009. Nutritional and therapeutic properties of camel and human milks. Int. J.

Genet. Mol. Biol. 1, 052–058.

Shariati, M., Behbahani, M., Mohabatkar, H., 2017. Anticancer activity of cow, sheep, goat, mare, donkey and camel milks and their caseins and whey proteins and in silico comparison of the caseins. Mol. Biol. Res. Commun. 6, 57–64.  
<https://doi.org/10.22099/mbrc.2017.4042>

Shimada, T., Fujii-Kuriyama, Y., 2004. Metabolic activation of polycyclic aromatic hydrocarbons to carcinogens by cytochromes P450 1A1 and 1B1. Cancer Sci.  
<https://doi.org/10.1111/j.1349-7006.2004.tb03162.x>

Singh, R., Gorakh Mal, •, Devendra Kumar, •, Patil, • N V, Pathak, • K M L, n.d. Camel Milk: An Important Natural Adjuvant. <https://doi.org/10.1007/s40003-017-0284-4>

Slattery, M.L., Samowitz, W., Ma, K., Murtaugh, M., Sweeney, C., Levin, T.R., Neuhausen, S., 2004. CYP1A1, cigarette smoking, and colon and rectal cancer. Am. J. Epidemiol. 160, 842–852. <https://doi.org/10.1093/aje/kwh298>

Spinelli, S., Frenken, L., Bourgeois, D., De Ron, L., Bos, W., Verrips, T., Anguille, C., Cambillau, C., Tegoni, M., 1996. The crystal structure of a llama heavy chain variable domain. Nat. Struct. Biol. 3, 752–757. <https://doi.org/10.1038/nsb0996-752>

Spolaore, B., Pinato, O., Canton, M., Zambonin, M., Polverino De Laureto, P., Fontana, A., 2010.  $\alpha$ -lactalbumin forms with oleic acid a high molecular weight complex displaying cytotoxic activity. Biochemistry 49, 8658–8667. <https://doi.org/10.1021/bi1012832>

Sung, H., Ferlay, J., Siegel, R.L., Laversanne, M., Soerjomataram, I., Jemal, A., Bray, F., 2021. Global cancer statistics 2020: GLOBOCAN estimates of incidence and mortality worldwide

for 36 cancers in 185 countries. CA. Cancer J. Clin. 71, 209–249.

<https://doi.org/10.3322/caac.21660>

Svensson, M., Håkansson, A., Mossberg, A.K., Linse, S., Svanborg, C., 2000. Conversion of  $\alpha$ -lactalbumin to a protein inducing apoptosis. Proc. Natl. Acad. Sci. U. S. A. 97, 4221–4226.

<https://doi.org/10.1073/pnas.97.8.4221>

Talarico, V., Mazza, G., Rubino, M., Monti, G., Giancotti, L., Bua, A., Mahdi, A.M., Miniero, R., 2019. Camel milk: a possible alternative for children with cow's milk allergy ? Minerva Pediatr. <https://doi.org/10.23736/S0026-4946.19.05632-9>

Trulsson, M., Yu, H., Gisselsson, L., Chao, Y., Urbano, A., Aits, S., Mossberg, A.K., Svanborg, C., 2011. HAMLET binding to  $\alpha$ -actinin facilitates tumor cell detachment. PLoS One 6.

<https://doi.org/10.1371/journal.pone.0017179>

Utsumi, S., Karush, F., 1964. The Subunits of Purified Rabbit Antibody. Biochemistry 3, 1329–1338. <https://doi.org/10.1021/bi00897a024>

Van Der Linden, R.H.J., Frenken, L.G.J., De Geus, B., Harmsen, M.M., Ruuls, R.C., Stok, W., De Ron, L., Wilson, S., Davis, P., Verrips, C.T., 1999. Comparison of physical chemical properties of llama V(HH) antibody fragments and mouse monoclonal antibodies. Biochim. Biophys. Acta - Protein Struct. Mol. Enzymol. 1431, 37–46. [https://doi.org/10.1016/S0167-4838\(99\)00030-8](https://doi.org/10.1016/S0167-4838(99)00030-8)

Vasiliou, V., Ross, D., Nebert, D.W., 2006. Update of the NAD(P)H:Quinone oxidoreductase (NQO) gene family. Hum. Genomics 2, 329–335. <https://doi.org/10.1186/1479-7364-2-5-329>

Vu, K.B., Ghahroudi, M.A., Wyns, L., Muyldermans, S., 1997. Comparison of llama V(H) sequences from conventional and heavy chain antibodies. Mol. Immunol. 34, 1121–1131.

[https://doi.org/10.1016/S0161-5890\(97\)00146-6](https://doi.org/10.1016/S0161-5890(97)00146-6)

Wajant, H., Moosmayer, D., Wu, T., Bartke, T., Gerlach, E., Scho, U., Peters, N., Scheurich, P., Klaus, P., 2001. Differential activation of TRAIL-R1 and -2 by soluble.pdf 2, 4101–4106.

Ward, E.S., Güssow, D., Griffiths, A.D., Jones, P.T., Winter, G., 1989. Binding activities of a repertoire of single immunoglobulin variable domains secreted from Escherichia coli. Nature 341, 544–546. <https://doi.org/10.1038/341544a0>

Whitelaw, M.L., Gottlicher, M., Gustafsson, J.A., Poellinger, L., 1993. Definition of a novel ligand binding domain of a nuclear bHLH receptor: Co-localization of ligand and hsp90 binding activities within the regulable inactivation domain of the dioxin receptor. EMBO J. 12, 4169–4179. <https://doi.org/10.1002/j.1460-2075.1993.tb06101.x>

Whitlock, J.P., 1999. Induction of cytochrome P4501A1. Annu. Rev. Pharmacol. Toxicol. <https://doi.org/10.1146/annurev.pharmtox.39.1.103>

Williams, T.D., Lee, J.S., Sheader, D.L., Chipman, J.K., 2000. The cytochrome P450 1A gene (CYP1A) from European flounder (*Platichthys flesus*), analysis of regulatory regions and development of a dual luciferase reporter gene system, in: Marine Environmental Research. Mar Environ Res, pp. 1–6. [https://doi.org/10.1016/S0141-1136\(00\)00053-2](https://doi.org/10.1016/S0141-1136(00)00053-2)

Yagil, R., 2013. Camel milk and its unique anti-diarrheal properties. Isr. Med. Assoc. J. 15, 35–36.

Yoo, T.J., Roholt, O.A., Pressman, D., 1967. Specific binding activity of isolated light chains of

- antibodies. *Science* (80-. ). 157, 707–709. <https://doi.org/10.1126/science.157.3789.707>
- Zhang, S., Lei, P., Liu, X., Li, X., Walker, K., Kotha, L., Rowlands, C., Safe, S., 2009. The aryl hydrocarbon receptor as a target for estrogen receptor-negative breast cancer chemotherapy. *Endocr. Relat. Cancer* 16, 835–844. <https://doi.org/10.1677/ERC-09-0054>
- Zhang, Y.-B., Wu, W., Ding, W., 2010. From HAMLET to XAMLET: The molecular complex selectively induces cancer cell death. *African J. Biotechnol.* 9, 9270–9276.