

References

1. Anderson, D. J., Rose, J. E., Hind, J. E., and Brugge, J. F. (1971). "Temporal Position of Discharges in Single Auditory Nerve Fibers within the Cycle of a Sine-Wave Stimulus: Frequency and Intensity Effects," *J. Acoust. Soc. Am.*, **49**, 1131–1139. doi:10.1121/1.1912474
2. Arehart, K. H., Arriaga, C., Kelly, K., and Mclean-Mudgett, S. (1997). "Role of Fundamental Frequency Differences in the Perceptual Separation of Competing Vowel Sounds by Listeners With Normal Hearing and Listeners With Hearing Loss," *JSLHR J. Speech, Lang. Hear. Res. JSLHR*, **40**, 1434–1444. doi:10.1044/jslhr.4006.1434
3. Arehart, K. H., Rossi-Katz, J., and Swensson-Prutsman, J. (2005). "Double-vowel perception in listeners with cochlear hearing loss: Differences in fundamental frequency, ear of presentation, and relative amplitude," *J. Speech, Lang. Hear. Res.*, **48**, 236–252. doi:10.1044/1092-4388(2005/017)
4. Arehart, K. H., Souza, P. E., Muralimanohar, R. K., and Miller, C. W. (2011). "Effects of age on concurrent vowel perception in acoustic and simulated electroacoustic hearing," *J. Speech, Lang. Hear. Res.*, **54**, 190–210. doi:10.1044/1092-4388(2010/09-0145)
5. Assmann, P. F., and Paschall, D. D. (1998). "Pitches of concurrent vowels," *J. Acoust. Soc. Am.*, **103**, 1150–160. doi:10.1121/1.421249
6. Assmann, P. F., and Summerfield, Q. (1990). "Modeling the perception of concurrent vowels: Vowels with different fundamental frequencies," *J. Acoust. Soc. Am.*, **88**, 680–697. doi:10.1121/1.399772
7. Assmann, P. F., and Summerfield, Q. (1994). "The Contribution of Waveform Interactions to the Perception of Concurrent Vowels," *J. Acoust. Soc. Am.*, **95**, 471–484. doi:10.1121/1.408342
8. Bernstein, J. G. W., and Oxenham, A. J. (2005). "An autocorrelation model with place dependence to account for the effect of harmonic number on fundamental frequency discrimination," *J. Acoust. Soc. Am.*, **117**, 3816–3831. doi:10.1121/1.1904268
9. Bidelman, G., and Powers, L. (2018). "Response properties of the human frequency-following response (FFR) to speech and non-speech sounds: level dependence, adaptation and phase-locking limits," *Int. J. Audiol.*, , doi: 10.1080/14992027.2018.1470338. doi:10.1080/14992027.2018.1470338
10. Bregman, A. S. (1990). *Auditory Scene Analysis: The Perceptual Organization of Sound*. MIT Press, Cambridge, MA, 1–792 pages.
11. Brokx, J. P. L., and Nooteboom, S. G. (1982). "Intonation and the perceptual separation of simultaneous voices," *J. Phon.*, **10**, 23–36.
12. Bruce, I. C., Erfani, Y., and Zilany, M. S. A. (2018). "A phenomenological model of the synapse between the inner hair cell and auditory nerve: Implications of limited neurotransmitter release sites," *Hear. Res.*, **360**, 40–54.

doi:10.1016/j.heares.2017.12.016

13. Bruce, I. C., Sachs, M. B., and Young, E. D. (2003). "An auditory-periphery model of the effects of acoustic trauma on auditory nerve responses," *J. Acoust. Soc. Am.*, **113**, 369–388. doi:10.1121/1.1519544
14. Calandruccio, L., Wasiuk, P. A., Buss, E., Leibold, L. J., Kong, J., Holmes, A., and Oleson, J. (2019). "The effect of target/masker fundamental frequency contour similarity on masked-speech recognition," *J. Acoust. Soc. Am.*, , doi: 10.1121/1.5121314.
15. Cariani, P. (2004). "a Temporal Model for Pitch Multiplicity and Tonal Consonance," *Proc. 8th Int. Conf. Music Percept. Cogn.*
16. Carney, L. H. (1993). "A model for the responses of low-frequency auditory-nerve fibers in cat," *J. Acoust. Soc. Am.*, **93**, 401–417. doi:10.1121/1.405620
17. Carney, L. H. (1999). "Temporal response properties of neurons in the auditory pathway," *Curr. Opin. Neurobiol.*, **9**, 442–446. doi:10.1016/S0959-4388(99)80066-X
18. Carney, L. H., McDuffy, M. J., and Shekhter, I. (1999). "Frequency glides in the impulse responses of auditory-nerve fibers," *J. Acoust. Soc. Am.*, **105**, 2384–2391. doi:10.1121/1.426843
19. Charaziak, K. K., Dong, W., Altoè, A., and Shera, C. A. (2020). "Asymmetry and Microstructure of Temporal-Suppression Patterns in Basilar-Membrane Responses to Clicks: Relation to Tonal Suppression and Traveling-Wave Dispersion," *JARO - J. Assoc. Res. Otolaryngol.*, , doi: 10.1007/s10162-020-00747-2.
20. Cheatham, M. A., and Dallos, P. (2001). "Inner hair cell response patterns: Implications for low-frequency hearing," *J. Acoust. Soc. Am.*, **110**, 2034–2044. doi:10.1121/1.1397357
21. Cherry, E. C. (1953). "Some experiments on the recognition of speech, with one and with 2 ears," *J. Acoust. Soc. Am.*, **25**, 975–979. doi:10.1121/1.1907229
22. Chintanpalli, A., Ahlstrom, J. B., and Dubno, J. R. (2014). "Computational model predictions of cues for concurrent vowel identification," *JARO - J. Assoc. Res. Otolaryngol.*, **15**, 823–837. doi:10.1007/s10162-014-0475-7
23. Chintanpalli, A., Ahlstrom, J. B., and Dubno, J. R. (2016). "Effects of age and hearing loss on concurrent vowel identification," *J. Acoust. Soc. Am.*, **140**, 4142–4153. doi:10.1121/1.4968781
24. Chintanpalli, A., and Heinz, M. G. (2013). "The use of confusion patterns to evaluate the neural basis for concurrent vowel identification," *J. Acoust. Soc. Am.*, **134**, 2988–3000. doi:10.1121/1.4820888
25. Culling, J. F., and Darwin, C. J. (1993). "Perceptual separation of simultaneous vowels: Within and across-formant grouping by F_0 ," *J. Acoust. Soc. Am.*, **93**, 3454–3467. doi:10.1121/1.405675
26. Culling, J. F., and Darwin, C. J. (1994). "Perceptual and computational separation of simultaneous vowels: Cues arising from low-frequency beating,"

- J. Acoust. Soc. Am., **95**, 1559–1569. doi:10.1121/1.408543
27. Davis, K. A., Lomakin, O., and Pesavento, M. J. (2007). “Response properties of single units in the dorsal nucleus of the lateral lemniscus of decerebrate cats,” J. Neurophysiol., **98**, 1475–1488. doi:10.1152/jn.00451.2007
28. Delgutte, B. (1980). “Representation of speech-like sounds in the discharge patterns of auditory-nerve fibers,” J. Acoust. Soc. Am., **68**, 843–857. doi:10.1121/1.384824
29. Delgutte, B., and Kiang, N. Y. S. (1984). “Speech coding in the auditory nerve: I. Vowel-like sounds,” J. Acoust. Soc. Am., **75**, 866–878. doi:10.1121/1.390596
30. Dubno, J. R., Eckert, M. A., Lee, F. S., Matthews, L. J., and Schmiedt, R. A. (2013). “Classifying human audiometric phenotypes of age-related hearing loss from animal models,” JARO - J. Assoc. Res. Otolaryngol., **14**, 687–701. doi:10.1007/s10162-013-0396-x
31. Eckert, M. A., Harris, K. C., Lang, H., Lewis, M. A., Schmiedt, R. A., Schulte, B. A., Steel, K. P., et al. (2021). “Translational and interdisciplinary insights into presbyacusis: A multidimensional disease,” Hear. Res., doi:10.1016/j.heares.2020.108109
32. Encina-Llamas, G., Harte, J. M., Dau, T., Shinn-Cunningham, B., and Epp, B. (2019). “Investigating the Effect of Cochlear Synaptopathy on Envelope Following Responses Using a Model of the Auditory Nerve,” JARO - J. Assoc. Res. Otolaryngol., **20**, 363–382. doi:10.1007/s10162-019-00721-7
33. Evans, E. F., and Palmer, A. R. (1980). “Relationship between the dynamic range of cochlear nerve fibres and their spontaneous activity,” Exp. Brain Res., **40**, 115–118. doi:10.1007/BF00236671
34. Furman, A. C., Kujawa, S. G., and Charles Liberman, M. (2013). “Noise-induced cochlear neuropathy is selective for fibers with low spontaneous rates,” J. Neurophysiol., **110**, 577–586. doi:10.1152/jn.00164.2013
35. Gifford, M. L., and Guinan, J. J. (1983). “Effects of crossed-olivocochlear-bundle stimulation on cat auditory nerve fiber responses to tones,” J. Acoust. Soc. Am., **74**, 115–123. doi:10.1121/1.389728
36. Gleich, O., Semmler, P., and Strutz, J. (2016). “Behavioral auditory thresholds and loss of ribbon synapses at inner hair cells in aged gerbils,” Exp. Gerontol., **84**, 61–70. doi:10.1016/j.exger.2016.08.011
37. Gockel, H. E., Moore, B. C. J., Carlyon, R. P., and Plack, C. J. (2007). “Effect of duration on the frequency discrimination of individual partials in a complex tone and on the discrimination of fundamental frequency,” J. Acoust. Soc. Am., **121**, 373–382. doi:10.1121/1.2382476
38. Grant, K. J., Mepani, A. M., Wu, P., Hancock, K. E., Gruttola, V. De, Liberman, M. C., and Maisor, S. F. (2020). “Electrophysiological markers of cochlear function correlate with hearing-innoise performance among audiometrically normal subjects,” J. Neurophysiol., **124**, 418–431. doi:10.1152/jn.00016.2020
39. Greenwood, D. D. (1990). “A cochlear frequency-position function for several

- species—29 years later,” *J. Acoust. Soc. Am.*, **87**, 2592–2605. doi:10.1121/1.399052
40. Han, H. J., Munson, B., and Schlauch, R. S. (2021). “Fundamental frequency range and other acoustic factors that might contribute to the clear-speech benefit,” *J. Acoust. Soc. Am.*, , doi: 10.1121/10.0003564
 41. Harrison, R. V., and Evans, E. F. (1979). “Some aspects of temporal coding by single cochlear fibres from regions of cochlear hair cell degeneration in the guinea pig,” *Arch. Otorhinolaryngol.*, **224**, 71–78. doi:10.1007/BF00455226
 42. Hauser, S. N., Burton, J. A., Mercer, E. T., and Ramachandran, R. (2018). “Effects of noise overexposure on tone detection in noise in nonhuman primates,” *Hear. Res.*, **357**, 33–45. doi:10.1016/j.heares.2017.11.004
 43. He, W., Burwood, G., Fridberger, A., Nuttall, A. L., and Ren, T. (2021). “An outer hair cell-powered global hydromechanical mechanism for cochlear amplification,” *Hear. Res.*, , doi: 10.1016/j.heares.2021.108407
 44. Hedrick, M. S., Moon, I. J., Woo, J., and Won, J. H. (2016). “Effects of physiological internal noise on model predictions of concurrent vowel identification for normal-hearing listeners,” *PLoS One*, **11**, e0149128. doi:10.1371/journal.pone.0149128
 45. Heeringa, A. N., Zhang, L., Ashida, G., Beutelmann, R., Steenken, F., and Köppl, C. (2020). “Temporal coding of single auditory nerve fibers is not degraded in aging gerbils,” *J. Neurosci.*, **40**, 343–354. doi:10.1523/JNEUROSCI.2784-18.2019
 46. Heinz, M. G., and Young, E. D. (2004). “Response Growth with Sound Level in Auditory-Nerve Fibers after Noise-Induced Hearing Loss,” *J. Neurophysiol.*, **91**, 784–795. doi:10.1152/jn.00776.2003
 47. Heinz, M. G., Zhang, X., Bruce, I. C., and Carney, L. H. (2001). “Auditory nerve model for predicting performance limits of normal and impaired listeners,” *Acoust. Res. Lett. Online*, **2**, 91. doi:10.1121/1.1387155
 48. Hellstrom, L. I., and Schmiedt, R. A. (1991). “Rate/level functions of auditory-nerve fibers in young and quiet-aged gerbils,” *Hear. Res.*, **53**, 217–222. doi:10.1016/0378-5955(91)90055-E
 49. Henry, K. S., and Heinz, M. G. (2012). “Diminished temporal coding with sensorineural hearing loss emerges in background noise,” *Nat. Neurosci.*, , doi: 10.1038/nn.3216. doi:10.1038/nn.3216
 50. Hines, A., and Harte, N. (2010). “Speech intelligibility from image processing,” *Speech Commun.*, **52**, 736–752. doi:10.1016/j.specom.2010.04.006
 51. Hines, A., and Harte, N. (2012). “Speech intelligibility prediction using a Neurogram Similarity Index Measure,” *Speech Commun.*, **54**, 306–320. doi:10.1016/j.specom.2011.09.004
 52. Holmes, S. D., Sumner, C. J., O’Mard, L. P., and Meddis, R. (2004). “The temporal representation of speech in a nonlinear model of the guinea pig cochlea,” *J. Acoust. Soc. Am.*, , doi: 10.1121/1.1815111
 53. Johannessen, P. T., Buzo, B. C., and Lopez-Poveda, E. A. (2019). “Evidence

- for age-related cochlear synaptopathy in humans unconnected to speech-in-noise intelligibility deficits," *Hear. Res.*, **374**, 35–48. doi:10.1016/j.heares.2019.01.017
54. Johnson, D. H. (1980). "The relationship between spike rate and synchrony in responses of auditory-nerve fibers to single tones," *J. Acoust. Soc. Am.*, **68**, 1115–1122. doi:10.1121/1.384982
55. Joris, P. X., Bergevin, C., Kalluri, R., Laughlin, M. M., Michelet, P., Van Der Heijden, M., and Shera, C. A. (2011). "Frequency selectivity in Old-World monkeys corroborates sharp cochlear tuning in humans," *Proc. Natl. Acad. Sci. U. S. A.*, **108**, 17516–17520. doi:10.1073/pnas.1105867108
56. Kajikawa, Y., Camalier, C. R., de la Mothe, L. A., D'Angelo, W. R., Sterbing-D'Angelo, S. J., and Hackett, T. A. (2011). "Auditory cortical tuning to band-pass noise in primate A1 and CM: A comparison to pure tones," *Neurosci. Res.*, **70**, 401–407. doi:10.1016/j.neures.2011.04.003
57. Keilson, S. E., Richards, V. M., Wyman, B. T., and Young, E. D. (1997). "The representation of concurrent vowels in the cat anesthetized ventral cochlear nucleus: Evidence for a periodicity-tagged spectral representation," *J. Acoust. Soc. Am.*, **102**, 1056–1071. doi:10.1121/1.419859
58. Kiang, N. Y. S., Liberman, M. C., and Levine, R. A. (1976). "Auditory-nerve activity in cats exposed to ototoxic drugs and high-intensity sounds," *Ann. Otol. Rhinol. Laryngol.*, **85**, 752–768. doi:10.1177/000348947608500605
59. Kiang, N. Y. S., and Moxon, E. C. (1972). "Physiological considerations in artificial stimulation of the inner ear," *Ann. Otol. Rhinol. Laryngol.*, **81**, 714–730. doi:10.1177/000348947208100513
60. Kieft, M., Kluender, K. R., and Rhode, W. S. (2001). "Synthetic speech stimuli spectrally normalized for nonhuman cochlear dimensions," *Acoust. Res. Lett. Online*, **3**, 41–46. doi:10.1121/1.1445202
61. Klatt, D. H. (1980). "Software for a cascade/parallel formant synthesizer," *J. Acoust. Soc. Am.*, **67**, 971–995. doi:10.1121/1.383940
62. Kujawa, S. G., and Liberman, M. C. (2009). "Adding insult to injury: Cochlear nerve degeneration after 'temporary' noise-induced hearing loss," *J. Neurosci.*, **29**, 14077–14085. doi:10.1523/JNEUROSCI.2845-09.2009
63. Kujawa, S. G., and Liberman, M. C. (2019). "Translating animal models to human therapeutics in noise-induced and age-related hearing loss," *Hear. Res.*, **377**, 44–52. doi:10.1016/j.heares.2019.03.003
64. Larsen, E., Cedolin, L., and Delgutte, B. (2008). "Pitch Representations in the Auditory Nerve: Two Concurrent Complex Tones," *J. Neurophysiol.*, **100**, 1301–1319. doi:10.1152/jn.01361.2007
65. Li, Y., Ropp, T. J. F., May, B. J., and Young, E. D. (2015). "Dorsal Cochlear Nucleus of the Rat: Representation of Complex Sounds in Ears Damaged by Acoustic Trauma," *JARO - J. Assoc. Res. Otolaryngol.*, **16**, 487–505. doi:10.1007/s10162-015-0522-z
66. Liberman, M. C. (1978). "Auditory-nerve response from cats raised in a low-

- noise chamber,” J. Acoust. Soc. Am., **63**, 442–455. doi:10.1121/1.381736
67. Liberman, M. C., and Dodds, L. W. (1984a). “Single-neuron labeling and chronic cochlear pathology. III. Stereocilia damage and alterations of threshold tuning curves,” Hear. Res., **16**, 55–74. doi:10.1016/0378-5955(84)90025-X
68. Liberman, M. C., and Dodds, L. W. (1984b). “Single-neuron labeling and chronic cochlear pathology. II. Stereocilia damage and alterations of spontaneous discharge rates,” Hear. Res., **16**, 43–53. doi:10.1016/0378-5955(84)90024-8
69. Liberman, M. C., and Gao, W. Y. (1995). “Chronic cochlear de-efferentation and susceptibility to permanent acoustic injury,” Hear. Res., **90**, 159–168. doi:10.1016/0378-5955(95)00160-2
70. Liberman, M. C., and Kiang, N. Y. S. (1984). “Single-neuron labeling and chronic cochlear pathology. IV. Stereocilia damage and alterations in rate- and phase-level functions,” Hear. Res., **16**, 75–90. doi:10.1016/0378-5955(84)90026-1
71. Liberman, M. C., and Kujawa, S. G. (2017). “Cochlear synaptopathy in acquired sensorineural hearing loss: Manifestations and mechanisms,” Hear. Res., **349**, 138–147. doi:10.1016/j.heares.2017.01.003
72. Liberman, M. C., and Mulroy, M. J. (1982). *Acute and chronic effects of acoustic trauma: Cochlear pathology and auditory nerve pathophysiology*, (P... Hamernik, Ed.) New Perspectives on Noise-Induced Hearing Loss, 105–135 pages.
73. Liberman, M. C., Puria, S., and Guinan, J. J. (1996). “The ipsilaterally evoked olivocochlear reflex causes rapid adaptation of the 2 f 1 – f 2 distortion product otoacoustic emission,” J. Acoust. Soc. Am., **99**, 3572–3584. doi:10.1121/1.414956
74. Lopez-Najera, A., Lopez-Poveda, E. a, and Meddis, R. (2007). “Further studies on the dual-resonance nonlinear filter model of cochlear frequency selectivity: responses to tones.,” J. Acoust. Soc. Am., **122**, 2124–2134. doi:10.1121/1.2769627
75. Lopez-Poveda, E. A., and Meddis, R. (2001). “A human nonlinear cochlear filterbank.,” J. Acoust. Soc. Am., **110**, 3107–3118. doi:10.1121/1.1416197
76. McKeown, J. D., and Patterson, R. D. (1995). “The time course of auditory segregation: Concurrent vowels that vary in duration,” J. Acoust. Soc. Am., **98**, 1866–1877. doi:10.1121/1.413373
77. Meddis, R., and Hewitt, M. J. (1992). “Modeling the identification of concurrent vowels with different fundamental frequencies.,” J. Acoust. Soc. Am., **91**, 233–245. doi:10.1121/1.402767
78. Meister, H., Walger, M., Lang-Roth, R., and Müller, V. (2020). “Voice fundamental frequency differences and speech recognition with noise and speech maskers in cochlear implant recipients,” J. Acoust. Soc. Am., , doi: 10.1121/10.0000499

79. Mepani, A. M., Kirk, S. A., Hancock, K. E., Bennett, K., De Gruttola, V., Liberman, M. C., and Maison, S. F. (2020). "Middle Ear Muscle Reflex and Word Recognition in 'normal-Hearing' Adults: Evidence for Cochlear Synaptopathy?," *Ear Hear.*, **41**, 25–38. doi:10.1097/AUD.0000000000000804
80. Micheyl, C., Keebler, M. V., and Oxenham, A. J. (2010). "Pitch perception for mixtures of spectrally overlapping harmonic complex tones," *J. Acoust. Soc. Am.*, **128**, 257–269. doi:10.1121/1.3372751
81. Miller, R. L., Schilling, J. R., Franck, K. R., and Young, E. D. (1997). "Effects of acoustic trauma on the representation of the vowel /ɛ/ in cat auditory nerve fibers," *J. Acoust. Soc. Am.*, **101**, 3602–3616. doi:10.1121/1.418321
82. Mills, J. H., Schmiedt, R. A., Schulte, B. A., and Dubno, J. R. (2006). "Age-related hearing loss: A loss of voltage, not hair cells," *Semin. Hear.*, **27**, 228–236. doi:10.1055/s-2006-954849
83. Moore, B. C. J., Glasberg, B. R., and Peters, R. W. (1986). "Thresholds for hearing mistuned partials as separate tones in harmonic complexes," *J. Acoust. Soc. Am.*, **80**, 479–483. doi:10.1121/1.394043
84. Müller, M., and Robertson, D. (1991). "Relationship between tone burst discharge pattern and spontaneous firing rate of auditory nerve fibres in the guinea pig," *Hear. Res.*, **57**, 63–70. doi:10.1016/0378-5955(91)90075-K
85. Nagathil, A., Göbel, F., Nelus, A., and Bruce, I. C. (2021). "Computationally efficient DNN-based approximation of an auditory model for applications in speech processing," *ICASSP, IEEE Int. Conf. Acoust. Speech Signal Process.* doi:10.1109/ICASSP39728.2021.9413993.
86. Ngan, E. M., and May, B. J. (2001). "Relationship between the auditory brainstem response and auditory nerve thresholds in cats with hearing loss," *Hear. Res.*, **156**, 44–52. doi:10.1016/S0378-5955(01)00264-7
87. Parthasarathy, A., Lai, J., and Bartlett, E. L. (2016). "Age-Related Changes in Processing Simultaneous Amplitude Modulated Sounds Assessed Using Envelope Following Responses," *JARO - J. Assoc. Res. Otolaryngol.*, **17**, 119–132. doi:10.1007/s10162-016-0554-z
88. Patuzzi, R., Sellick, P. M., and Johnstone, B. M. (1984). "The modulation of the sensitivity of the mammalian cochlea by low frequency tones. III. Basilar membrane motion," *Hear. Res.*, **13**, 19–27. doi:10.1016/0378-5955(84)90091
89. Peterson, G. E., and Barney, H. L. (1952). "Control Methods Used in a Study of the Vowels," *J. Acoust. Soc. Am.*, **24**, 175–184. doi:10.1121/1.1906875
90. Plack, C. J., Drga, V., and Lopez-Poveda, E. A. (2004). "Inferred basilar-membrane response functions for listeners with mild to moderate sensorineural hearing loss," *J. Acoust. Soc. Am.*, **115**, 1694–1695. doi:10.1121/1.1675812
91. Rasetshwane, D. M., Bosen, E. C., Kopun, J. G., and Neely, S. T. (2019). "Comparison of distortion-product otoacoustic emission and stimulus-frequency otoacoustic emission two-tone suppression in humans," *J. Acoust. Soc. Am.*, , doi: 10.1121/1.5139660. doi:10.1121/1.5139660

92. Recio, A., Rhode, W. S., Kieft, M., and Kluender, K. R. (2002). "Responses to cochlear normalized speech stimuli in the auditory nerve of cat," *J Acoust Soc Am*, **111**, 2213–2218. doi:10.1121/1.1468878
93. Relkin, E. M., and Doucet, J. R. (1991). "Recovery from prior stimulation. I: Relationship to spontaneous firing rates of primary auditory neurons," *Hear Res.*, **55**, 215–222. doi:10.1016/0378-5955(91)90106-J
94. Rhode, W. S. (1971). "Observations of the Vibration of the Basilar Membrane in Squirrel Monkeys using the Mössbauer Technique," *J. Acoust. Soc. Am.*, **49**, 1218. doi:10.1121/1.1912485
95. Rhode, W. S. (1978). "Some observations on cochlear mechanics," *J. Acoust. Soc. Am.*, **64**, 158–176. doi:10.1121/1.381981
96. Rhode, W. S., and Smith, P. H. (1985). "Characteristics of tone-pip response patterns in relationship to spontaneous rate in cat auditory nerve fibers," *Hear. Res.*, **18**, 159–168. doi:10.1016/0378-5955(85)90008-5
97. Robertson, D. (1982). "Effects of acoustic trauma on stereocilia structure and spiral ganglion cell tuning properties in the guinea pig cochlea," *Hear. Res.*, **7**, 55–74. doi:10.1016/0378-5955(82)90081-8
98. Rose, J. E., Brugge, J. F., Anderson, D. J., and Hind, J. E. (1967). "Phase-locked response to low-frequency tones in single auditory nerve fibers of the squirrel monkey," *J. Neurophysiol.*, **30**, 769–793. doi:10.1152/jn.1967.30.4.769
99. Rose, J. E., Hind, J. E., Anderson, D. J., and Brugge, J. F. (1971). "Some effects of stimulus intensity on response of auditory nerve fibers in the squirrel monkey," *J. Neurophysiol.*, **34**, 685–699. doi:10.1152/jn.1971.34.4.685
100. Ruggero, M. A., and Rich, N. C. (1991). "Furosemide alters organ of Corti mechanics: Evidence for feedback of outer hair cells upon the basilar membrane," *J. Neurosci.*, **11**, 1057–1067. doi:10.1523/jneurosci.11-04-01057.1991
101. Ruggero, M. A., Rich, N. C., Recio, A., Narayan, S. S., and Robles, L. (1997). "Basilar-membrane responses to tones at the base of the chinchilla cochlea," *J. Acoust. Soc. Am.*, **101**, 2151–2163. doi:10.1121/1.418265
102. Ruggero, M. A., and Temchin, A. N. (2005). "Unexceptional sharpness of frequency tuning in the human cochlea," *Proc. Natl. Acad. Sci.*, **102**, 18614–18619. doi:10.1073/pnas.0509323102
103. Sachs, M. B., and Abbas, P. J. (1974). "Rate versus level functions for auditory-nerve fibers in cats: Tone-burst stimuli," *J. Acoust. Soc. Am.*, **56**, 1835–1847. doi:10.1121/1.1903521
104. Sachs, M. B., Bruce, I. C., Miller, R. L., and Young, E. D. (2002). "Biological basis of hearing-aid design," *Ann. Biomed. Eng.*, **30**, 157–168. doi:10.1114/1.1458592
105. Sachs, M. B., and Kiang, N. Y. S. (1968). "Two-Tone Inhibition in Auditory-Nerve Fibers," *J. Acoust. Soc. Am.*, **43**, 1120–1128. doi:10.1121/1.1910947
106. Sachs, M. B., and Young, E. D. (1979). "Encoding of steady-state vowels in

- the auditory nerve: Representation in terms of discharge rate," *J. Acoust. Soc. Am.*, **66**, 470–479. doi:10.1121/1.383098
- 107.Scheffers, M. T. (1983). "Simulation of auditory analysis of pitch: an elaboration on the DWS pitch meter., " *J. Acoust. Soc. Am.*, **74**, 1716–25. doi:10.1121/1.390280
- 108.Schmiedt, R. A., Lang, H., Okamura, H.-O., and Schulte, B. A. (2002). "Effects of furosemide applied chronically to the round window: a model of metabolic presbyacusis., " *J. Neurosci.*, **22**, 9643–50. doi:10.1523/JNEUROSCI.22-21-09643.2002
- 109.Schmiedt, R. A., Mills, J. H., and Adams, J. C. (1990). "Tuning and suppression in auditory nerve fibers of aged gerbils raised in quiet or noise," *Hear. Res.*, **45**, 221–236. doi:10.1016/0378-5955(90)90122-6
- 110.Schmiedt, R. a, Mills, J. H., and Boettcher, F. a (1996). "Age-related loss of activity of auditory-nerve fibers., " *J. Neurophysiol.*, **76**, 2799–2803.
- 111.Sellick, P. M., Patuzzi, R., and Johnstone, B. M. (1982). "Measurement of basilar membrane motion in the guinea pig using the Mössbauer technique," *J. Acoust. Soc. Am.*, **72**, 131–141. doi:10.1121/1.387996
- 112.Sergeyenko, Y., Lall, K., Charles Liberman, M., and Kujawa, S. G. (2013). "Age-related cochlear synaptopathy: An early-onset contributor to auditory functional decline," *J. Neurosci.*, **33**, 13686–13694. doi:10.1523/JNEUROSCI.1783-13.2013
- 113.Settibhaktini, H., and Chintanpalli, A. (2018). "Modeling the level-dependent changes of concurrent vowel scores," *J. Acoust. Soc. Am.*, **143**, 440–449. doi:10.1121/1.5021330
- 114.Settibhaktini, H., and Chintanpalli, A. (2020). "Modeling concurrent vowel identification for shorter durations," *Speech Commun.*, **125**, 1–6. doi:10.1016/j.specom.2020.09.007
- 115.Sewell, W. F. (1984). "The effects of furosemide on the endocochlear potential and auditory-nerve fiber tuning curves in cats," *Hear. Res.*, **14**, 305–314. doi:10.1016/0378-5955(84)90057-1
- 116.Shera, C. A., Guinan, J. J., and Oxenham, A. J. (2002). "Revised estimates of human cochlear tuning from otoacoustic and behavioral measurements., " *Proc. Natl. Acad. Sci.*, **99**, 3318–3323. doi:10.1073/pnas.032675099
- 117.Shera, C. A., Guinan, J. J., and Oxenham, A. J. (2010). "Otoacoustic estimation of cochlear tuning: Validation in the chinchilla," *JARO - J. Assoc. Res. Otolaryngol.*, **11**, 343–365. doi:10.1007/s10162-010-0217-4
- 118.Siegel, J. H., Kim, D. O., and Molnar, C. E. (1982). "Effects of altering organ of Corti on cochlear distortion products f₂ - f₁ and 2f₁ - f₂," *J. Neurophysiol.*, **47**, 303–328. doi:10.1152/jn.1982.47.2.303
- 119.Sisto, R., Wilson, U. S., Dhar, S., and Moleti, A. (2018). "Modeling the dependence of the distortion product otoacoustic emission response on primary frequency ratio," *JARO - J. Assoc. Res. Otolaryngol.*, , doi: 10.1007/s10162-018-0681-9

- 120.Snyder, J. S., and Alain, C. (2005). "Age-related changes in neural activity associated with concurrent vowel segregation," *Cogn. Brain Res.*, **24**, 492–499. doi:10.1016/j.cogbrainres.2005.03.002
- 121.Stamataki, S., Francis, H. W., Lehar, M., May, B. J., and Ryugo, D. K. (2006). "Synaptic alterations at inner hair cells precede spiral ganglion cell loss in aging C57BL/6J mice," *Hear. Res.*, **221**, 104–118. doi:10.1016/j.heares.2006.07.014
- 122.Summerfield, Q., and Assmann, P. F. (1991). "Perception of concurrent vowels: Effects of harmonic misalignment and pitch-period asynchrony," *J. Acoust. Soc. Am.*, **89**, 1364–1377. doi:10.1121/1.400659
- 123.Summers, V., and Leek, M. (1998). "F0 processing and the separation of competing speech signals by listeners with normal hearing and with hearing loss," *J. Speech, Lang. Hear. ...*, **41**, 1294–1306.
- 124.Sumner, C. J., Lopez-Poveda, E. A., O'Mard, L. P., Meddis, R., O'Mard, L. P., and Meddis, R. (2002). "A revised model of the inner-hair cell and auditory-nerve complex," *J. Acoust. Soc. Am.*, **111**, 2178–2188. doi:10.1121/1.1453451
- 125.Sumner, C. J., Lopez-Poveda, E. A., O'Mard, L. P., Meddis, R., O'Mard, L. P., and Meddis, R. (2003a). "Adaptation in a revised inner-hair cell model.," *J. Acoust. Soc. Am.*, **113**, 893–901. doi:10.1121/1.1515777
- 126.Sumner, C. J., O'Mard, L. P., Lopez-Poveda, E. A., and Meddis, R. (2003b). "A Nonlinear Filter-Bank Model of the Guinea-Pig Cochlear Nerve: Rate Responses," *J. Acoust. Soc. Am.*, **113**, 3264–3274. doi:10.1121/1.1568946
- 127.Taberner, A. A. M., and Liberman, M. C. (2005). "Response properties of single auditory nerve fibers in the mouse.," *J. Neurophysiol.*, **93**, 557–569. doi:10.1152/jn.00574.2004
- 128.Tan, Q., and Carney, L. H. (2003). "A phenomenological model for the responses of auditory-nerve fibers. II. Nonlinear tuning with a frequency glide.," *J. Acoust. Soc. Am.*, **114**, 2007–2020. doi:10.1121/1.1791873
- 129.Trevino, M., Lobarinas, E., Maulden, A. C., and Heinz, M. G. (2019). "The chinchilla animal model for hearing science and noise-induced hearing loss," *J. Acoust. Soc. Am.*, **146**, 3710–3732. doi:10.1121/1.5132950
- 130.Valero, M. D., Burton, J. A., Hauser, S. N., Hackett, T. A., Ramachandran, R., and Liberman, M. C. (2017). "Noise-induced cochlear synaptopathy in rhesus monkeys (*Macaca mulatta*)," *Hear. Res.*, **353**, 213–223. doi:10.1016/j.heares.2017.07.003
- 131.Verschooten, E., Shamma, S., Oxenham, A. J., Moore, B. C. J., Joris, P. X., Heinz, M. G., and Plack, C. J. (2019). "The upper frequency limit for the use of phase locking to code temporal fine structure in humans: A compilation of viewpoints," *Hear. Res.*, , doi: 10.1016/j.heares.2019.03.011. doi:10.1016/j.heares.2019.03.011
- 132.Vongpaisal, T., and Pichora-Fuller, M. K. (2007). "Effect of Age on F₀ Difference Limen and Concurrent Vowel Identification," *J. Speech Lang. Hear.*

- Res., **50**, 1139. doi:10.1044/1092-4388(2007/079)
133. Wang, Y., Fallah, E., and Olson, E. S. (2019). "Adaptation of Cochlear Amplification to Low Endocochlear Potential," *Biophys. J.*, **116**, 1769–1786. doi:10.1016/j.bpj.2019.03.020
134. Wang, Y., Hirose, K., and Liberman, M. C. (2002). "Dynamics of noise-induced cellular injury and repair in the mouse cochlea," *JARO - J. Assoc. Res. Otolaryngol.*, **3**, 248–268. doi:10.1007/s101620020028
135. Winter, I. M., Robertson, D., and Yates, G. K. (1990). "Diversity of characteristic frequency rate-intensity functions in guinea pig auditory nerve fibres," *Hear. Res.*, **45**, 191–202. doi:10.1016/0378-5955(90)90120-E
136. Wong, J. C., Miller, R. L., Calhoun, B. M., Sachs, M. B., and Young, E. D. (1998). "Effects of high sound levels on responses to the vowel /ɛ/ in cat auditory nerve," *Hear. Res.*, **123**, 61–77. doi:10.1016/S0378-5955(98)00098
137. Wu, P. Z., Liberman, L. D., Bennett, K., de Gruttola, V., O'Malley, J. T., and Liberman, M. C. (2019). "Primary Neural Degeneration in the Human Cochlea: Evidence for Hidden Hearing Loss in the Aging Ear," *Neuroscience*, **407**, 8–20. doi:10.1016/j.neuroscience.2018.07.053
138. Wu, P. Z., O'Malley, J. T., de Gruttola, V., and Charles Liberman, M. (2020a). "Age-related hearing loss is dominated by damage to inner ear sensory cells, not the cellular battery that powers them," *J. Neurosci.*, **40**, 6357–6366. doi:10.1523/JNEUROSCI.093720.2020
139. Wu, P. zhe, Wen, W. ping, O'Malley, J. T., and Liberman, M. C. (2020b). "Assessing fractional hair cell survival in archival human temporal bones," *Laryngoscope*, **130**, 487–495. doi:10.1002/lary.27991
140. Xu, Y., Chen, M., Lafaire, P., Tan, X., and Richter, C. P. (2017). "Distorting temporal fine structure by phase shifting and its effects on speech intelligibility and neural phase locking," *Sci. Rep.*, , doi: 10.1038/s41598-017-12975-3. doi:10.1038/s41598-017-12975-3
141. Young, E. D., and Barta, P. E. (1986). "Rate responses of auditory nerve fibers to tones in noise near masked threshold," *J. Acoust. Soc. Am.*, **79**, 426–442. doi:10.1121/1.393530
142. Young, E. D., and Sachs, M. B. (1979). "Representation of steady-state vowels in the temporal aspects of the discharge patterns of populations of auditory-nerve fibers," *J. Acoust. Soc. Am.*, **66**, 1381–1403. doi:10.1121/1.383532
143. Zelle, D., Bader, K., Dierkes, L., Gummer, A. W., and Dalhoff, E. (2020). "Derivation of input-output functions from distortion-product otoacoustic emission level maps," *J. Acoust. Soc. Am.*, , doi: 10.1121/10.0001142. doi:10.1121/10.0001142
144. Zhang, X., Heinz, M. G., Bruce, I. C., and Carney, L. H. (2001). "A phenomenological model for the responses of auditory-nerve fibers: I. Nonlinear tuning with compression and suppression," *J. Acoust. Soc. Am.*, **109**, 648–670. doi:10.1121/1.1336503

145. Zhou, W., and Nam, J. H. (2019). "Probing hair cell's mechano-transduction using two-tone suppression measurements," *Sci. Rep.*, doi: 10.1038/s41598-019-41112-5. doi:10.1038/s41598-019-41112-5
146. Zilany, M. S. A., and Bruce, I. C. (2006). "Modeling auditory-nerve responses for high sound pressure levels in the normal and impaired auditory periphery," *J. Acoust. Soc. Am.*, **120**, 1446. doi:10.1121/1.2225512
147. Zilany, M. S. A., and Bruce, I. C. (2007). "Representation of the vowel /epsilon/ in normal and impaired auditory nerve fibers: model predictions of responses in cats., " *J. Acoust. Soc. Am.*, **122**, 402–17. doi:10.1121/1.2735117
148. Zilany, M. S. a., Bruce, I. C., and Carney, L. H. (2014). "Updated parameters and expanded simulation options for a model of the auditory periphery," *J. Acoust. Soc. Am.*, **135**, 283–286. doi:10.1121/1.4837815
149. Zilany, M. S. A., Bruce, I. C., Nelson, P. C., and Carney, L. H. (2009). "A phenomenological model of the synapse between the inner hair cell and auditory nerve: Long-term adaptation with power-law dynamics," *J. Acoust. Soc. Am.*, **126**, 2390. doi:10.1121/1.3238250
150. Zwicker, U. T. (1984). "Auditory recognition of diotic and dichotic vowel pairs," *Speech Commun.*, **3**, 265–277. doi:10.1016/0167-6393(84)90023-2