Bibliography

[1] E. AB, "Ericsson mobility report, june 2015," 2015.

[2] P. Li and S. Guo, *Cooperative device-to-device communication in cognitive radio cellular networks*. Springer, 2014.

[3] S. Syed, A. Arfeen, R. Uddin, and U. Haider, "An analysis of renewable energy usage by mobile data network operators," *Sustainability*, vol. 13, no. 4, p. 1886, 2021.

[4] Ericsson and GSA, "Mobile Subscription Outlook," 2020.

[5] M. H. Alsharif and R. Nordin, "Evolution towards fifth generation (5g) wireless networks: Current trends and challenges in the deployment of millimetre wave, massive mimo, and small cells," *Telecommunication Systems*, vol. 64, no. 4, pp. 617–637, 2017.

[6] N. Meade and T. Islam, "Modelling and forecasting national introduction times for successive generations of mobile telephony," *Telecommunications Policy*, vol. 45, no. 3, p. 102088, 2021.

[7] V. W. Wong, R. Schober, D. W. K. Ng, and L.-C. Wang, "Overview of new technologies for 5g systems," *Key Technologies for 5G Wireless Systems*, p. 1, 2017.

[8] N. Panwar, S. Sharma, and A. K. Singh, "A survey on 5g: The next generation of mobile communication," *Physical Communication*, vol. 18, pp. 64–84, 2016.

[9] E. Dahlman, S. Parkvall, and J. Skold, *4G, LTE-advanced Pro and the Road to 5G*. Academic Press, 2016.

[10] C. X. Wang, F. Haider, X. Gao, X. H. You, Y. Yang, D. Yuan, H. M. Aggoune, H. Haas, S. Fletcher, and E. Hepsaydir, "Cellular architecture and key technologies for 5g wireless communication networks," *IEEE communications magazine*, vol. 52, no. 2, pp. 122–130, 2014.

[11] J. Sachs, G. Wikstrom, T. Dudda, R. Baldemair, and K. Kittichokechai, "5g radio network design for ultra-reliable low-latency communication," *IEEE network*, vol. 32, no. 2, pp. 24–31, 2018.

[12] R. I. Ansari, C. Chrysostomou, S. A. Hassan, M. Guizani, S. Mumtaz, J. Rodriguez, and J. J. Rodrigues, "5g d2d networks: Techniques, challenges, and future prospects," *IEEE Systems Journal*, vol. 12, no. 4, pp. 3970–3984, 2017.

[13] U. N. Kar and D. K. Sanyal, "An overview of device-to-device communication in cellular networks," *ICT express*, vol. 4, no. 4, pp. 203–208, 2018.

[14] Y. Cao, T. Jiang, and C. Wang, "Cooperative device-to-device communications in cellular networks," *IEEE wireless communications*, vol. 22, no. 3, pp. 124–129, 2015.

[15] S. Bulusu, N. B. Mehta, and S. Kalyanasundaram, "Rate Adaptation, Scheduling, and Mode Selection in D2D Systems with Partial Channel Knowledge," *IEEE Transactions on Wireless Communications*, vol. 17, no. 2, pp. 1053–1065, 2018.

[16] M. Noura and R. Nordin, "A survey on interference management for device-to-device (d2d) communication and its challenges in 5g networks," *Journal of Network and Computer Applications*, vol. 71, pp. 130–150, 2016.

[17] J. Guo, S. Durrani, X. Zhou, and H. Yanikomeroglu, "Underlay d2d communication in a finite cellular network with exclusion zone," in *2017 IEEE 86th Vehicular Technology Conference (VTC-Fall)*. IEEE, 2017, pp. 1–7.

[18] G. D. Swetha and G. R. Murthy, "Selective overlay mode operation for d2d communication in dense 5g cellular networks," in *2017 IEEE Symposium on Computers and Communications (ISCC)*. IEEE, 2017, pp. 704–709.

[19] A. Memmi, Z. Rezki, and M. S. Alouini, "Power control for d2d underlay cellular networks with channel uncertainty," *IEEE Transactions on Wireless Communications*, vol. 16, no. 2, pp. 1330–1343, 2016.

[20] O. A. Amodu, M. Othman, N. K. Noordin, and I. Ahmad, "Transmission capacity analysis of relay-assisted d2d cellular networks with interference cancellation," *Ad Hoc Networks*, p. 102400, 2021.

[21] A. Sachan, S. Nigam, and A. Bajpai, "An energy efficient virtual-mimo communication for cluster based cooperative wireless sensor network," in *2018 9th International Conference on Computing, Communication and Networking Technologies (ICCCNT)*. IEEE, 2018, pp. 1–6.

[22] A. Nosratinia, T. E. Hunter, and A. Hedayat, "Cooperative communication in wireless networks," *IEEE communications Magazine*, vol. 42, no. 10, pp. 74–80, 2004.

[23] P. K. Malik, D. S. Wadhwa, and J. S. Khinda, "A survey of device to device and cooperative communication for the future cellular networks," *International Journal of Wireless Information Networks*, pp. 1–22, 2020.

[24] O. A. Amodu, M. Othman, N. K. Noordin, and I. Ahmad, "Relay-assisted d2d underlay cellular network analysis using stochastic geometry: Overview and future directions," *IEEE Access*, vol. 7, pp. 115 023–115 051, 2019.

[25] K. Xie, K. Xie, S. He, D. Zhang, J. Wen, and J. Lloret, "Busy tone-based channel access control for cooperative communication," *Transactions on Emerging Telecommunications Technologies*, vol. 26, no. 10, pp. 1173–1188, 2015.

[26] K. R. Liu, A. K. Sadek, W. Su, and A. Kwasinski, *Cooperative communications and networking*. Cambridge university press, 2009.

[27] X. Chen, R. Q. Hu, G. Wu, and Q. C. Li, "Tradeoff between energy efficiency and spectral efficiency in a delay constrained wireless system," *Wireless Communications and Mobile Computing*, vol. 15, no. 15, pp. 1945–1956, 2015.

[28] B. Klaiqi, "Energy-efficient and overhead-aware cooperative communications," Ph.D. dissertation, University of Sheffield, 2017.

[29] J. Jeon, Y. Shim, and H. Park, "Optimal power allocation with hybrid relaying based on the channel condition," *Applied Sciences*, vol. 8, no. 5, p. 690, 2018.

[30] S. Abdulhadi, M. Jaseemuddin, and A. Anpalagan, "A survey of distributed relay selection schemes in cooperative wireless ad hoc networks," *Wireless Personal Communications*, vol. 63, no. 4, pp. 917–935, 2012.

[31] X. Liang, M. Chen, I. Balasingham, and V. C. Leung, "Cooperative communications with relay selection for wireless networks: design issues and applications," *Wireless Communications and Mobile Computing*, vol. 13, no. 8, pp. 745–759, 2013.

[32] H. Xiao and S. Ouyang, "Power allocation for a hybrid decodeamplifyforward cooperative communication system with two sourcedestination pairs under outage probability constraint," *IEEE Systems Journal*, vol. 9, no. 3, pp. 797–804, 2015.

[33] B. Medepally and N. B. Mehta, "Voluntary energy harvesting relays and selection in cooperative wireless networks," *IEEE Transactions on Wireless Communications*, vol. 9, no. 11, pp. 3543–3553, 2010.

[34] W. Su, A. K. Sadek, and K. R. Liu, "Ser performance analysis and optimum power allocation for decode-and-forward cooperation protocol in wireless networks," in *IEEE Wireless Communications and Networking Conference, 2005*, vol. 2. IEEE, 2005, pp. 984–989.

[35] B. Sainath, "Power-constrained, spectral efficiency-optimal, green cooperative device-to-device communication systems," *IET Communications*, vol. 11, no. 13, pp. 2066–2073, 2017.

[36] B. Sainath and N. B. Mehta, "Interference-constrained optimal power-adaptive amplify-and-forward relaying and selection for underlay cognitive radios," *IEEE Transactions on Communications*, vol. 62, no. 8, pp. 2709–2720, 2014.

[37] A. Khabbazibasmenj and S. A. Vorobyov, "Power allocation based on sep minimization in two-hop decode-and-forward relay networks," *IEEE transactions on signal processing*, vol. 59, no. 8, pp. 3954–3963, 2011.

[38] R. Sharma and S. Bitragunta, "Optimal power adaptive decode-and-forward cooperative device-to-device communication policies," *IET Communications*, vol. 14, no. 5, pp. 784–799, 2019.

[39] S. Touati, H. Boujemaa, and N. Abed, "Static hybrid multihop relaying and two hops hybrid relaying using dstc," *annals of telecommunications-annales des télécommunications*, vol. 70, no. 3, pp. 171–180, 2015.

[40] U. Khair *et al.*, "Performance of hybrid relay selection in cooperative communications system," in *2017 2nd international conferences on information technology, information systems and electrical engineering (ICITISEE)*. IEEE, 2017, pp. 402–405.

[41] Y. Liu, G. Pan, H. Zhang, and M. Song, "Hybrid decode-forward & amplify-forward relaying with non-orthogonal multiple access," *IEEE Access*, vol. 4, pp. 4912–4921, 2016.

[42] H. Nasir, N. Javaid, W. Raza, M. Imran, and N. Naseer, "Outage probability of hybrid decode-amplify-forward relaying protocol for buffer-aided relays," in *ICC 2019-2019 IEEE International Conference on Communications (ICC)*. IEEE, 2019, pp. 1–6.

[43] S. Arunmozhi and G. Nagarajan, "An incremental hybrid decode-amplify forward selection for wireless relaying networks," *International Journal of Knowledge Engineering and Soft Data Paradigms*, vol. 5, no. 3-4, pp. 174–185, 2016.

[44] Y. Jing and H. Jafarkhani, "Single and multiple relay selection schemes and their achievable diversity orders," *IEEE Transactions on wireless communications*, vol. 8, no. 3, pp. 1414–1423, 2009.

[45] Y. Zou, J. Zhu, B. Zheng, and Y.-D. Yao, "An adaptive cooperation diversity scheme with best-relay selection in cognitive radio networks," *IEEE transactions on signal processing*, vol. 58, no. 10, pp. 5438–5445, 2010.

[46] K. H. Liu, "Performance analysis of relay selection for cooperative relays based on wireless power transfer with finite energy storage," *IEEE Transactions on Vehicular Technology*, vol. 65, no. 7, pp. 5110–5121, 2015.

[47] X. Chen, Q. F. Zhou, T. w. Siu, and F. C. Lau, "Asymptotic analysis of opportunistic relaying based on the max-generalized-mean selection criterion," *IEEE transactions on wireless communications*, vol. 10, no. 4, pp. 1050–1057, 2011.

[48] A. Bel, G. S. G. J. L. Vicario, and G. Seco Granados, "The benefits of relay selection in wimax networks," *ICT-Mobile Summit 2008*, 2008.

[49] N. Jain, A. Dongariya, and A. Verma, "Comparative study of different types of relay selection scheme for cooperative wireless communication," in *2017 international conference on information, communication, instrumentation and control (ICICIC)*. IEEE, 2017, pp. 1–4.

[50] X. Yue, Y. Liu, S. Kang, A. Nallanathan, and Z. Ding, "Spatially random relay selection for full/half-duplex cooperative noma networks," *IEEE Transactions on Communications*, vol. 66, no. 8, pp. 3294–3308, 2018.

[51] M. Chen, X. Liang, V. Leung, and I. Balasingham, "Multi-hop mesh cooperative structure based data dissemination for wireless sensor networks," in *2009 11th International Conference on Advanced Communication Technology*, vol. 1. IEEE, 2009, pp. 102–106.

[52] C. L. Wang and S. J. Syue, "An efficient relay selection protocol for cooperative wireless sensor networks," in *2009 IEEE Wireless Communications and Networking Conference*. IEEE, 2009, pp. 1–5.

[53] K. S. Hwang and Y. C. Ko, "Switch-and-examine node selection for efficient relaying systems," in *Proceedings of the 2007 international conference on Wireless communications and mobile computing*, 2007, pp. 469–474.

[54] Y. Chen, G. Yu, P. Qiu, and Z. Zhang, "Power-aware cooperative relay selection strategies in wireless ad hoc networks," in *2006 IEEE 17th International Symposium on Personal, Indoor and Mobile Radio Communications*. IEEE, 2006, pp. 1–5.

[55] M. K. Afzal, S. Y. Nam, B. S. Kim, and S. W. Kim, "Snr-based relay selection in cooperative wireless ad hoc networks," *International Journal of Ad Hoc and Ubiquitous Computing*, vol. 28, no. 1, pp. 45–54, 2018.

[56] A. Bletsas, A. Khisti, D. P. Reed, and A. Lippman, "A simple cooperative diversity method based on network path selection," *IEEE Journal on selected areas in communications*, vol. 24, no. 3, pp. 659–672, 2006.

[57] M. M. Fareed and M. Uysal, "On relay selection for decode-and-forward relaying," *IEEE Transactions on Wireless Communications*, vol. 8, no. 7, pp. 3341–3346, 2009.

[58] I. Krikidis, H. A. Suraweera, P. J. Smith, and C. Yuen, "Full-duplex relay selection for amplify-and-forward cooperative networks," *IEEE Transactions on Wireless Communications*, vol. 11, no. 12, pp. 4381–4393, 2012.

[59] A. R. Heidarpour, M. Ardakani, C. Tellambura, and M. Di Renzo, "Relay selection in network-coded cooperative mimo systems," *IEEE Transactions on Communications*, vol. 67, no. 8, pp. 5346–5361, 2019.

[60] H. Munir, S. A. Hassan, H. Pervaiz, Q. Ni, and L. Musavian, "Energy efficient resource allocation in 5g hybrid heterogeneous networks: A game theoretic approach," in *2016 IEEE 84th vehicular technology conference (VTC-Fall)*. IEEE, 2016, pp. 1–5.

[61] Z. Ali, G. A. S. Sidhu, S. Zhang, L. Xing, and F. Gao, "Achieving green transmission with energy harvesting based cooperative communication," *IEEE Access*, vol. 6, pp. 27 507–27 517, 2018.

[62] F. K. Shaikh and S. Zeadally, "Energy harvesting in wireless sensor networks: A comprehensive review," *Renewable and Sustainable Energy Reviews*, vol. 55, pp. 1041–1054, 2016.

[63] T. D. P. Perera, D. N. K. Jayakody, S. K. Sharma, S. Chatzinotas, and J. Li, "Simultaneous wireless information and power transfer (swipt): Recent advances and future challenges," *IEEE Communications Surveys & Tutorials*, vol. 20, no. 1, pp. 264–302, 2017.

[64] D. K. P. Asiedu, H. Lee, and K. J. Lee, "Simultaneous wireless information and power transfer for decode-and-forward multihop relay systems in energy-constrained iot networks," *IEEE Internet of Things Journal*, vol. 6, no. 6, pp. 9413–9426, 2019.

[65] F. Jameel, M. A. A. Haider, A. A. Butt *et al.*, "A technical review of simultaneous wireless information and power transfer (swipt)," in *2017 International Symposium on Recent Advances in Electrical Engineering (RAEE)*. IEEE, 2017, pp. 1–6.

[66] K. O. Odeyemi and P. A. Owolawi, "Wireless energy harvesting in decode-and-forward partial relay selection cooperative system with outdated channel state information," *International Journal of Wireless and Mobile Computing*, vol. 19, no. 2, pp. 203–212, 2020.

[67] S. Atapattu, H. Jiang, J. Evans, and C. Tellambura, "Time-switching energy harvesting in relay networks," in *2015 IEEE International Conference on Communications (ICC)*. IEEE, 2015, pp. 5416–5421.

[68] T. L. Kung and K. H. Liu, "Relay selection for energy-harvesting relays with short-term energy storage," in *2016 IEEE Global Communications Conference (GLOBECOM)*. IEEE, 2016, pp. 1–6.

[69] C. M. K. Swain and S. Das, "Effects of threshold based relay selection algorithms on the performance of an ieee 802.16 j mobile multi-hop relay (mmr) wimax network," *Digital Communications and Networks*, vol. 4, no. 1, pp. 58–68, 2018.

[70] Z. Ding and H. V. Poor, "Multi-user swipt cooperative networks: Is the max–min criterion still diversity-optimal?" *IEEE Transactions on Wireless Communications*, vol. 15, no. 1, pp. 553–567, 2015.

[71] K. H. Liu and T. L. Kung, "Performance improvement for rf energy-harvesting relays via relay selection," *IEEE Transactions on Vehicular Technology*, vol. 66, no. 9, pp. 8482–8494, 2017.

[72] P. Yan, Y. Zou, X. Ding, and J. Zhu, "Energy-aware relay selection improves security-reliability tradeoff in energy harvesting cooperative cognitive radio systems," *IEEE Transactions on Vehicular Technology*, vol. 69, no. 5, pp. 5115–5128, 2020.

[73] T. N. Nguyen, T. H. Q. Minh, P. T. Tran, M. Voznak, T. T. Duy, T.-L. Nguyen, and P. T. Tin, "Performance enhancement for energy harvesting based two-way relay protocols in wireless ad-hoc networks with partial and full relay selection methods," *Ad hoc networks*, vol. 84, pp. 178–187, 2019.

[74] K. H. Liu, "Performance analysis of relay selection for cooperative relays based on wireless power transfer with finite energy storage," *IEEE Transactions on Vehicular Technology*, vol. 65, no. 7, pp. 5110–5121, 2016.

[75] Y. Gu, H. Chen, Y. Li, Y.-C. Liang, and B. Vucetic, "Distributed multi-relay selection in accumulate-then-forward energy harvesting relay networks," *IEEE Transactions on Green Communications and Networking*, vol. 2, no. 1, pp. 74–86, 2017.

[76] N. B. Halima and H. Boujemâa, "Distributed relay selection for energy harvesting systems in the presence of nakagami and rayleigh fading channels," *Signal, Image and Video Processing*, pp. 1–8, 2020.

[77] N. T. Do, V. N. Q. Bao, and B. An, "Outage performance analysis of relay selection schemes in wireless energy harvesting cooperative networks over non-identical rayleigh fading channels," *Sensors*, vol. 16, no. 3, p. 295, 2016.

[78] X.-X. Nguyen and D.-T. Do, "Maximum harvested energy policy in full-duplex relaying networks with swipt," *International Journal of Communication Systems*, vol. 30, no. 17, p. e3359, 2017.

[79] V. N. Q. Bao and N. T. Van, "Incremental relaying networks with energy harvesting relay selection: Performance analysis," *Transactions on Emerging Telecommunications Technologies*, vol. 29, no. 12, p. e3483, 2018.

[80] C. H. Lin and K. H. Liu, "Relay selection for energy-harvesting relays with finite data buffer and energy storage," *IEEE Internet of Things Journal*, 2021.

[81] W. S. H. M. W. Ahmad, N. A. M. Radzi, F. Samidi, A. Ismail, F. Abdullah, M. Z. Jamaludin, and M. Zakaria, "5g technology: Towards dynamic spectrum sharing using cognitive radio networks," *IEEE Access*, vol. 8, pp. 14 460–14 488, 2020.

[82] S. Sasipriya and R. Vigneshram, "An overview of cognitive radio in 5g wireless communications," in *2016 IEEE International Conference on Computational Intelligence and Computing Research (ICCIC)*. IEEE, 2016, pp. 1–5.

[83] F. Hu, B. Chen, and K. Zhu, "Full spectrum sharing in cognitive radio networks toward 5g: A survey," *IEEE Access*, vol. 6, pp. 15 754–15 776, 2018.

[84] X. Hong, J. Wang, C.-X. Wang, and J. Shi, "Cognitive radio in 5g: a perspective on energy-spectral efficiency trade-off," *IEEE Communications Magazine*, vol. 52, no. 7, pp. 46–53, 2014.

[85] S. S. Moghaddam, *Cognitive Radio in 4G/5G Wireless Communication Systems*. BoD–Books on Demand, 2018.

[86] F. Mehmeti and T. Spyropoulos, "Performance analysis, comparison, and optimization of interweave and underlay spectrum access in cognitive radio networks," *IEEE Transactions on Vehicular Technology*, vol. 67, no. 8, pp. 7143–7157, 2018.

[87] A. Sharma, M. Aggarwal, S. Ahuja *et al.*, "End-to-end performance of hybrid df/af (hdaf) relayed underlay cognitive radio networks," *AEU-International Journal of Electronics and Communications*, vol. 116, p. 153056, 2020.

[88] S. I. Hussain, M. M. Abdallah, M.-S. Alouini, M. Hasna, and K. Qaraqe, "Performance analysis of selective cooperation in underlay cognitive networks over rayleigh channels," in *2011 IEEE 12th International Workshop on Signal Processing Advances in Wireless Communications*. IEEE, 2011, pp. 116–120.

[89] M. Xia and S. Aissa, "Underlay cooperative af relaying in cellular networks: performance and challenges," *IEEE Communications Magazine*, vol. 51, no. 12, pp. 170–176, 2013.

[90] Q. Huo, T. Liu, S. Sun, L. Song, and B. Jiao, "Selective combining for hybrid cooperative networks," *IET Communications*, vol. 8, no. 4, pp. 471–482, 2014.

[91] T. T. Duy and H. Y. Kong, "Performance analysis of mixed amplify-and-forward and decode-and-forward protocol in underlay cognitive networks," *China Communications*, vol. 13, no. 3, pp. 115–126, 2016.

[92] P. T. D. Ngoc, T. T. Duy, V. N. Q. Bao, and K. Ho-Van, "Performance enhancement for underlay cognitive radio with partial relay selection methods under impact of hardware impairment," in *2015 international conference on advanced technologies for communications (ATC)*. IEEE, 2015, pp. 645–650.

[93] K. Ho Van, "Outage analysis in cooperative cognitive networks with opportunistic relay selection under imperfect channel information," *AEU-International Journal of Electronics and Communications*, vol. 69, no. 11, pp. 1700–1708, 2015.

[94] Z. Liu, Y. Yuan, L. Fu, and X. Guan, "Outage performance improvement with cooperative relaying in cognitive radio networks," *Peer-to-Peer Networking and Applications*, vol. 10, no. 1, pp. 184–192, 2017.

[95] T. T. Duy and H. Y. Kong, "On performance evaluation of hybrid decode-amplify-forward relaying protocol with partial relay selection in underlay cognitive networks," *Journal of Communications and Networks*, vol. 16, no. 5, pp. 502–511, 2014.

[96] B. Sainath and N. B. Mehta, "Generalizing the amplify-and-forward relay gain model: An optimal sep perspective," *IEEE transactions on wireless communications*, vol. 11, no. 11, pp. 4118–4127, 2012.

[97] X. Liu and W. Du, "Ber-based comparison between af and df in three-terminal relay cooperative communication with bpsk modulation," in *2016 12th International Conference on Mobile Ad-Hoc and Sensor Networks (MSN)*. IEEE, 2016, pp. 296–300.

[98] Z. Chen, L. X. Cai, Y. Cheng, and H. Shan, "Sustainable cooperative communication in wireless powered networks with energy harvesting relay," *IEEE Transactions on Wireless Communications*, vol. 16, no. 12, pp. 8175–8189, 2017.

[99] N. Kumar, V. Bhatia, and D. Dixit, "Performance analysis of qam in amplify-and-forward cooperative communication networks over rayleigh fading channels," *AEU-International Journal of Electronics and Communications*, vol. 72, pp. 86–94, 2017.

[100] A. Goldsmith, *Wireless communications*. Cambridge university press, 2005.

[101] C. Li, F. Sun, J. M. Cioffi, and L. Yang, "Energy efficient mimo relay transmissions via joint power allocations," *IEEE Transactions on Circuits and Systems II: Express Briefs*, vol. 61, no. 7, pp. 531–535, 2014.

[102] D. Tse and P. Viswanath, *Fundamentals of wireless communication*. Cambridge university press, 2005.

[103] J. Ju, W. Duan, Q. Sun, S. Gao, and G. Zhang, "Performance analysis for cooperative noma with opportunistic relay selection," *IEEE Access*, vol. 7, pp. 131 488–131 500, 2019.

[104] C. T. Ng and A. J. Goldsmith, "The impact of csi and power allocation on relay channel capacity and cooperation strategies," *IEEE Transactions on Wireless Communications*, vol. 7, no. 12, pp. 5380–5389, 2008.

[105] K. Bao, F. Hu, E. Bentley, and S. Kumar, "Diamond-shaped mesh network routing with cross-layer design to explore the benefits of multi-beam smart antennas," in *2016 25th International Conference on Computer Communication and Networks (ICCCN)*. IEEE, 2016, pp. 1–5.

[106] A. Bansal, M. R. Bhatnagar, A. Hjorungnes, and Z. Han, "Low-complexity decoding in df mimo relaying system," *IEEE Transactions on Vehicular Technology*, vol. 62, no. 3, pp. 1123–1137, 2012.

[107] F. Gao, R. Zhang, and Y.-C. Liang, "Optimal channel estimation and training design for two-way relay networks," *IEEE Transactions on Communications*, vol. 57, no. 10, pp. 3024–3033, 2009.

[108] R. Sharma and B. Sainath, "A probabilistic detect-and-forward relay selection policy for cooperative device-to-device wireless systems," *Physical Communication*, vol. 34, pp. 210–219, 2019.

[109] D. Tse and P. Viswanath, *Fundamentals of wireless communication*. Cambridge university press, 2005.

[110] J.-Z. Zhang and C.-X. Xu, "Trust region dogleg path algorithms for unconstrained minimization," *Annals of operations Research*, vol. 87, pp. 407–418, 1999.

[111] F. Chen, N. Chen, H. Mao, and H. Hu, "An efficient sorting algorithm-ultimate heapsort (uhs)," *arXiv preprint arXiv:1902.00257*, 2019.

[112] T. H. Cormen, C. E. Leiserson, R. L. Rivest, and C. Stein, *Introduction to algorithms*. MIT press, 2009.

[113] M. Abramowitz, I. A. Stegun, and R. H. Romer, "Handbook of mathematical functions with formulas, graphs, and mathematical tables," 1988.

[114] H. Liu, Z. Ding, K. J. Kim, K. S. Kwak, and H. V. Poor, "Decode-and-forward relaying for cooperative noma systems with direct links," *IEEE Transactions on Wireless Communications*, vol. 17, no. 12, pp. 8077–8093, 2018.

[115] M. Aparna and S. Bitragunta, "Energy harvesting cooperative wireless systems: Probabilistic modeling and statistical analysis," in *2019 IEEE Wireless Power Transfer Conference (WPTC)*. IEEE, 2019, pp. 520–525.

[116] A. A. Nasir, X. Zhou, S. Durrani, and R. A. Kennedy, "Relaying protocols for wireless energy harvesting and information processing," *IEEE Transactions on Wireless Communications*, vol. 12, no. 7, pp. 3622–3636, 2013.

[117] R. Zhang and C. K. Ho, "Mimo broadcasting for simultaneous wireless information and power transfer," *IEEE Transactions on Wireless Communications*, vol. 12, no. 5, pp. 1989–2001, 2013.

[118] A. A. Nasir, X. Zhou, S. Durrani, and R. A. Kennedy, "Wireless-powered relays in cooperative communications: Time-switching relaying protocols and throughput analysis," *IEEE Transactions on Communications*, vol. 63, no. 5, pp. 1607–1622, 2015.

[119] X. Zhou, R. Zhang, and C. K. Ho, "Wireless information and power transfer: Architecture design and rate-energy tradeoff," *IEEE Transactions on communications*, vol. 61, no. 11, pp. 4754–4767, 2013.

[120] D. N. K. Jayakody, T. D. P. Perera, M. C. Nathan, and M. Hasna, "Self-energized full-duplex uav-assisted cooperative communication systems," in *2019 IEEE International Black Sea Conference on Communications and Networking (BlackSeaCom)*. IEEE, 2019, pp. 1–6.

[121] I. Krikidis, J. Thompson, S. McLaughlin, and N. Goertz, "Amplify-and-forward with partial relay selection," *IEEE Communications letters*, vol. 12, no. 4, pp. 235–237, 2008.

[122] Y. Luo and L. Pu, "Ests: Energy stimulated time synchronization for energy harvesting wireless networks," in *GLOBECOM 2020-2020 IEEE Global Communications Conference*. IEEE, 2020, pp. 1–6.

[123] H. V. Toan, T. M. Hoang *et al.*, "Outage probability analysis of decode-and-forward two-way relaying system with energy harvesting relay," *Wireless Communications and Mobile Computing*, vol. 2020, 2020.

[124] I. Krikidis, S. Timotheou, S. Nikolaou, G. Zheng, D. W. K. Ng, and R. Schober, "Simultaneous wireless information and power transfer in modern communication systems," *IEEE Communications Magazine*, vol. 52, no. 11, pp. 104–110, 2014.

[125] S. Yin, E. Zhang, L. Yin, and S. Li, "Saving-sensing-throughput tradeoff in cognitive radio systems with wireless energy harvesting," in *2013 IEEE Global Communications Conference (GLOBECOM)*. IEEE, 2013, pp. 1032–1037.

[126] Q. Wu, M. Tao, D. W. K. Ng, W. Chen, and R. Schober, "Energy-efficient resource allocation for wireless powered communication networks," *IEEE Transactions on Wireless Communications*, vol. 15, no. 3, pp. 2312–2327, 2015.

[127] J. Xu and R. Zhang, "Energy beamforming with one-bit feedback," *IEEE Transactions on Signal Processing*, vol. 62, no. 20, pp. 5370–5381, 2014.

[128] H. Yomo and E. De Carvalho, "A csi estimation method for wireless relay network," *IEEE Communications letters*, vol. 11, no. 6, pp. 480–482, 2007.

[129] M. Liu and Y. Liu, "Charge-then-forward: Wireless-powered communication for multiuser relay networks," *IEEE Transactions on Communications*, vol. 66, no. 11, pp. 5155–5167, 2018.

[130] T. Ahrendt, "Fast computations of the exponential function," in *Annual Symposium on Theoretical Aspects of Computer Science*. Springer, 1999, pp. 302–312.

[131] M. S. Omar, S. A. Raza, S. H. Kabir, M. Hussain, and S. A. Hassan, "Experimental implementation of cooperative transmission range extension in indoor environments," in *2015 International Wireless Communications and Mobile Computing Conference (IWCMC)*. IEEE, 2015, pp. 1312–1317.

[132] J. Zhang, J. Jia, Q. Zhang, and E. M. Lo, "Implementation and evaluation of cooperative communication schemes in software-defined radio testbed," in *2010 Proceedings IEEE INFOCOM*. IEEE, 2010, pp. 1–9.

[133] H. K. Sahu, P. Sahu, and J. Mishra, "Abep of ssk with swipt at relay and generalised selection combining at the destination over rayleigh fading," in *2020 National Conference on Communications (NCC)*. IEEE, 2020, pp. 1–6.

[134] P. Xu, G. Chen, Z. Yang, and H. Lei, "Buffer-state-based probabilistic relay selection for cooperative networks with delay constraints," *IEEE Wireless Communications Letters*, vol. 9, no. 11, pp. 1855–1859, 2020.

[135] H. You, M. Yuan, R. Das, H. Heidari, and R. Ghannam, "An efficient rf-dc rectifier design for rf energy harvesting systems," in *2020 27th IEEE International Conference on Electronics, Circuits and Systems (ICECS)*. IEEE, 2020, pp. 1–4.

[136] T. N. Nguyen, T. H. Q. Minh, P. T. Tran, M. Voznak, T. T. Duy, T.-L. Nguyen, and P. T. Tin, "Performance enhancement for energy harvesting based two-way relay protocols in wireless ad-hoc networks with partial and full relay selection methods," *Ad hoc networks*, vol. 84, pp. 178–187, 2019.

[137] A. Papoulis and S. U. Pillai, *Probability, random variables, and stochastic processes*. McGraw-Hill Education, 2014.

[138] E. Hossain, V. K. Bhargava, and G. P. Fettweis, *Green radio communication networks*. Cambridge University Press, 2012.

[139] R. Zhang, R. Nakai, K. Sezaki, and S. Sugiura, "Generalized buffer-state-based relay selection in cooperative cognitive radio networks," *IEEE Access*, vol. 8, pp. 11 644–11 657, 2020.

[140] P. N. Son and T. T. Duy, "Performance analysis of underlay cooperative cognitive full-duplex networks with energy-harvesting relay," *Computer Communications*, vol. 122, pp. 9–19, 2018.

[141] E. Biglieri, A. J. Goldsmith, L. J. Greenstein, H. V. Poor, and N. B. Mandayam, *Principles of cognitive radio*. Cambridge University Press, 2013.

[142] J. Park, C. Jang, and J. H. Lee, "Outage analysis of underlay cognitive radio networks with multihop primary transmission," *IEEE Communications Letters*, vol. 20, no. 4, pp. 800–803, 2016.

[143] S. M. Baby and M. James, "A comparative study on various spectrum sharing techniques," *Procedia Technology*, vol. 25, pp. 613–620, 2016.

[144] R. K. Saha, "A hybrid interweave–underlay countrywide millimeter-wave spectrum access and reuse technique for cr indoor small cells in 5g/6g era," *Sensors*, vol. 20, no. 14, p. 3979, 2020.

[145] S. Boyd, S. P. Boyd, and L. Vandenberghe, *Convex optimization*. Cambridge university press, 2004.

[146] T. T. Duy, G. C. Alexandropoulos, V. T. Tung, V. N. Son, and T. Q. Duong, "Outage performance of cognitive cooperative networks with relay selection over

double-rayleigh fading channels," *IET Communications*, vol. 10, no. 1, pp. 57–64, 2016.

[147] B. Ji, Y. Li, D. Cao, C. Li, S. Mumtaz, and D. Wang, "Secrecy performance analysis of uav assisted relay transmission for cognitive network with energy harvesting," *IEEE Transactions on Vehicular Technology*, vol. 69, no. 7, pp. 7404–7415, 2020.

[148] X. Cao, F. Wang, J. Xu, R. Zhang, and S. Cui, "Joint computation and communication cooperation for energy-efficient mobile edge computing," *IEEE Internet of Things Journal*, vol. 6, no. 3, pp. 4188–4200, 2018.

[149] J. Zhou, D. Tian, Y. Wang, Z. Sheng, X. Duan, and V. C. Leung, "Reliability-optimal cooperative communication and computing in connected vehicle systems," *IEEE Transactions on Mobile Computing*, vol. 19, no. 5, pp. 1216–1232, 2019.

[150] T. D. P. Perera, D. N. K. Jayakody, S. Affes, M. Chidambaranathan, and C. Yury, "Wireless-powered hybrid terrestrial and underwater cooperative communication system," in *2019 15th International Conference on Distributed Computing in Sensor Systems (DCOSS)*. IEEE, 2019, pp. 502–506.

[151] W. Lu, P. Si, G. Huang, H. Han, L. Qian, N. Zhao, and Y. Gong, "Swipt cooperative spectrum sharing for 6g-enabled cognitive iot network," *IEEE Internet of Things Journal*, 2020.

[152] M. K. Simon and D. Divsalar, "Some new twists to problems involving the gaussian probability integral," *IEEE Transactions on Communications*, vol. 46, no. 2, pp. 200–210, 1998.

[153] M. K. Simon and M. S. Alouini, *Digital communication over fading channels*. John Wiley & Sons, 2005, vol. 95.

[154] M. Abramowitz and I. A. Stegun, *Handbook of mathematical functions with formulas, graphs, and mathematical tables*. US Government printing office, 1964, vol. 55.

[155] J. Li, A. Bose, and Y. Q. Zhao, "Rayleigh flat fading channels' capacity," in *3rd Annual Communication Networks and Services Research Conference (CNSR'05)*. IEEE, 2005, pp. 214–217.

[156] I. Gradshteyn, I. Ryzhik, and R. H. Romer, "Tables of integrals, series, and products," 1988.