- [1] S. Ahmad and M. R. M. Rao, *Theory of Ordinary Differential Equations: With Applications of Biology and Engineering*. Affiliated East-West Private Lmt., 1999.
- [2] W. G. Aiello and H. I. Freedman, "A time-delay model of single-species growth with stage structure", *Mathematical Biosciences*, vol. 101, no. 2, pp. 139–153, 1990.
- [3] W. G. Aiello, H. I. Freedman, and J. Wu, "Analysis of a model representing stage-structured population growth with state-dependent time delay", *SIAM Journal on Applied Mathematics*, vol. 52, no. 3, pp. 855–869, 1992.
- [4] W. C. Allee, *Animal Aggregations*. The University of Chicago Press, 1931.
- [5] D. Alstad, *Basic Populus Models of Ecology*. Prentice Hall, New Jersey, 2001.
- [6] K. B. Altendorf, J. W. Laundré, C. A. López González, and J. S. Brown, "Assessing effects of predation risk on foraging behavior of mule deer", *Journal of Mammalogy*, vol. 82, no. 2, pp. 430–439, 2001.
- [7] M. T. Alves and F. M. Hilker, "Hunting cooperation and Allee effects in predators", *Journal of Theoretical Biology*, vol. 419, pp. 13–22, 2017.
- [8] T. W. Anderson, "Predator responses, prey refuges, and density-dependent mortality of a marine fish", *Ecology*, vol. 82, no. 1, pp. 245–257, 2001.
- [9] J. Arino, L. Wang, and G. S. K. Wolkowicz, "An alternative formulation for a delayed logistic equation", *Journal of Theoretical Biology*, vol. 241, no. 1, pp. 109–119, 2006.
- [10] N. Bairagi and D. Jana, "Age-structured predator–prey model with habitat complexity: oscillations and control", *Dynamical Systems*, vol. 27, no. 4, pp. 475–499, 2012.
- [11] N. Bairagi and D. Jana, "On the stability and Hopf bifurcation of a delay-induced predator–prey system with habitat complexity", *Applied Mathematical Modelling*, vol. 35, no. 7, pp. 3255–3267, 2011.
- [12] R. Bellman and K. L. Cooke, *Differential Difference Equations*. Academic Press, New York, 1963.

[13] L. Berec, "Impacts of foraging facilitation among predators on predator-prey dynamics", *Bulletin of Mathematical Biology*, vol. 72, no. 1, pp. 94–121, 2010.

- [14] E. Beretta and Y. Kuang, "Geometric stability switch criteria in delay differential systems with delay dependent parameters", *SIAM Journal on Mathematical Analysis*, vol. 33, no. 5, pp. 1144–1165, 2002.
- [15] E. Beretta and Y. Kuang, "Global analyses in some delayed ratio-dependent predator-prey systems", *Nonlinear Analysis: Theory, Methods and Applications*, vol. 32, no. 3, pp. 381–408, 1998.
- [16] A. A. Berryman, "The Orgins and Evolution of Predator-Prey Theory", *Ecology*, vol. 73, no. 5, pp. 1530–1535, 1992.
- [17] B. C. R. Bertram, Living in groups: predators and prey. In 'Behavioural Ecology: An Evolutionary Approach'. 1st edn.(Eds JR Krebs and NB Davies.) pp. 64–96, 1978.
- [18] C. Bessa-Gomes, S. Legendre, and J. Clobert, "Allee effects, mating systems and the extinction risk in populations with two sexes", *Ecology Letters*, vol. 7, no. 9, pp. 802–812, 2004.
- [19] S. Biswas, "Optimal predator control policy and weak Allee effect in a delayed preypredator system", *Nonlinear Dynamics*, vol. 90, no. 4, pp. 2929–2957, 2017.
- [20] S. Biswas, M. Saifuddin, S. K. Sasmal, S. Samanta, N. Pal, F. Ababneh, and J. Chattopadhyay, "A delayed prey–predator system with prey subject to the strong Allee effect and disease", *Nonlinear Dynamics*, vol. 84, no. 3, pp. 1569–1594, 2016.
- [21] C. Boesch, "Cooperative hunting roles among Tai chimpanzees", *Human Nature*, vol. 13, no. 1, pp. 27–46, 2002.
- [22] C. Boesch, "Cooperative hunting in wild chimpanzees", *Animal Behaviour*, vol. 48, no. 3, pp. 653–667, 1994.
- [23] F. V. D. Bosch and W. Gabriel, "Cannibalism in an age-structured predator-prey system", *Bulletin of Mathematical Biology*, vol. 59, no. 3, pp. 551–567, 1997.
- [24] J. Carr, *Applications of Centre Manifold Theory*. Springer Science & Business Media, 2012, vol. 35.
- [25] C. Celik and O. Duman, "Allee effect in a discrete-time predator–prey system", *Chaos, Solitons & Fractals*, vol. 40, no. 4, pp. 1956–1962, 2009.
- [26] K. Chakraborty, S. Haldar, and T. K. Kar, "Global stability and bifurcation analysis of a delay induced prey-predator system with stage structure", *Nonlinear Dynamics*, vol. 73, no. 3, pp. 1307–1325, 2013.

[27] K. Chakraborty, S. Jana, and T. K. Kar, "Effort dynamics of a delay-induced preypredator system with reserve", *Nonlinear Dynamics*, vol. 70, no. 3, pp. 1805–1829, 2012.

- [28] G. Chen and T. Ueta, "Yet another chaotic attractor", *International Journal of Bifurcation and chaos*, vol. 9, no. 07, pp. 1465–1466, 1999.
- [29] L. Chen, F. Chen, and Y. Wang, "Influence of predator mutual interference and prey refuge on Lotka–Volterra predator–prey dynamics", *Communications in Nonlinear Science and Numerical Simulation*, vol. 18, no. 11, pp. 3174–3180, 2013.
- [30] L. Cheng and H. Cao, "Bifurcation analysis of a discrete-time ratio-dependent predator—prey model with Allee effect", *Communications in Nonlinear Science and Numerical Simulation*, vol. 38, pp. 288–302, 2016.
- [31] C. W. Clark, Mathematical Bioeconomics: The Optimal Management of Renewable Resources. New York, Wiley, 1976.
- [32] M. Clinchy, M. J. Sheriff, and L. Y. Zanette, "Predator-induced stress and the ecology of fear", *Functional Ecology*, vol. 27, no. 1, pp. 56–65, 2013.
- [33] F. Courchamp, T. Clutton-Brock, and B. Grenfell, "Multipack dynamics and the Allee effect in the African wild dog, Lycaon pictus", *Animal Conservation*, vol. 3, no. 4, pp. 277–285, 2000.
- [34] S. Creel and D. Christianson, "Relationships between direct predation and risk effects", *Trends in Ecology & Evolution*, vol. 23, no. 4, pp. 194–201, 2008.
- [35] S. Creel and N. M. Creel, "Communal hunting and pack size in African wild dogs, Lycaon pictus", *Animal Behaviour*, vol. 50, no. 5, pp. 1325–1339, 1995.
- [36] W. Cresswell, "Predation in bird populations", *Journal of Ornithology*, vol. 152, no. 1, pp. 251–263, 2011.
- [37] L. B. Crowder and W. E. Cooper, "Habitat structural complexity and the interaction between bluegills and their prey", *Ecology*, vol. 63, no. 6, pp. 1802–1813, 1982.
- [38] P. H. Crowley and E. K. Martin, "Functional responses and interference within and between year classes of a dragonfly population", *Journal of the North American Benthological Society*, vol. 8, no. 3, pp. 211–221, 1989.
- [39] J. A. Cui and X. Song, "Permanence of predator-prey system with stage structure", *Discrete & Continuous Dynamical Systems-B*, vol. 4, no. 3, pp. 547–554, 2004.
- [40] J. Cui and Y. Takeuchi, "Permanence, extinction and periodic solution of predator—prey system with Beddington–DeAngelis functional response", *Journal of Mathematical Analysis and Applications*, vol. 317, no. 2, pp. 464–474, 2006.

[41] J. M. Cushing, "A simple model of cannibalism", *Mathematical Biosciences*, vol. 107, no. 1, pp. 47–71, 1991.

- [42] J. M. Cushing, *Integrodifferential equations and delay models in population dynamics*. Springer Science & Business Media, 2013, vol. 20.
- [43] G. Dai and M. Tang, "Coexistence region and global dynamics of a harvested predator-prey system", *SIAM Journal on Applied Mathematics*, vol. 58, no. 1, pp. 193–210, 1998.
- [44] H. Ddumba, J. Y. T. Mugisha, J. W. Gonsalves, and G. I. H. Kerley, "Periodicity and limit cycle perturbation analysis of a predator–prey model with interspecific species' interference, predator additional food and dispersal", *Applied Mathematics and Computation*, vol. 219, no. 15, pp. 8338–8357, 2013.
- [45] B. D. Deka, A. Patra, J. Tushar, and B. Dubey, "Stability and Hopf-bifurcation in a general Gauss type two-prey and one-predator system", *Applied Mathematical Modelling*, vol. 40, no. 11-12, pp. 5793–5818, 2016.
- [46] L. Deng, X. Wang, and M. Peng, "Hopf bifurcation analysis for a ratio-dependent predator—prey system with two delays and stage structure for the predator", *Applied Mathematics and Computation*, vol. 231, pp. 214–230, 2014.
- [47] B. Dennis, "Allee effects: population growth, critical density, and the chance of extinction", *Natural Resource Modeling*, vol. 3, no. 4, pp. 481–538, 1989.
- [48] S. Devi, "Effects of prey refuge on a ratio-dependent predator–prey model with stage-structure of prey population", *Applied Mathematical Modelling*, vol. 37, no. 6, pp. 4337–4349, 2013.
- [49] Q. Din, "Complexity and chaos control in a discrete-time prey-predator model", *Communications in Nonlinear Science and Numerical Simulation*, vol. 49, pp. 113–134, 2017.
- [50] Q. Dong, W. Ma, and M. Sun, "The asymptotic behavior of a chemostat model with Crowley–Martin type functional response and time delays", *Journal of Mathematical Chemistry*, vol. 51, no. 5, pp. 1231–1248, 2013.
- [51] Z. Du and Z. Feng, "Periodic solutions of a neutral impulsive predator–prey model with Beddington–DeAngelis functional response with delays", *Journal of Computational and Applied Mathematics*, vol. 258, pp. 87–98, 2014.
- [52] B. Dubey, P. Chandra, and P. Sinha, "A resource dependent fishery model with optimal harvesting policy", *Journal of Biological Systems*, vol. 10, no. 01, pp. 1–13, 2002.

[53] B. Dubey and A. Patra, "Optimal management of a renewable resource utilized by a population with taxation as a control variable", *Nonlinear Analysis: Modelling and Control*, vol. 18, pp. 37–52, 2013.

- [54] B. Dubey, P. Chandra, and P. Sinha, "A model for fishery resource with reserve area", *Nonlinear analysis: Real World applications*, vol. 4, no. 4, pp. 625–637, 2003.
- [55] B. Dubey and A. Kumar, "Dynamics of prey-predator model with stage structure in prey including maturation and gestation delays", *Nonlinear Dynamics*, vol. 96, no. 4, pp. 2653–2679, 2019.
- [56] B. Dubey, A. Kumar, and A. P. Maiti, "Global stability and Hopf-bifurcation of preypredator system with two discrete delays including habitat complexity and prey refuge", *Communications in Nonlinear Science and Numerical Simulation*, vol. 67, pp. 528–554, 2019.
- [57] A. M. Elaiw and N. H. AlShamrani, "Stability of an adaptive immunity pathogen dynamics model with latency and multiple delays", *Mathematical Methods in the Applied Sciences*, vol. 41, no. 16, pp. 6645–6672, 2018.
- [58] R. D. Estes and J. Goddard, "Prey selection and hunting behavior of the African wild dog", *The Journal of Wildlife Management*, pp. 52–70, 1967.
- [59] M. Fan, P. Wu, Z. Feng, and R. K. Swihart, "Dynamics of predator–prey metapopulations with Allee effects", *Bulletin of Mathematical Biology*, vol. 78, no. 8, pp. 1727–1748, 2016.
- [60] J. H. Fanshawe and C. D. Fitzgibbon, "Factors influencing the hunting success of an African wild dog pack", *Animal Behaviour*, vol. 45, no. 3, pp. 479–490, 1993.
- [61] T. Faria, "Stability and bifurcation for a delayed predator–prey model and the effect of diffusion", *Journal of Mathematical Analysis and Applications*, vol. 254, no. 2, pp. 433–463, 2001.
- [62] J. B. Ferdy, F. Austerlitz, J. Moret, P. H. Gouyon, and B. Godelle, "Pollinator-induced density dependence in deceptive species", *Oikos*, vol. 87, no. 3, pp. 549–560, 1999.
- [63] J. D. Ferreira, C. A. T. Salazar, and P. C. C. Tabares, "Weak Allee effect in a predator—prey model involving memory with a hump", *Nonlinear Analysis: Real World Applications*, vol. 14, no. 1, pp. 536–548, 2013.
- [64] S. Gakkhar and A. Singh, "Complex dynamics in a prey predator system with multiple delays", *Communications in Nonlinear Science and Numerical Simulation*, vol. 17, no. 2, pp. 914–929, 2012.

[65] R. Gambell, W. N. Bonner, and D. W. H. Walton, "Birds and mammals—Antarctic whales", *Antarctica*, pp. 223–241, 1985.

- [66] M. Gamez and C. Martinez, "Persistence and global stability in a predator-prey system with delay", *International Journal of Bifurcation and Chaos*, vol. 16, no. 10, pp. 2915–2922, 2006.
- [67] S. Ghorai and S. Poria, "Turing patterns induced by cross-diffusion in a predator-prey system in presence of habitat complexity", *Chaos, Solitons & Fractals*, vol. 91, pp. 421–429, 2016.
- [68] J. Ghosh, B. Sahoo, and S. Poria, "Prey-predator dynamics with prey refuge providing additional food to predator", *Chaos, Solitons & Fractals*, vol. 96, pp. 110–119, 2017.
- [69] E. González-Olivares and A. Rojas-Palma, "Multiple limit cycles in a Gause type predator—prey model with Holling type III functional response and Allee effect on prey", *Bulletin of Mathematical Biology*, vol. 73, no. 6, pp. 1378–1397, 2011.
- [70] K. Gopalsamy, Stability and oscillations in delay differential equations of population dynamics. Springer Science & Business Media, 2013, vol. 74.
- [71] S. A. Gourley and Y. Kuang, "A stage structured predator-prey model and its dependence on maturation delay and death rate", *Journal of Mathematical Biology*, vol. 49, no. 2, pp. 188–200, 2004.
- [72] M. J. Groom, "Allee effects limit population viability of an annual plant", *The American Naturalist*, vol. 151, no. 6, pp. 487–496, 1998.
- [73] L. N. Guin and P. K. Mandal, "Spatial pattern in a diffusive predator–prey model with sigmoid ratio-dependent functional response", *International Journal of Biomathematics*, vol. 7, no. 05, p. 1 450 047, 2014.
- [74] L. N. Guin, B. Mondal, and S. Chakravarty, "Existence of spatiotemporal patterns in the reaction–diffusion predator–prey model incorporating prey refuge", *International Journal of Biomathematics*, vol. 9, no. 06, p. 1650085, 2016.
- [75] L. N. Guin, B. Mondal, and S. Chakravarty, "Stationary patterns induced by self-and cross-diffusion in a Beddington–DeAngelis predator–prey model", *International Journal of Dynamics and Control*, vol. 5, no. 4, pp. 1051–1062, 2017.
- [76] L. N. Guin and P. K. Mandal, "Spatiotemporal dynamics of reaction–diffusion models of interacting populations", *Applied Mathematical Modelling*, vol. 38, no. 17, pp. 4417–4427, 2014.

[77] L. N. Guin and S. Acharya, "Dynamic behaviour of a reaction–diffusion predator–prey model with both refuge and harvesting", *Nonlinear Dynamics*, vol. 88, no. 2, pp. 1501–1533, 2017.

- [78] R. P. Gupta and P. Chandra, "Bifurcation analysis of modified Leslie–Gower predator–prey model with Michaelis–Menten type prey harvesting", *Journal of Mathematical Analysis and Applications*, vol. 398, no. 1, pp. 278–295, 2013.
- [79] J. Hainzl, "Stability and Hopf bifurcation in a predator–prey system with several parameters", *SIAM Journal on Applied Mathematics*, vol. 48, no. 1, pp. 170–190, 1988.
- [80] B. D. Hassard, N. D. Kazarinoff, Y. H. Wan, and Y. W. Wan, *Theory and Applications of Hopf Bifurcation*. CUP Archive, 1981, vol. 41.
- [81] A. Hastings, "Cycles in cannibalistic egg-larval interactions", *Journal of Mathematical Biology*, vol. 24, no. 6, pp. 651–666, 1987.
- [82] A. Hastings and T. Powell, "Chaos in a three-species food chain", *Ecology*, vol. 72, no. 3, pp. 896–903, 1991.
- [83] D. P. Hector, "Cooperative hunting and its relationship to foraging success and prey size in an avian predator", *Ethology*, vol. 73, no. 3, pp. 247–257, 1986.
- [84] K. E. Holekamp, L. Smale, R. Berg, and S. M. Cooper, "Hunting rates and hunting success in the spotted hyena (Crocuta crocuta)", *Journal of Zoology*, vol. 242, no. 1, pp. 1–15, 1997.
- [85] C. S. Holling, "The components of predation as revealed by a study of small-mammal predation of the European pine sawfly", *The Canadian Entomologist*, vol. 91, no. 5, pp. 293–320, 1959.
- [86] S. B. Hsu, T. W. Hwang, and Y. Kuang, "Global analysis of the Michaelis–Mententype ratio-dependent predator-prey system", *Journal of Mathematical Biology*, vol. 42, no. 6, pp. 489–506, 2001.
- [87] J. Huang, Y. Gong, and J. Chen, "Multiple bifurcations in a predator–prey system of Holling and Leslie type with constant-yield prey harvesting", *International Journal of Bifurcation and Chaos*, vol. 23, no. 10, p. 1 350 164, 2013.
- [88] Y. Huang, F. Chen, and L. Zhong, "Stability analysis of a prey-predator model with Holling type III response function incorporating a prey refuge", *Applied Mathematics and Computation*, vol. 182, no. 1, pp. 672–683, 2006.
- [89] D. Jana, R. Agrawal, and R. K. Upadhyay, "Top-predator interference and gestation delay as determinants of the dynamics of a realistic model food chain", *Chaos, Solitons & Fractals*, vol. 69, pp. 50–63, 2014.

[90] D. Jana, R. Agrawal, R. K. Upadhyay, and G. P. Samanta, "Ecological dynamics of age selective harvesting of fish population: Maximum sustainable yield and its control strategy", *Chaos, Solitons & Fractals*, vol. 93, pp. 111–122, 2016.

- [91] D. Jana, R. Gopal, and M. Lakshmanan, "Complex dynamics generated by negative and positive feedback delays of a prey–predator system with prey refuge: Hopf bifurcation to Chaos", *International Journal of Dynamics and Control*, vol. 5, no. 4, pp. 1020–1034, 2017.
- [92] S. Jana, M. Chakraborty, K. Chakraborty, and T. K. Kar, "Global stability and bifurcation of time delayed prey–predator system incorporating prey refuge", *Mathematics and Computers in Simulation*, vol. 85, pp. 57–77, 2012.
- [93] M. Jerry and N. Raissi, "A policy of fisheries management based on continuous fishing effort", *Journal of Biological Systems*, vol. 9, no. 04, pp. 247–254, 2001.
- [94] G. Jiang, Q. Lu, and L. Qian, "Complex dynamics of a Holling type II prey–predator system with state feedback control", *Chaos, Solitons & Fractals*, vol. 31, no. 2, pp. 448–461, 2007.
- [95] T. Kajiwara, T. Sasaki, and Y. Takeuchi, "Construction of Lyapunov functionals for delay differential equations in virology and epidemiology", *Nonlinear Analysis: Real World Applications*, vol. 13, no. 4, pp. 1802–1826, 2012.
- [96] T. K. Kar, "Selective harvesting in a prey-predator fishery with time delay", *Mathematical and Computer Modelling*, vol. 38, no. 3-4, pp. 449–458, 2003.
- [97] T. K. Kar and K. S. Chaudhuri, "On non-selective harvesting of two competing fish species in the presence of toxicity", *Ecological Modelling*, vol. 161, no. 1, pp. 125–137, 2003.
- [98] T. K. Kar and H. Matsuda, "Controllability of a harvested prey-predator system with time delay", *Journal of Biological Systems*, vol. 14, no. 02, pp. 243–254, 2006.
- [99] T. K. Kar and U. K. Pahari, "Modelling and analysis of a prey-predator system with stage-structure and harvesting", *Nonlinear Analysis: Real World Applications*, vol. 8, no. 2, pp. 601–609, 2007.
- [100] T. K. Kar, "Stability analysis of a prey-predator model incorporating a prey refuge", Communications in Nonlinear Science and Numerical Simulation, vol. 10, no. 6, pp. 681–691, 2005.
- [101] T. K. Kar and H. Matsuda, "Global dynamics and controllability of a harvested preypredator system with Holling type III functional response", *Nonlinear Analysis: Hybrid Systems*, vol. 1, no. 1, pp. 59–67, 2007.

[102] S. Khajanchi and S. Banerjee, "Role of constant prey refuge on stage structure predator—prey model with ratio dependent functional response", *Applied Mathematics and Computation*, vol. 314, pp. 193–198, 2017.

- [103] C. E. King and P. S. Dawson, "Population biology and the Tribolium model", *Evolutionary Biology*, vol. 5, pp. 133–227, 1972.
- [104] W. Ko and K. Ryu, "Qualitative analysis of a predator–prey model with Holling type II functional response incorporating a prey refuge", *Journal of Differential Equations*, vol. 231, no. 2, pp. 534–550, 2006.
- [105] H. Kruuk, *The Spotted Hyena: A Study of Predation and Social Behavior*. Chicago: University of Chicago Press, 1972.
- [106] Y. Kuang, W. F. Fagan, and I. Loladze, "Biodiversity, habitat area, resource growth rate and interference competition", *Bulletin of Mathematical Biology*, vol. 65, no. 3, pp. 497–518, 2003.
- [107] Y. Kuang, Delay Differential Equations: with Applications in Population Dynamics. Academic press, 1993.
- [108] Y. Kuang and Y. Takeuchi, "Predator-prey dynamics in models of prey dispersal in two-patch environments", *Mathematical Biosciences*, vol. 120, no. 1, pp. 77–98, 1994.
- [109] A. Kumar and B. Dubey, "Modeling the Effect of Fear in a Prey–Predator System with Prey Refuge and Gestation Delay", *International Journal of Bifurcation and Chaos*, vol. 29, no. 14, p. 1 950 195, 2019.
- [110] D. Kumar and S. P. Chakrabarty, "A comparative study of bioeconomic ratio-dependent predator–prey model with and without additional food to predators", *Nonlinear Dynamics*, vol. 80, no. 1-2, pp. 23–38, 2015.
- [111] S. Kundu and S. Maitra, "Dynamical behaviour of a delayed three species predator—prey model with cooperation among the prey species", *Nonlinear Dynamics*, vol. 92, no. 2, pp. 627–643, 2018.
- [112] M. Kuussaari, I. Saccheri, M. Camara, and I. Hanski, "Allee effect and population dynamics in the Glanville fritillary butterfly", *Oikos*, vol. 82, no. 2, pp. 384–392, 1998.
- [113] Y. A. Kuznetsov, *Elements of Applied Bifurcation Theory*. Springer Science & Business Media, 2013, vol. 112.
- [114] H. D. Landahl and B. D. Hansen, "A three stage population model with cannibalism", *Bulletin of Mathematical Biology*, vol. 37, pp. 11–17, 1975.

[115] A. W. Leung, "Optimal harvesting-coefficient control of steady-state prey-predator diffusive Volterra-Lotka systems", *Applied Mathematics & Optimization*, vol. 31, no. 2, pp. 219–241, 1995.

- [116] F. Li and H. Li, "Hopf bifurcation of a predator–prey model with time delay and stage structure for the prey", *Mathematical and Computer Modelling*, vol. 55, no. 3-4, pp. 672–679, 2012.
- [117] H. Li, G. Meng, and Z. She, "Stability and Hopf bifurcation of a delayed density-dependent predator–prey system with Beddington–DeAngelis functional response", *International Journal of Bifurcation and Chaos*, vol. 26, no. 10, p. 1650 165, 2016.
- [118] H. Li and Y. Takeuchi, "Dynamics of the density dependent predator–prey system with Beddington–DeAngelis functional response", *Journal of Mathematical Analysis and Applications*, vol. 374, no. 2, pp. 644–654, 2011.
- [119] H.-L. Li, L. Zhang, C. Hu, Y.-L. Jiang, and Z. Teng, "Dynamical analysis of a fractional-order predator-prey model incorporating a prey refuge", *Journal of Applied Mathematics and Computing*, vol. 54, no. 1-2, pp. 435–449, 2017.
- [120] K. Li and J. Wei, "Stability and Hopf bifurcation analysis of a prey-predator system with two delays", *Chaos, Solitons & Fractals*, vol. 42, no. 5, pp. 2606–2613, 2009.
- [121] Y. Li, S. Li, and J. Zhao, "Global stability and Hopf bifurcation of a diffusive predator–prey model with hyperbolic mortality and prey harvesting", *Nonlinear Analysis: Modelling and Control*, vol. 22, no. 5, pp. 646–661, 2017.
- [122] M. Liao, X. Tang, and C. Xu, "Bifurcation analysis for a three-species predator–prey system with two delays", *Communications in Nonlinear Science and Numerical Simulation*, vol. 17, no. 1, pp. 183–194, 2012.
- [123] S. L. Lima, "Predators and the breeding bird: behavioral and reproductive flexibility under the risk of predation", *Biological Reviews*, vol. 84, no. 3, pp. 485–513, 2009.
- [124] S. L. Lima, "Nonlethal effects in the ecology of predator-prey interactions", *Bioscience*, vol. 48, no. 1, pp. 25–34, 1998.
- [125] Y. Lin, X. Zeng, and Z. Jing, "Dynamical behaviors for a three-dimensional differential equation in chemical system", *Acta Mathematicae Applicatae Sinica*, vol. 12, no. 2, pp. 144–154, 1996.
- [126] C. Liu, N. Lu, Q. Zhang, J. Li, and P. Liu, "Modeling and analysis in a prey–predator system with commercial harvesting and double time delays", *Applied Mathematics and Computation*, vol. 281, pp. 77–101, 2016.

[127] C. Liu, Q. Zhang, X. Zhang, and X. Duan, "Dynamical behavior in a stage-structured differential-algebraic prey–predator model with discrete time delay and harvesting", *Journal of Computational and Applied Mathematics*, vol. 231, no. 2, pp. 612–625, 2009.

- [128] J. Liu, C. Sun, and Y. Li, "Stability and Hopf bifurcation analysis for a Gause-type predator-prey system with multiple delays", *Abstract and Applied Analysis*, vol. 2013 Article ID 795358, 12 pages, 2013.
- [129] S. Liu and E. Beretta, "A stage-structured predator-prey model of Beddington-DeAngelis type", *SIAM Journal on Applied Mathematics*, vol. 66, no. 4, pp. 1101–1129, 2006.
- [130] Y. Liu, X. Zhang, and T. Zhou, "Multiple periodic solutions of a delayed predator—prey model with non-monotonic functional response and stage structure", *Journal of Biological Dynamics*, vol. 8, no. 1, pp. 145–160, 2014.
- [131] Z. Liu and R. Yuan, "Stability and bifurcation in a delayed predator–prey system with Beddington–DeAngelis functional response", *Journal of Mathematical Analysis and Applications*, vol. 296, no. 2, pp. 521–537, 2004.
- [132] A. J. Lotka, *Elements of Physical Biology*. Williams and Wilkins, Baltimore, New York, 1925.
- [133] Z. Ma and S. Wang, "A delay-induced predator–prey model with Holling type functional response and habitat complexity", *Nonlinear Dynamics*, vol. 93, no. 3, pp. 1519–1544, 2018.
- [134] K. G. Magnússon, "Destabilizing effect of cannibalism on a structured predator–prey system", *Mathematical Biosciences*, vol. 155, no. 1, pp. 61–75, 1999.
- [135] A. P. Maiti and B. Dubey, "Stability and Bifurcation of a Fishery Model with Crowley–Martin Functional Response", *International Journal of Bifurcation and Chaos*, vol. 27, no. 11, p. 1750 174, 2017.
- [136] A. P. Maiti, B. Dubey, and J. Tushar, "A delayed prey–predator model with Crowley–Martin-type functional response including prey refuge", *Mathematical Methods in the Applied Sciences*, vol. 40, no. 16, pp. 5792–5809, 2017.
- [137] T. R. Malthus, An Essay on the Principle of Population as it Affects the Future Improvement of Society, with Remarks on the Speculations of Mr. Goodwin, M. Condorcet, and Other Writers. The Lawbook Exchange, Ltd., 1798.
- [138] M. Manarul Haque and S. Sarwardi, "Dynamics of a Harvested Prey–Predator Model with Prey Refuge Dependent on Both Species", *International Journal of Bifurcation and Chaos*, vol. 28, no. 12, p. 1830040, 2018.

[139] K. Manna and S. P. Chakrabarty, "Global stability of one and two discrete delay models for chronic hepatitis B infection with HBV DNA-containing capsids", *Computational and Applied Mathematics*, vol. 36, no. 1, pp. 525–536, 2017.

- [140] A. Martin and S. Ruan, "Predator-prey models with delay and prey harvesting", *Journal of Mathematical Biology*, vol. 43, no. 3, pp. 247–267, 2001.
- [141] L. D. Mech, *The Wolf The Ecology and Behavior of an Endangered Species*. Minneapolis: University of Minnesota Press, 1970.
- [142] X.-Y. Meng, H.-F. Huo, X.-B. Zhang, and H. Xiang, "Stability and Hopf bifurcation in a three-species system with feedback delays", *Nonlinear Dynamics*, vol. 64, no. 4, pp. 349–364, 2011.
- [143] M. G. L. Mills, *Kalahari Hyaenas: The Comparative Behavioural Ecology of Two Species*. London: Unwin Hyman, 1970.
- [144] A. K. Misra and B. Dubey, "A ratio-dependent predator-prey model with delay and harvesting", *Journal of Biological Systems*, vol. 18, no. 02, pp. 437–453, 2010.
- [145] A. K. Misra and K. Lata, "Modeling the effect of time delay on the conservation of forestry biomass", *Chaos, Solitons & Fractals*, vol. 46, pp. 1–11, 2013.
- [146] A. K. Misra and M. Verma, "A mathematical model to study the dynamics of carbon dioxide gas in the atmosphere", *Applied Mathematics and Computation*, vol. 219, no. 16, pp. 8595–8609, 2013.
- [147] A. P. Møller and S. Legendre, "Allee effect, sexual selection and demographic stochasticity", *Oikos*, vol. 92, no. 1, pp. 27–34, 2001.
- [148] S. Mondal, A. Maiti, and G. P. Samanta, "Effects of fear and additional food in a delayed predator–prey model", *Biophysical Reviews and Letters*, vol. 13, no. 04, pp. 157–177, 2018.
- [149] A. Morozov, S. Petrovskii, and B.-L. Li, "Bifurcations and chaos in a predator-prey system with the Allee effect", *Proceedings of the Royal Society of London. Series B: Biological Sciences*, vol. 271, no. 1546, pp. 1407–1414, 2004.
- [150] D. Mukherjee, "Study of refuge use on a predator–prey system with a competitor for the prey", *International Journal of Biomathematics*, vol. 10, no. 02, p. 1750 023, 2017.
- [151] C. Muro, R. Escobedo, L. Spector, and R. P. Coppinger, "Wolf-pack (Canis lupus) hunting strategies emerge from simple rules in computational simulations", *Behavioural Processes*, vol. 88, no. 3, pp. 192–197, 2011.

[152] J. T. Murphy and M. P. Johnson, "A theoretical analysis of the Allee effect in wind-pollinated cordgrass plant invasions", *Theoretical Population Biology*, vol. 106, pp. 14–21, 2015.

- [153] G. P. D. Murray, R. A. Stillman, R. E. Gozlan, and J. R. Britton, "Experimental predictions of the functional response of a freshwater fish", *Ethology*, vol. 119, no. 9, pp. 751–761, 2013.
- [154] J. D. Murray, *Mathematical Biology I. An Introduction*. Springer-Verlag, New York, 2002.
- [155] S. S. Nadim, S. Samanta, N. Pal, I. M. ELmojtaba, I. Mukhopadhyay, and J. Chattopadhyay, "Impact of Predator Signals on the Stability of a Predator–Prey System: A Z-Control Approach", *Differential Equations and Dynamical Systems*, 2018.
- [156] M. Nagumo, "Über die lage der integralkurven gewöhnlicher differentialgleichungen", Proceedings of the Physico-Mathematical Society of Japan. 3rd Series, vol. 24, pp. 551–559, 1942.
- [157] S. Nakaoka, Y. Saito, and Y. Takeuchi, "Stability, delay, and chaotic behavior in a Lotka-Volterra predator-prey system", *Mathematical Biosciences and Engineering*, vol. 3, no. 1, p. 173, 2006.
- [158] A. Oaten and W. W. Murdoch, "Functional response and stability in predator-prey systems", *The American Naturalist*, vol. 109, no. 967, pp. 289–298, 1975.
- [159] P. J. Pal and P. K. Mandal, "Bifurcation analysis of a modified Leslie–Gower predator–prey model with Beddington–DeAngelis functional response and strong Allee effect", *Mathematics and Computers in Simulation*, vol. 97, pp. 123–146, 2014.
- [160] P. J. Pal and T. Saha, "Qualitative analysis of a predator–prey system with double Allee effect in prey", *Chaos, Solitons & Fractals*, vol. 73, pp. 36–63, 2015.
- [161] P. J. Pal, T. Saha, M. Sen, and M. Banerjee, "A delayed predator–prey model with strong Allee effect in prey population growth", *Nonlinear Dynamics*, vol. 68, no. 1, pp. 23–42, 2012.
- [162] S. Pal, M. Hossain, P. Panday, N. C. Pati, N. Pal, and J. Chattopadhyay, "Cooperation delay induced chaos in an ecological system", *Chaos: An Interdisciplinary Journal of Nonlinear Science*, vol. 30, no. 8, p. 83 124, 2020.
- [163] S. Pal, N. Pal, S. Samanta, and J. Chattopadhyay, "Effect of hunting cooperation and fear in a predator-prey model", *Ecological Complexity*, vol. 39, p. 100770, 2019.

[164] P. Panday, N. Pal, S. Samanta, and J. Chattopadhyay, "Stability and bifurcation analysis of a three-species food chain model with fear", *International Journal of Bifurcation and Chaos*, vol. 28, no. 01, p. 1 850 009, 2018.

- [165] P. Panday, S. Samanta, N. Pal, and J. Chattopadhyay, "Delay induced multiple stability switch and chaos in a predator–prey model with fear effect", *Mathematics and Computers in Simulation*, vol. 172, pp. 134–158, 2020.
- [166] S. Pathak, A. Maiti, and S. P. Bera, "Effect of time-delay on a prey–predator model with microparasite infection in the predator", *Journal of Biological Systems*, vol. 19, no. 02, pp. 365–387, 2011.
- [167] A. Patra, J. Tushar, and B. Dubey, "Modeling and simulation of a wetland park: An application to Keoladeo National Park, India", *Mathematics and Computers in Simulation*, vol. 134, pp. 54–78, 2017.
- [168] S. D. Peacor, B. L. Peckarsky, G. C. Trussell, and J. R. Vonesh, "Costs of predator-induced phenotypic plasticity: a graphical model for predicting the contribution of non-consumptive and consumptive effects of predators on prey", *Oecologia*, vol. 171, no. 1, pp. 1–10, 2013.
- [169] L. Perko, *Differential Equations and Dynamical Systems*. Springer, New York, 1996, vol. 7.
- [170] B. S.R. V. Prasad, M. Banerjee, and P. D. N. Srinivasu, "Dynamics of additional food provided predator–prey system with mutually interfering predators", *Mathematical Biosciences*, vol. 246, no. 1, pp. 176–190, 2013.
- [171] E. L. Preisser and D. I. Bolnick, "The many faces of fear: comparing the pathways and impacts of nonconsumptive predator effects on prey populations", *PLOS One*, vol. 3, no. 6, e2465, 2008.
- [172] K. Pyragas, "Continuous control of chaos by self-controlling feedback", *Physics Letters A*, vol. 170, no. 6, pp. 421–428, 1992.
- [173] Y. Qu and J. Wei, "Bifurcation analysis in a time-delay model for prey–predator growth with stage-structure", *Nonlinear Dynamics*, vol. 49, no. 1-2, pp. 285–294, 2007.
- [174] S. Rana, A. R. Bhowmick, and S. Bhattacharya, "Impact of Prey Refuge on a Discrete Time Predator–Prey System with Allee Effect", *International Journal of Bifurcation and Chaos*, vol. 24, no. 09, p. 1450 106, 2014.
- [175] R. Rani and S. Gakkhar, "The impact of provision of additional food to predator in predator–prey model with combined harvesting in the presence of toxicity", *Journal of Applied Mathematics and Computing*, vol. 60, no. 1-2, pp. 673–701, 2019.

[176] M. T. Rosenstein, J. J. Collins, and C. J. De Luca, "A practical method for calculating largest Lyapunov exponents from small data sets", *Physica D*, vol. 65, no. 1-2, pp. 117–134, 1993.

- [177] S. K. Roy and B. Roy, "Analysis of prey-predator three species fishery model with harvesting including prey refuge and migration", *International Journal of Bifurcation and Chaos*, vol. 26, no. 02, p. 1650022, 2016.
- [178] S. Saha and G. P. Samanta, "A prey–predator system with disease in prey and cooperative hunting strategy in predator", *Journal of Physics A: Mathematical and Theoretical*, vol. 53, no. 48, p. 485 601, 2020.
- [179] B. Sahoo and S. Poria, "The chaos and control of a food chain model supplying additional food to top-predator", *Chaos, Solitons & Fractals*, vol. 58, pp. 52–64, 2014.
- [180] B. Sahoo, "Role of additional food in eco-epidemiological system with disease in the prey", *Applied Mathematics and Computation*, vol. 259, pp. 61–79, 2015.
- [181] B. Sahoo and S. Poria, "Effects of additional food in a delayed predator–prey model", *Mathematical Biosciences*, vol. 261, pp. 62–73, 2015.
- [182] M. Saifuddin, S. Biswas, S. Samanta, S. Sarkar, and J. Chattopadhyay, "Complex dynamics of an eco-epidemiological model with different competition coefficients and weak Allee in the predator", *Chaos, Solitons & Fractals*, vol. 91, pp. 270–285, 2016.
- [183] S. Samanta and J. Chattopadhyay, "Effect of kairomone on predator–prey dynamics—A delay model", *International Journal of Biomathematics*, vol. 6, no. 05, p. 1350035, 2013.
- [184] S. Samanta, R. Dhar, I. M. Elmojtaba, and J. Chattopadhyay, "The role of additional food in a predator–prey model with a prey refuge", *Journal of Biological Systems*, vol. 24, no. 02n03, pp. 345–365, 2016.
- [185] R. V. dos Santos, F. L. Ribeiro, and A. S. Martinez, "Models for Allee effect based on physical principles", *Journal of Theoretical Biology*, vol. 385, pp. 143–152, 2015.
- [186] S. K. Sasmal and J. Chattopadhyay, "An eco-epidemiological system with infected prey and predator subject to the weak Allee effect", *Mathematical Biosciences*, vol. 246, no. 2, pp. 260–271, 2013.
- [187] S. K. Sasmal, "Population dynamics with multiple Allee effects induced by fear factors—A mathematical study on prey-predator interactions", *Applied Mathematical Modelling*, vol. 64, pp. 1–14, 2018.
- [188] G. B. Schaller, *The Serengeti Lion: A Study of Predator-Prey Relations*. University of Chicago Press, 2009.

[189] M. Sen, P. D. N. Srinivasu, and M. Banerjee, "Global dynamics of an additional food provided predator–prey system with constant harvest in predators", *Applied Mathematics and Computation*, vol. 250, pp. 193–211, 2015.

- [190] S. Sharma and G. P. Samanta, "A Leslie–Gower predator–prey model with disease in prey incorporating a prey refuge", *Chaos, Solitons & Fractals*, vol. 70, pp. 69–84, 2015.
- [191] X. Shi, X. Zhou, and X. Song, "Analysis of a stage-structured predator-prey model with Crowley-Martin function", *Journal of Applied Mathematics and Computing*, vol. 36, no. 1-2, pp. 459–472, 2011.
- [192] G. T. Skalski and J. F. Gilliam, "Functional responses with predator interference: viable alternatives to the Holling type II model", *Ecology*, vol. 82, no. 11, pp. 3083–3092, 2001.
- [193] H. L. Smith, "Monotone dynamical systems: an introduction to the theory of competitive and cooperative systems", *Bulletin of the American Mathematical Society*, vol. 33, pp. 203–209, 1996.
- [194] Y. Song and J. Wei, "Local Hopf bifurcation and global periodic solutions in a delayed predator–prey system", *Journal of Mathematical Analysis and Applications*, vol. 301, no. 1, pp. 1–21, 2005.
- [195] Y. Song and J. Wei, "Bifurcation analysis for Chen's system with delayed feedback and its application to control of chaos", *Chaos, Solitons & Fractals*, vol. 22, no. 1, pp. 75–91, 2004.
- [196] Y. Song and S. Yuan, "Bifurcation analysis in a predator–prey system with time delay", *Nonlinear Analysis: Real World Applications*, vol. 7, no. 2, pp. 265–284, 2006.
- [197] P. D. N. Srinivasu, B. S.R. V. Prasad, and M. Venkatesulu, "Biological control through provision of additional food to predators: a theoretical study", *Theoretical Population Biology*, vol. 72, no. 1, pp. 111–120, 2007.
- [198] A. W. Stoner and M. Ray-Culp, "Evidence for Allee effects in an over-harvested marine gastropod: density-dependent mating and egg production", *Marine Ecology Progress Series*, vol. 202, pp. 297–302, 2000.
- [199] J. Sugie and M. Katayama, "Global asymptotic stability of a predator-prey system of Holling type", *Nonlinear Analysis: Theory, Methods and Applications*, vol. 1034, pp. 142–158, 1998.
- [200] G. Q. Sun, "Mathematical modeling of population dynamics with Allee effect", *Non-linear Dynamics*, vol. 85, no. 1, pp. 1–12, 2016.

[201] J. P. Suraci, M. Clinchy, L. M. Dill, D. Roberts, and L. Y. Zanette, "Fear of large carnivores causes a trophic cascade", *Nature Communications*, vol. 7, no. 1, pp. 1–7, 2016.

- [202] T. O. Svennungsen, Ø. H. Holen, and O. Leimar, "Inducible defenses: continuous reaction norms or threshold traits?", *The American Naturalist*, vol. 178, no. 3, pp. 397–410, 2011.
- [203] G. Tang, S. Tang, and R. A. Cheke, "Global analysis of a Holling type II predator–prey model with a constant prey refuge", *Nonlinear Dynamics*, vol. 76, no. 1, pp. 635–647, 2014.
- [204] Y. Tao, X. Wang, and X. Song, "Effect of prey refuge on a harvested predator–prey model with generalized functional response", *Communications in Nonlinear Science and Numerical Simulation*, vol. 16, no. 2, pp. 1052–1059, 2011.
- [205] X. Tian and R. Xu, "Global dynamics of a predator-prey system with Holling type II functional response", *Nonlinear Analysis: Modelling and Control*, vol. 16, no. 2, pp. 242–253, 2011.
- [206] Z. Tian-Wei-Tian, "Multiplicity of positive almost periodic solutions in a delayed Hassell–Varley-type predator–prey model with harvesting on prey", *Mathematical Methods in the Applied Sciences*, vol. 37, no. 5, pp. 686–697, 2014.
- [207] J. P. Tripathi, S. Abbas, and M. Thakur, "Dynamical analysis of a prey–predator model with Beddington–DeAngelis type function response incorporating a prey refuge", *Non-linear Dynamics*, vol. 80, no. 1-2, pp. 177–196, 2015.
- [208] J. P. Tripathi, S. Abbas, and M. Thakur, "A density dependent delayed predator–prey model with Beddington–DeAngelis type function response incorporating a prey refuge", *Communications in Nonlinear Science and Numerical Simulation*, vol. 22, no. 1-3, pp. 427–450, 2015.
- [209] J. P. Tripathi, P. S. Mandal, A. Poonia, and V. P. Bajiya, "A widespread interaction between generalist and specialist enemies: The role of intraguild predation and Allee effect", *Applied Mathematical Modelling*, vol. 89, pp. 105–135,
- [210] J. P. Tripathi, S. Tyagi, and S. Abbas, "Global analysis of a delayed density dependent predator–prey model with Crowley–Martin functional response", *Communications in Nonlinear Science and Numerical Simulation*, vol. 30, no. 1-3, pp. 45–69, 2016.
- [211] P. Turchin and P. Kareiva, "Aggregation in Aphis varians: an effective strategy for reducing predation risk", *Ecology*, vol. 70, no. 4, pp. 1008–1016, 1989.

[212] S. Uehara, "Predation on mammals by the Chimpanzee", *Primates*, vol. 38, no. 2, pp. 193–214, 1997.

- [213] G. W. Uetz, "Foraging strategies of spiders", *Trends in Ecology & Evolution*, vol. 7, no. 5, pp. 155–159, 1992.
- [214] R. K. Upadhyay and R. K. Naji, "Dynamics of a three species food chain model with Crowley–Martin type functional response", *Chaos, Solitons & Fractals*, vol. 42, no. 3, pp. 1337–1346, 2009.
- [215] P.-F. Verhulst, "Notice sur la loi que la population suit dans son accroissement. Correspondance Mathematique et Physique Publiee par A", *Quetelet*, vol. 10, pp. 113–121, 1838.
- [216] M. Verma and A. K. Misra, "Modeling the effect of prey refuge on a ratio-dependent predator–prey system with the Allee effect", *Bulletin of Mathematical Biology*, vol. 80, no. 3, pp. 1–31, 2018.
- [217] V. Volterra, Variazioni e fluttuazioni del numero d'individui in specie animali conviventi. C. Ferrari, 1927.
- [218] T. Wang and L. Chen, "Dynamic complexity of microbial pesticide model", *Nonlinear Dynamics*, vol. 58, no. 3, pp. 539–552, 2009.
- [219] W. Wang and L. Chen, "A predator-prey system with stage-structure for predator", *Computers & Mathematics with Applications*, vol. 33, no. 8, pp. 83–91, 1997.
- [220] X. Wang, L. Zanette, and X. Zou, "Modelling the fear effect in predator–prey interactions", *Journal of Mathematical Biology*, vol. 73, no. 5, pp. 1179–1204, 2016.
- [221] X. Wang and X. Zou, "Modeling the fear effect in predator–prey interactions with adaptive avoidance of predators", *Bulletin of Mathematical Biology*, vol. 79, no. 6, pp. 1325–1359, 2017.
- [222] X. Wang and X. Liu, "Stability and Hopf Bifurcation of a Delayed Ratio-dependent Eco-epidemiological Model with Two time Delays and Holling type III Functional Response", *International Journal of Nonlinear Science*, vol. 23, no. 2, pp. 102–108, 2017.
- [223] Y. Wang, Y. Zhou, F. Brauer, and J. M. Heffernan, "Viral dynamics model with CTL immune response incorporating antiretroviral therapy", *Journal of Mathematical Biology*, vol. 67, no. 4, pp. 901–934, 2013.
- [224] F. Wei and Q. Fu, "Hopf bifurcation and stability for predator–prey systems with Beddington–DeAngelis type functional response and stage structure for prey incorporating refuge", *Applied Mathematical Modelling*, vol. 40, no. 1, pp. 126–134, 2016.

[225] F. Wei and Q. Fu, "Globally asymptotic stability of a predator–prey model with stage structure incorporating prey refuge", *International Journal of Biomathematics*, vol. 9, no. 04, p. 1650058, 2016.

- [226] I. J. Winfield, "The influence of simulated aquatic macrophytes on the zooplankton consumption rate of juvenile roach, Rutilus rutilus, rudd, Scardinius erythrophthalmus, and perch, Perca fluviatilis", *Journal of Fish Biology*, vol. 29, no. sA, pp. 37–48, 1986.
- [227] S. N. Wood, S. P. Blythe, W. S. C. Gurney, and R. M. Nisbet, "Instability in mortality estimation schemes related to stage-structure population models", *Mathematical Medicine and Biology*, vol. 6, no. 1, pp. 47–68, 1989.
- [228] D. Xiao and S. Ruan, "Global analysis in a predator-prey system with nonmonotonic functional response", *SIAM Journal on Applied Mathematics*, vol. 61, no. 4, pp. 1445–1472, 2001.
- [229] C. Xu and P. Li, "Dynamical analysis in a delayed predator-prey model with two delays", *Discrete Dynamics in Nature and Society*, vol. 2012, 2012.
- [230] C. Xu, M. Liao, and X. He, "Stability and Hopf bifurcation analysis for a Lotka-Volterra predator-prey model with two delays", *International Journal of Applied Mathematics and Computer Science*, vol. 21, no. 1, pp. 97–107, 2011.
- [231] C. Xu, X. Tang, M. Liao, and X. He, "Bifurcation analysis in a delayed Lokta–Volterra predator–prey model with two delays", *Nonlinear Dynamics*, vol. 66, no. 1-2, pp. 169–183, 2011.
- [232] H.-T. Xu, C.-K. Zhang, L. Jiang, and J. Smith, "Stability analysis of linear systems with two additive time-varying delays via delay-product-type Lyapunov functional", *Applied Mathematical Modelling*, vol. 45, pp. 955–964, 2017.
- [233] R. Xu, M. A. J. Chaplain, and F. A. Davidson, "Persistence and global stability of a ratio-dependent predator–prey model with stage structure", *Applied Mathematics and Computation*, vol. 158, no. 3, pp. 729–744, 2004.
- [234] R. Xu, "Global dynamics of a predator–prey model with time delay and stage structure for the prey", *Nonlinear Analysis: Real World Applications*, vol. 12, no. 4, pp. 2151–2162, 2011.
- [235] X.-P. Yan and Y.-D. Chu, "Stability and bifurcation analysis for a delayed Lotka–Volterra predator–prey system", *Journal of Computational and Applied Mathematics*, vol. 196, no. 1, pp. 198–210, 2006.

[236] L. Y. Zanette, A. F. White, M. C. Allen, and M. Clinchy, "Perceived predation risk reduces the number of offspring songbirds produce per year", *Science*, vol. 334, no. 6061, pp. 1398–1401, 2011.

- [237] H. Zhang, Y. Cai, S. Fu, and W. Wang, "Impact of the fear effect in a prey-predator model incorporating a prey refuge", *Applied Mathematics and Computation*, vol. 356, pp. 328–337, 2019.
- [238] W. Zhang, H. Liu, and C. Xu, "Bifurcation Analysis for a Leslie Gower Predator-Prey System with Time Delay", *International Journal of Nonlinear Science*, vol. 15, no. 1, pp. 35–44, 2013.
- [239] Y. Zhang and Q. Zhang, "Dynamic behavior in a delayed stage-structured population model with stochastic fluctuation and harvesting", *Nonlinear Dynamics*, vol. 66, no. 1-2, pp. 231–245, 2011.
- [240] S.-R. Zhou, Y.-F. Liu, and G. Wang, "The stability of predator–prey systems subject to the Allee effects", *Theoretical Population Biology*, vol. 67, no. 1, pp. 23–31, 2005.
- [241] J. Zu and M. Mimura, "The impact of Allee effect on a predator–prey system with Holling type II functional response", *Applied Mathematics and Computation*, vol. 217, no. 7, pp. 3542–3556, 2010.