

## REFERENCES

---

- Ahada, C. P., & Suthar, S. (2017). Hydrochemistry of groundwater in North Rajasthan, India: chemical and multivariate analysis. *Environmental Earth Sciences*, 76(5), 203.
- Ahamad, A., Madhav, S., Singh, P., Pandey, J., & Khan, A. H. (2018). Assessment of groundwater quality with special emphasis on nitrate contamination in parts of Varanasi City, Uttar Pradesh, India. *Applied Water Science*, 8(4), 115. <https://doi.org/10.1007/s13201-018-0759-x>.
- ADRI, (2020). Water facts - Asian Development Research Institute – An ICSSR Recognised Institute. Available at: [https://www.adriindia.org/adri/india\\_water\\_facts](https://www.adriindia.org/adri/india_water_facts) (Last Accessed 15 March 2020)
- American Public Health Association. (1998). Standard methods for the examination of water and wastewater: Washington. DC, American Public Health Association, American Water Works Association, and Water Environment Federation, 3-37.
- ArcGIS 10.2, (2019), Esri's GIS mapping software, Available at: <https://support.esri.com/zh-cn/products/desktop/arcgis-desktop/arcmap/10-2-2> (Accessed 16 Jan. 2019).
- Arumugam, K., & Elangovan, K. (2009). Hydrochemical characteristics and groundwater quality assessment in Tirupur region, Coimbatore district, Tamil Nadu, India. *Environmental Geology*, 58(7), 1509. <https://doi.org/10.1007/s00254-008-1652-y>.
- Asoka, A., Gleeson, T., Wada, Y., & Mishra, V. (2017). Relative contribution of monsoon precipitation and pumping to changes in groundwater storage in India. *Nature Geoscience*, 10(2), 109-117.

Ateş, A., Demirel, H., Köklü, R., Çetin Doğruparmak, Ş., Altundağ, H., & Şengörür, B. (2020). Seasonal Source Apportionment of Heavy Metals and Physicochemical Parameters: A Case Study of Sapanca Lake Watershed. *Journal of Spectroscopy*. <https://doi.org/10.1155/2020/7601590>

Avtar, R., Kumar, P., Singh, C. K., Sahu, N., Verma, R. L., Thakur, J. K., & Mukherjee, S. (2013). Hydrogeochemical assessment of groundwater quality of Bundelkhand, India using statistical approach. *Water Quality, Exposure and Health*, 5(3), 105-115.

Ayres, R. U. (1996). Statistical measures of unsustainability. *Ecological Economics*, 16(3), 239-255.

Barsi, J., Lee, K., Kvaran, G., Markham, B., & Pedelty, J. (2014). The spectral response of the Landsat-8 operational land imager, *Remote Sens.*, 6, 10232–10251.

Bartlett, A. A. "Colorado's population problem." *Population Press* 5, no. 6 (1999): 8-9.

Batabyal, A. K., & Chakraborty, S. (2015). Hydrogeochemistry and water quality index in the assessment of groundwater quality for drinking uses. *Water Environment Research*, 87(7), 607-617.

Bayer, P., Pfister, S., & Hellweg, S. (2009). On the potential of life cycle assessment in water resources management: focus on groundwater. *IAHS publication*, 327, 285.

Bencer, S., Boudoukha, A., & Mouni, L. (2016). Multivariate statistical analysis of the groundwater of Ain Djacer area (Eastern of Algeria). *Arabian Journal of Geosciences*, 9(4), 248.

Berger, M., Pfister, S., & Motoshita, M. (2016). Water Footprinting in Life Cycle Assessment: How to Count the Drops and Assess the Impacts?. In Special Types of Life Cycle Assessment (pp. 73-114). Springer, Dordrecht.

Birkved, M., & Hauschild, M. Z. (2006). PestLCI—a model for estimating field emissions of pesticides in agricultural LCA. Ecological modelling, 198(3-4), 433-451.

Bhakar, V., Kumar, D. H., Sai, N. K., Sangwan, K. S., & Raghuvanshi, S. (2016). Life cycle assessment of filtration systems of reverse osmosis units: a case study of a university campus. Procedia CIRP, 40, 268-273.

Bhakar, V., Sihag, N., Gieschen, R., Andrew, S., Herrmann, C., & Sangwan, K. S. (2015). Environmental impact analysis of a water supply system: study of an Indian university campus. Procedia CIRP, 29, 468-473.

Bhakar, P., & Singh, A. P. (2019). Groundwater quality assessment in a hyper-arid region of Rajasthan, India. Natural Resources Research, 28(2), 505-522.

Bhuiyan, C., & Ray, P. K. C. (2017). Groundwater quality zoning in the perspective of health hazards. Water resources management, 31(1), 251-267.

Boulay, A. M., Bouchard, C., Bulle, C., Deschênes, L., & Margni, M. (2011). Categorizing water for LCA inventory. The International Journal of Life Cycle Assessment, 16(7), 639-651.

Brandsegg, K. B., Hammer, E., & Sinding-Larsen, R. (2010). A comparison of unstructured and structured Principal Component Analyses and their interpretation. Natural resources research, 19(1), 45-62.

Bright, J. C., Bidwell, V. J., Robb, C., & Ward, J. C. (1998). Environmental performance indicators for groundwater.

Brundtland, G. H. (1987). Our common future, report of the World Commission on Environment and Development, World commission on environment and development, 1987. Published as Annex to General Assembly document A/42/427, development and international Co-operation: Environment August, 2, 1987.

Catroll, D. (1962). Rain water as a chemical agent of geological process: a view. USGS water supply, 1533, 18-20.

Cattell, R. B., & Jaspers, J. (1967). A general plemode (No. 30-10-5-2) for factor analytic exercises and research. Multivariate Behavioral Research Monographs.

Census of India, Office of the Registrar General & Census Commissioner, India, Ministry of Home Affairs, Government of India, (2011), Available at: <http://censusindia.gov.in/> (Last accessed on: 25 June, 2019).

CGWB, (2009). Groundwater Scenario: Bikaner District Rajasthan, Western Region Jaipur, District Groundwater Brochure, Central Ground Water Board, Ministry of Water Resources, Government of India.

CGWB, (2013). Groundwater Information Bikaner District Rajasthan, Central Groundwater Board, Western Region, Jaipur, Ministry of Water Resources, Government of India, 2013, Available at: [cgwb.gov.in/District Profile/Rajasthan/Bikaner.pdf](http://cgwb.gov.in/District%20Profile/Rajasthan/Bikaner.pdf) (Last accessed on: 15 May, 2019).

CGWB. (2019). National Compilation on Dynamic Ground Water Resources of India, 2017. Government of India, Ministry of Jal Shakti, Department of Water Resources, RD & GR

Central Ground Water Board, Available at: <http://cgwb.gov.in/GW-Assessment/GWRA-2017-National-Compilation.pdf> (Last accessed on: 15 August, 2019).

Chabukdhara, M., Gupta, S. K., Kotecha, Y., & Nema, A. K. (2017). Groundwater quality in Ghaziabad district, Uttar Pradesh, India: Multivariate and health risk assessment. *Chemosphere*, 179, 167-178.

Chaves, H. M., & Alipaz, S. (2007). An integrated indicator based on basin hydrology, environment, life, and policy: The watershed sustainability index. *Water Resources Management*, 21(5), 883-895.

Chintalapudi, P., Pujari, P., Khadse, G., Sanam, R., & Labhasetwar, P. (2017). Groundwater quality assessment in emerging industrial cluster of alluvial aquifer near Jaipur, India. *Environmental Earth Sciences*, 76(1), 8. <https://doi.org/10.1007/s12665-016-6300-3>.

CIA. (2019). <https://www.cia.gov/library/publications/the-world-factbook/fields.349.html>. Last Accessed on December 1, 2019.

Clesceri, L. S., Greenberg, A. E., & Eaton, A. D. (1998). Standard Methods for the Examination of Water and Wastewater APHA. AWWA, WEF, Monrovia, USA.

Corner, B. R., Narayanan, R. M., & Reichenbach, S. E. (2003). Noise estimation in remote sensing imagery using data masking. *International Journal of Remote Sensing*, 24(4), 689-702.

Cortés, A. E., Oyarzún, R., Kretschmer, N., Chaves, H., Soto, G., Soto, M., ... & Maturana, H. (2018). Application of the watershed sustainability index to the Elqui river basin, North-Central Chile. *Obras y Proyectos*, (12), 57-69.

CWSI, (2007). Canadian Water Sustainability Index, Project Report, Policy Research Initiative – Project – Sustainable Development, 2007.

Damkjaer, S., & Taylor, R. (2017). The measurement of water scarcity: Defining a meaningful indicator. *Ambio*, 46(5), 513-531.

Dandautiya, R., Singh, A. P., & Kundu, S. (2018). Impact assessment of fly ash on ground water quality: an experimental study using batch leaching tests. *Waste Management & Research*, 36(7), 624-634. <https://doi.org/10.1177/0734242X18775484>.

Dar, I. A., Sankar, K., & Dar, M. A. (2010). Remote sensing technology and geographic information system modeling: an integrated approach towards the mapping of groundwater potential zones in Hardrock terrain, Mamundiyar basin. *Journal of Hydrology*, 394(3-4), 285-295.

Das, M., Kumar, A., Mohapatra, M., & Muduli, S. D. (2010). Evaluation of drinking quality of groundwater through multivariate techniques in urban area. *Environmental monitoring and assessment*, 166(1-4), 149-157.

Davis S.N. and DeWeist R.J.M., (1966). *Hydrogeology*, Wiley, New York.

Dawe, C. J. (1990). Implications of aquatic animal health for human health. *Environmental health perspectives*, 86, 245-255.

de Loe, R. C., Di Giantomasso, S. E., & Kreutzwiser, R. D. (2002). Local capacity for groundwater protection in Ontario. *Environmental management*, 29(2), 217-233.

Dijkman, T. J., Basset-Mens, C., Antón, A., & Núñez, M. (2018). LCA of food and agriculture. In *Life Cycle Assessment* (pp. 723-754). Springer, Cham.

Dijkman, T. J., Birkved, M., & Hauschild, M. Z. (2012). PestLCI 2.0: a second generation model for estimating emissions of pesticides from arable land in LCA. *The International Journal of Life Cycle Assessment*, 17(8), 973-986.

Eaton, F. M. (1950). Significance of carbonates in irrigation waters. *Soil science*, 69(2), 123-134.

European Commission. (2019). Global human settlement. Available at: <https://ghsl.jrc.ec.europa.eu/> (Last accessed 15 May 2019).

Falkenmark, M., Lundqvist, J., & Widstrand, C., (1989). Macro-scale water scarcity requires micro-scale approaches: Aspects of vulnerability in semi-arid development. In *Natural resources forum* (Vol. 13, No. 4, pp. 258-267). Oxford, UK: Blackwell Publishing Ltd.

FAO, (2019). Digital soil map of the world. Food and Agricultural Organization of United Nations, 2019. Available at: <http://www.fao.org/geonetwork/srv/en/metadata.show?id=14116> (Accessed 15 Jan. 2019).

Finkbeiner, M. (Ed.), (2016). Special types of life cycle assessment. Springer Netherlands.

Flint, R. W., (2004a). The sustainable development of water resources. *Water resources update*, 127, 48-59.

Flint, R. W., (2004). Sustainable Development: What Does Sustainability Mean to Individuals in the Conduct of Their Lives and Businesses?. *PUBLIC ADMINISTRATION AND PUBLIC POLICY-NEW YORK-*, 108, 67-88.

Freeze R A & Cherry J A., (1979). ‘Groundwater- Chapter 9’ pp. 430-432, Prentice Hall Inc. Englewood, Cliffs. New Jersey.

- Gaikwad, S., Gaikwad, S., Meshram, D., Wagh, V., Kandekar, A., & Kadam, A. (2020). Geochemical mobility of ions in groundwater from the tropical western coast of Maharashtra, India: implication to groundwater quality. *Environment, Development and Sustainability*, 22(3), 2591-2624.
- Ganapuram, S., Kumar, G. V., Krishna, I. M., Kahya, E., & Demirel, M. C. (2009). Mapping of groundwater potential zones in the Musi basin using remote sensing data and GIS. *Advances in Engineering Software*, 40(7), 506-518.
- Gautam, S. K., Maharana, C., Sharma, D., Singh, A. K., Tripathi, J. K., & Singh, S. K. (2015). Evaluation of groundwater quality in the Chotanagpur plateau region of the Subarnarekha river basin, Jharkhand State, India. *Sustainability of Water Quality and Ecology*, 6, 57-74.
- Getahun, E., & Keefer, L. (2016). Integrated modeling system for evaluating water quality benefits of agricultural watershed management practices: Case study in the Midwest. *Sustainability of Water Quality and Ecology*, 8, 14-29.
- Ghazi, M., Quaranta, G., Duplay, J., & Khodja, M. (2008, April). Life-Cycle Assessment (LCA) of drilling mud in arid area. In Evaluation of specific fate factors of toxic emissions to groundwater. First results''. SPE-111646. This paper was prepared for presentation at the 2008 SPE International Conference on Health, Safety, and Environment in Oil and Gas Exploration and Production held in Nice, France (pp. 15-17).
- Gilron, J. (2014). Water-energy nexus: matching sources and uses. *Clean Technologies and Environmental Policy*, 16(8), 1471-1479.
- Gleeson, T., Befus, K. M., Jasechko, S., Luijendijk, E., & Cardenas, M. B. (2016). The global volume and distribution of modern groundwater, *Nat. Geosci.*, 9, 161–167.

Gleick, P. H. (1990). Vulnerability of water systems. Climate change and US water resources, 37, 223-240.

Gleick, P. H. (1996). Basic water requirements for human activities: meeting basic needs. *Water international*, 21(2), 83-92.

Godskesen, B., Meron, N., & Rygaard, M. (2018). LCA of drinking water supply. In Life cycle assessment (pp. 835-860). Springer, Cham.

Gonzales, P., & Ajami, N. K. (2015). Urban water sustainability: an integrative framework for regional water management. *Hydrology & Earth System Sciences Discussions*, 12(11).

<https://doi.org/10.5194/hessd-12-11291-2015>

Govt. of India, (2014). All India Installed capacity in MW of power stations. Report CEA.1–7.

Government of India. (2019). Handbook of urban statistics, ministry of urban and housing affairs.

<http://mohua.gov.in/pdf/5c80e2225a124Handbook%20of%20Urban%20Statistics%202019.pdf>. Last Accessed on December 2, 2019.

Green, T. R., Taniguchi, M., Kooi, H., Gurdak, J. J., Allen, D. M., Hiscock, K. M., ... & Aureli, A. (2011). Beneath the surface of global change: Impacts of climate change on groundwater. *Journal of Hydrology*, 405(3-4), 532-560.

Groundwater Year Book 2016-17, Rajasthan State, Central Groundwater Board, Western Region, Jaipur, August 2017, Available at: [cgwb.gov.in/Regions/GW-year-Books/GWYB-%202016-17/Rajasthan.pdf](http://cgwb.gov.in/Regions/GW-year-Books/GWYB-%202016-17/Rajasthan.pdf) (Last accessed on: 15 May, 2019).

Gurdak, J. J. (2017). Groundwater: Climate-induced pumping. *Nature Geoscience*, 10(2), 71-71.

Helena, B. A., Vega, M., Barrado, E., Pardo, R., & Fernández, L. (1999). A case of hydrochemical characterization of an alluvial aquifer influenced by human activities. *Water, Air, and Soil Pollution*, 112(3-4), 365-387.

Hexagonal Geospatial, (2015). ERDAS IMAGINE 15.00.00 Release Notes, 2015. Available at: <https://community.hexagongeospatial.com/t5/IMAGINE-Release-Information/ERDAS-IMAGINE-15-00-00-Release-Notes/ta-p/3218> (Accessed 16 Jan. 2019).

Hinterberger, F., Luks, F., & Schmidt-Bleek, F. (1997). Material flows vs.natural capital': What makes an economy sustainable?. *Ecological economics*, 23(1), 1-14.

Holm, R., Singini, W., & Gwayi, S. (2016). Comparative evaluation of the cost of water in northern Malawi: from rural water wells to science education. *Applied Economics*, 48(47), 4573-4583.

Hosseiniard, S. J., & Aminiyan, M. M. (2015). Hydrochemical characterization of groundwater quality for drinking and agricultural purposes: a case study in Rafsanjan plain, Iran. *Water Quality, Exposure and Health*, 7(4), 531-544. <https://doi.org/10.1007/s12403-015-0169-3>.

Huijbregts, M. A. J., Steinmann, Z. J. N., Elshout, P. M. F., Stam, G., Verones, F., Vieira, M. D. M., ... & Van Zelm, R. (2016). ReCiPe 2016: A harmonized life cycle impact assessment method at midpoint and endpoint level. report I: characterization; RIVM Report 2016-0104. National Institute for Human Health and the Environment, Bilthoven.

IDEI. (2018). Water India Facts, International Development Enterprises, India, Available on:  
<http://www.ide-india.org/content/water-india-facts> (accessed on 12/01/2019).

Iqbal, J., Gorai, A. K., Katpatal, Y. B., & Pathak, G. (2015). Development of GIS-based fuzzy pattern recognition model (modified DRASTIC model) for groundwater vulnerability to pollution assessment. International journal of environmental science and technology, 12(10), 3161-3174.

ISO. (1997). Environmental Management: Life Cycle Assessment: Principles and Framework, 1997.

Ivey, J. L., De Loë, R. C., & Kreutzwiser, R. D. (2002). Groundwater management by watershed agencies: an evaluation of the capacity of Ontario's conservation authorities. Journal of Environmental Management, 64(3), 311-331.

Jacobs, K., Lebel, L., Buizer, J., Addams, L., Matson, P., McCullough, E., ... & Finan, T. (2016). Linking knowledge with action in the pursuit of sustainable water-resources management. Proceedings of the National Academy of Sciences, 113(17), 4591-4596.

Jain, C. K., & Vaid, U. (2018). Assessment of groundwater quality for drinking and irrigation purposes using hydrochemical studies in Nalbari district of Assam, India. Environmental earth sciences, 77(6), 254. <https://doi.org/10.1007/s12665-018-7422-6>.

Jalali, M. (2012). Hydrochemical characteristics and sodification of groundwater in the Shirin Sou, Hamedan, Western Iran. Natural resources research, 21(1), 61-73.

Jasrotia, A. S., Taloor, A. K., Andotra, U., & Bhagat, B. D. (2018). Geoinformatics based groundwater quality assessment for domestic and irrigation uses of the Western Doon valley, Uttarakhand, India. Groundwater for Sustainable Development, 6, 200-212.

Jensen, J. R. (1996). Introductory digital image processing: a remote sensing perspective (No. Ed. 2). Prentice-Hall Inc..

Jenifer, M. A., & Jha, M. K. (2017). Comparison of Analytic Hierarchy Process, Catastrophe and Entropy techniques for evaluating groundwater prospect of hard-rock aquifer systems. *Journal of Hydrology*, 548, 605-624.

Jha, M. K., Chowdhury, A., Chowdary, V. M., & Peiffer, S. (2007). Groundwater management and development by integrated remote sensing and geographic information systems: prospects and constraints. *Water Resources Management*, 21(2), 427-467.

Juwana, I., Muttill, N., & Perera, B. J. C. (2012). Indicator-based water sustainability assessment—A review. *Science of the Total Environment*, 438, 357-371.

Juwana, I., Perera, B. J. C., & Muttill, N. (2010). A water sustainability index for West Java—Part 2: refining the conceptual framework using Delphi technique. *Water Science and Technology*, 62(7), 1641-1652.

Kalhor, K., & Emaminejad, N. (2019). Sustainable development in cities: studying the relationship between groundwater level and urbanization using remote sensing data. *Groundwater for Sustainable Development*, 9, 100243.

Kamra, S. K., Lal, K., Singh, O. P., & Boonstra, J. (2002). Effect of pumping on temporal changes in groundwater quality. *Agricultural water management*, 56(2), 169-178.

Karanth, K. R. (1987). Ground water assessment: development and management. Tata McGraw-Hill Education.

Karunanidhi, D., Aravinthasamy, P., Subramani, T., Roy, P. D., & Srinivasamoorthy, K. (2020). Risk of fluoride-rich groundwater on human health: remediation through managed

aquifer recharge in a hard rock terrain, South India. *Natural Resources Research*, 29, 2369–2395. <https://doi.org/10.1007/s11053-019-09592-4>.

Kasim, A., Gursoy, D., Okumus, F., & Wong, A. (2014). The importance of water management in hotels: a framework for sustainability through innovation. *Journal of Sustainable Tourism*, 22(7), 1090-1107.

Kefayati, M., Saghafian, B., Ahmadi, A., & Babazadeh, H. (2018). Empirical evaluation of river basin sustainability affected by inter-basin water transfer using composite indicators. *Water and Environment Journal*, 32(1), 104-111.

Khalil, M. H., Ahmed, K. S., Elnahry, A. E. H., & Hasan, A. N. (2014). Integrated geophysical, remote sensing and GIS studies for groundwater assessment, Abu Zenima Area, West Sinai, Egypt. *International Journal of Geosciences*, 5(9), 882.

Klopffer, W. (1997). Life cycle assessment-from the beginning to the current state. *Environmental Science and Pollution Research*, 4(4), 223-228.

Koehler, A. (2008). Water use in LCA: managing the planet's freshwater resources.

Konar, M., Evans, T. P., Levy, M., Scott, C. A., Troy, T. J., Vörösmarty, C. J., & Sivapalan, M. (2016). Water resources sustainability in a globalizing world: who uses the water?. *Hydrological Processes*, 30(18), 3330-3336.

Kong, N., Li, Q., Sangwan, N., Kulzick, R., Matei, S., & Ariyur, K. (2016). An interdisciplinary approach for a water sustainability study. *Papers in Applied Geography*, 2(2), 189-200.

Koop, S. H., & van Leeuwen, C. J. (2015). Assessment of the sustainability of water resources management: a critical review of the city blueprint approach. *Water Resources Management*, 29(15), 5649-5670.

Kumar, R. P., Ranjan, R. K., Ramanathan, A. L., Singh, S. K., & Srivastava, P. K. (2015). Geochemical modeling to evaluate the mangrove forest water. *Arabian Journal of Geosciences*, 8(7), 4687-4702. <https://doi.org/10.1007/s12517-014-1539-z>.

Kumar, S., Ghosh, N. C., Singh, R. P., Singh, R., & Singh, S. (2016). Impact of canal recharge on groundwater quality of Kolayat area, district Bikaner, India. In *Geostatistical and geospatial approaches for the characterization of natural resources in the environment* (pp. 341-347). Springer, Cham.

Kumar, M., Sharif, M., & Ahmed, S. (2019). Impact of urbanization on the river Yamuna basin. *International Journal of River Basin Management*, 1-15.

Lapworth, D. J., Krishan, G., MacDonald, A. M., & Rao, M. S. (2017). Groundwater quality in the alluvial aquifer system of northwest India: New evidence of the extent of anthropogenic and geogenic contamination. *Science of the total Environment*, 599, 1433-1444.

Latha, P. S., & Rao, K. N. (2012). An integrated approach to assess the quality of groundwater in a coastal aquifer of Andhra Pradesh, India. *Environmental Earth Sciences*, 66(8), 2143-2169.

Li, P., Tian, R., Xue, C., & Wu, J. (2017). Progress, opportunities, and key fields for groundwater quality research under the impacts of human activities in China with a special

focus on western China. Environmental Science and Pollution Research, 24(15), 13224-13234.

Li, P., Wu, J., & Qian, H. (2016). Hydrochemical appraisal of groundwater quality for drinking and irrigation purposes and the major influencing factors: a case study in and around Hua County, China. Arabian Journal of Geosciences, 9(1), 15. <https://doi.org/10.1007/s12517-015-2059-1>.

Lillesand, T., Kiefer, R. W., & Chipman, J. (2015). Remote sensing and image interpretation. John Wiley & Sons.

Liu, C. W., Lin, K. H., & Kuo, Y. M. (2003). Application of factor analysis in the assessment of groundwater quality in a blackfoot disease area in Taiwan. Science of the Total Environment, 313(1-3), 77-89.

Liverman, D. M., Hanson, M. E., Brown, B. J., & Merideth, R. W. (1988). Global sustainability: toward measurement. Environmental management, 12(2), 133-143.

Long, Y., Pan, J., Farooq, S., & Boer, H. (2016). A sustainability assessment system for Chinese iron and steel firms. Journal of Cleaner Production, 125, 133-144.

Machiwal, D., & Singh, P. K. (2015). Comparing GIS-based multi-criteria decision-making and Boolean logic modelling approaches for delineating groundwater recharge zones. Arabian Journal of Geosciences, 8(12), 10675-10691.

Magesh, N. S., Chandrasekar, N., & Soundranayagam, J. P. (2012). Delineation of groundwater potential zones in Theni district, Tamil Nadu, using remote sensing, GIS and MIF techniques. Geoscience frontiers, 3(2), 189-196.

Malika, G., Quaranta, G., Duplay, J., & Khodja, M. (2008). Life-Cycle Assessment (LCA) Of Drilling Mud In Arid Area. Evaluation Of Specific Fate Factors Of Toxic Emissions To Groundwater. In SPE International Conference on Health, Safety, and Environment in Oil and Gas Exploration and Production. Society of Petroleum Engineers.

Manap, M.A., Nampak, H., Pradhan, B., Lee, S., Sulaiman, W. N. A., & Ramli, M. F. (2014). Application of probabilistic-based frequency ratio model in groundwater potential mapping using remote sensing data and GIS. Arabian Journal of Geosciences, 7(2), 711-724. <https://doi.org/10.1007/s12517-012-0795-z>

Ma, R., Shi, J., Liu, J., & Gui, C. (2014). Combined use of multivariate statistical analysis and hydrochemical analysis for groundwater quality evolution: A case study in north chain plain. Journal of Earth Science, 25(3), 587-597.

Marghade, D., Malpe, D. B., & Rao, N. S. (2015). Identification of controlling processes of groundwater quality in a developing urban area using principal component analysis. Environmental Earth Sciences, 74(7), 5919-5933.

Maroufpoor, S., Fakheri-Fard, A., & Shiri, J. (2019). Study of the spatial distribution of groundwater quality using soft computing and geostatistical models. ISH Journal of Hydraulic Engineering, 25(2), 232-238. <https://doi.org/10.1080/09715010.2017.1408036>

Mekonnen, M. M., & Hoekstra, A. Y. (2011). National water Footprint accounts: the green, blue and grey water Footprint of production and consumption. Volume 1: Main Report.

Mekonnen, M. M., & Hoekstra, A. Y. (2016). Four billion people facing severe water scarcity. Science advances, 2(2), e1500323.

- Milà, I., Canals, L., Chenoweth, J., Chapagain, A., Orr, S., Antón, A., & Clift, R. (2009). Assessing freshwater use impacts in LCA: Part I—Inventory modelling and characterisation factors for the main impact pathways. *Int. J. Life Cycle Assess.*, 14(1), 28-42.
- Mititelu-Ionuș, O. (2017). Watershed Sustainability Index Development and Application: Case Study of the Motru River in Romania. *Polish Journal of Environmental Studies*, 26(5).
- Mondal, N. C., Tiwari, K. K., Sharma, K. C., & Ahmed, S. (2016). A diagnosis of groundwater quality from a semiarid region in Rajasthan, India. *Arabian Journal of Geosciences*, 9(12), 602.
- Mo, W., Zhang, Q., Mihelcic, J. R., & Hokanson, D. R. (2011). Embodied energy comparison of surface water and groundwater supply options. *Water research*, 45(17), 5577-5586.
- Mrklas, O., Bentley, L. R., Lunn, S. R. D., & Chu, A. (2006). Principal component analyses of groundwater chemistry data during enhanced bioremediation. *Water, Air, and Soil Pollution*, 169(1-4), 395-411.
- Mukate, S. V., Panaskar, D. B., Wagh, V. M., & Baker, S. J. (2020). Understanding the influence of industrial and agricultural land uses on groundwater quality in semiarid region of Solapur, India. *Environment, Development and Sustainability*, 22(4), 3207-3238.
- Naghibi, S. A., Vafakhah, M., Hashemi, H., Pradhan, B., & Alavi, S. J. (2018). Groundwater augmentation through the site selection of floodwater spreading using a data mining approach (case study: Mashhad Plain, Iran). *Water*, 10(10), 1405.

Naubi, I., Zardari, N. H., Shirazi, S. M., Roslan, N. A., Yusop, Z., & Haniffah, M. R. B. M. (2017). Ranking of Skudai river sub-watersheds from sustainability indices application of PROMETHEE method. International Journal, 12(29), 124-131.

Nazzal, Y., Zaidi, F. K., Ahmed, I., Ghrefat, H., Naeem, M., Al-Arifi, N. S., ... & Al-Kahtany, K. M. (2015). The combination of principal component analysis and geostatistics as a technique in assessment of groundwater hydrochemistry in arid environment. Current Science, 1138-1145.

NGWA (2016) Facts about global groundwater usage. Compiled by the Ground Water Association. Available at: <https://www.ngwa.org/what-is-groundwater/About-groundwater/facts-about-global-groundwater-usage> (Last accessed 18 March 2020).

NWT water stewardship. (2019). How Do We Measure Aquatic Ecosystem Health? Available at: [https://www.nwtwaterstewardship.ca/how\\_do\\_we\\_measure\\_aquatic\\_ecosystem\\_health](https://www.nwtwaterstewardship.ca/how_do_we_measure_aquatic_ecosystem_health); (Last accessed on; 15 June 2019).

OECD, O. (2004). Key Environmental Indicators 2004.

OECD. Publishing. (2018). Implementing the OECD Principles on Water Governance- Indicator Framework and Evolving Practices. OECD Publishing.

Ofwat. (2013). The economic regulator of the water sector in England and Wales, 29 April, 2013, Available at: <https://www.ofwat.gov.uk/publication/key-performance-indicators-guidance> (Last accessed: August 16, 2019)

Oikonomidis, D., Dimogianni, S., Kazakis, N., & Voudouris, K. (2015). A GIS/remote sensing-based methodology for groundwater potentiality assessment in Tirnavos area, Greece. Journal of Hydrology, 525, 197-208.

Pandey, V., Ray, M., & Kumar, V. (2019). Assessment of water-quality parameters of groundwater contaminated by fly ash leachate near Koradi Thermal Power Plant, Nagpur. *Environmental Science and Pollution Research*, 1-13.

Patel, P., Raju, N. J., Reddy, B. S. R., Suresh, U., Gossel, W., & Wycisk, P. (2016). Geochemical processes and multivariate statistical analysis for the assessment of groundwater quality in the Swarnamukhi River basin, Andhra Pradesh, India. *Environmental Earth Sciences*, 75(7), 611. <https://doi.org/10.1007/s12665-015-5108-x>

Phillis, Y. A., & Andriantiatsaholainaina, L. A. (2001). Sustainability: an ill-defined concept and its assessment using fuzzy logic. *Ecological economics*, 37(3), 435-456.

Piper, A. M. (1944). A graphic procedure in the geochemical interpretation of water-analyses. *Eos, Transactions American Geophysical Union*, 25(6), 914-928.

Prasad, R. K., Mondal, N. C., Banerjee, P., Nandakumar, M. V., & Singh, V. S. (2008). Deciphering potential groundwater zone in hard rock through the application of GIS. *Environmental geology*, 55(3), 467-475.

Prasanth, S. S., Magesh, N. S., Jitheshlal, K. V., Chandrasekar, N., & Gangadhar, K. (2012). Evaluation of groundwater quality and its suitability for drinking and agricultural use in the coastal stretch of Alappuzha District, Kerala, India. *Applied Water Science*, 2(3), 165-175.

Praveena, S. M., Lin, C. Y., Aris, A. Z., & Abdullah, M. H. (2010). Groundwater assessment at Manukan Island, Sabah: multidisiplinary approaches. *Natural resources research*, 19(4), 279-291. <https://doi.org/10.1007/s11053-010-9124-y>.

- Quevauviller, P., Batelaan, O., & Hunt, R. J. (2016). Groundwater regulation and integrated water planning. In Integrated groundwater management (pp. 197-227). Springer, Cham.
- Robinove, C. J., Langford, R. H., & Brookhart, J. W. (1958). Saline-water resources of North Dakota (No. 1428). US Government Printing Office.
- Rajasthan Agriculture Competitiveness Project. (2012). Environment Assessment and Management Framework, January 2012, Department of Agriculture, Government of Rajasthan.
- Rajdeep Kaur, R., & Singh, R. V. (2011). Assessment for different groundwater quality parameters for irrigation purposes in Bikaner City, Rajasthan. Journal of Applied Sciences in Environmental Sanitation, 6(3), 385-392.
- Raju, N. J. (2007). Hydrogeochemical parameters for assessment of groundwater quality in the upper Gunjanaeru River basin, Cuddapah District, Andhra Pradesh, South India. Environmental Geology, 52(6), 1067-1074.
- Ranjan, R. (2012). Natural resource sustainability versus livelihood resilience: model of groundwater exploitation strategies in developing regions. Journal of Water Resources Planning and Management, 138(5), 512-522.
- Rao, N. S., Sunitha, B., Adimalla, N., & Chaudhary, M. (2020). Quality criteria for groundwater use from a rural part of Wanaparthy District, Telangana State, India, through ionic spatial distribution (ISD), entropy water quality index (EWQI) and principal component analysis (PCA). Environmental Geochemistry and Health, 42(2), 579-599.
- Rao, N. S. (2002). Geochemistry of groundwater in parts of Guntur district, Andhra Pradesh, India. Environmental Geology, 41(5), 552-562.

Rathore, M. S. (2005). Groundwater exploration and augmentation efforts in Rajasthan—a review. Institute of Development Studies, Jaipur, India.

Raskin, P., Gleick, P., Kirshen, P., Pontius, G., & Strzepek, K. (1997). Water futures: assessment of long-range patterns and problems. Comprehensive assessment of the freshwater resources of the world. SEI.

Ravindra, K., & Garg, V. K. (2006). Distribution of fluoride in groundwater and its suitability assessment for drinking purpose. International Journal of Environmental Health Research, 16 (2), 163-166.

Reilly, T. E., Dennehy, K. F., Alley, W. M., & Cunningham, W. L. (2008). Ground-water availability in the United States (No. 1323). Geological Survey (US).

Richards, L. A. (1954). Diagnosis and improvement of saline and alkali soils (Vol. 78, No. 2, p. 154). LWW.

Robinove, C. J., Langford, R. H., & Brookhart, J. W. (1958). Saline-water resources of North Dakota (No. 1428). US Government Printing Office.

Ryder, R. A., Edwards, C. J. (1985). International Joint Commission, & Great Lakes Fishery Commission. Conceptual approach for the application of biological indicators of ecosystem quality in the Great Lakes Basin.

Saaty, T. L. (1980). The Analytic Hierarchy Process: Planning, Priority Setting, Resource Allocation: McGraw-Hill. Inc. New York, NY.

Saha, D., Marwaha, S., & Mukherjee, A. (2018). Groundwater resources and sustainable management issues in India. In Clean and Sustainable Groundwater in India (pp. 1-11). Springer, Singapore.

Samake, M., Tang, Z., Hlaing, W., M'Bue, I., & Kasereka, K. (2010). Assessment of groundwater pollution potential of the Datong Basin, Northern China. *Journal of Sustainable Development*, 3(2), 140.

Saraf, A. K., & Choudhury, P. R. (1998). Integrated remote sensing and GIS for groundwater exploration and identification of artificial recharge sites. *International journal of Remote sensing*, 19(10), 1825-1841.

Schmoll, O., Howard, G., Chilton, J., & Chorus, I. (Eds.). (2006). Protecting groundwater for health: managing the quality of drinking-water sources. World Health Organization.

Seckler, D., Amarasinghe, U., Molden, D., de Silva, R., & Barker, R. (1998). *World Water Demand and Supply, 1990 to 2025: Scenarios and Issues*. International Water Management Institute. Colombo, Sri Lanka.

Seckler, D., & Amarasinghe, U. (2004). Major problems in the global water-food nexus. *Perspectives in World Food and Agriculture*, 227-251.

Senanayake, I. P., Dissanayake, D. M. D. O. K., Mayadunna, B. B., & Weerasekera, W. L. (2016). An approach to delineate groundwater recharge potential sites in Ambalantota, Sri Lanka using GIS techniques. *Geoscience Frontiers*, 7(1), 115-124.

Service Level Benchmarking Gazette Notification 2018-19, Government of Rajasthan, Available at: <http://cmar-india.org/Downloads.aspx> (Last accessed on: 07 August, 2019).

Shah, T. (2005). Groundwater and human development: challenges and opportunities in livelihoods and environment. *Water Science and Technology*, 51(8), 27-37.

Shakerkhatabi, M., Mosaferi, M., Pourakbar, M., Ahmadnejad, M., Safavi, N., & Banitorab, F. (2019). Comprehensive investigation of groundwater quality in the north-west of Iran:

Physicochemical and heavy metal analysis. *Groundwater for Sustainable Development*, 8, 156-168.

Shalaby, A., & Tateishi, R. (2007). Remote sensing and GIS for mapping and monitoring land cover and land-use changes in the Northwestern coastal zone of Egypt. *Applied Geography*, 27(1), 28-41.

Shanaghan, P. E., Kline, I. P., Beecher, J. A., & Jones, R. T. (1998). SDWA capacity development. *Journal-American Water Works Association*, 90(5), 51-59.

Sharma, P. K., Vijay, R., & Punia, M. P. (2016). Characterization of groundwater quality of Tonk District, Rajasthan, India using factor analysis. *International Journal of Environmental Sciences*, 6(4), 454-466.

Sheikh, M. A., Azad, C., Mukherjee, S., & Rina, K. (2017). An assessment of groundwater salinization in Haryana state in India using hydrochemical tools in association with GIS. *Environmental Earth Sciences*, 76(13), 465.

Shen, L. Y., Ochoa, J. J., Shah, M. N., & Zhang, X. (2011). The application of urban sustainability indicators—A comparison between various practices. *Habitat international*, 35(1), 17-29.

Shiklomanov, I. A. (Ed.). (1997). Comprehensive assessment of the freshwater resources of the world: assessment of water resources and water availability in the world. Stockholm Environment Institute.

Shilling, F., Khan, A., Juricich, R., & Fong, V. (2013). Using indicators to measure water resources sustainability in California. In *World environmental and water resources congress 2013: Showcasing the future* (pp. 2708-2715).

Shrestha, S., & Kazama, F. (2007). Assessment of surface water quality using multivariate statistical techniques: A case study of the Fuji river basin, Japan. *Environmental Modelling & Software*, 22(4), 464-475.

Singhal, D. C., Joshi, H., & Mishra, S. (2015). Assessment of ground water sustainability for a subtropical town in Ganga plain: A case study from North-India. *Journal of Groundwater Research*, 3(4/1), 27-43.

Singh, A. (2010). Decision support for on-farm water management and long-term agricultural sustainability in a semi-arid region of India. *Journal of Hydrology*, 391(1-2), 63-76.

Singh, A. (2014). Conjunctive use of water resources for sustainable irrigated agriculture. *Journal of Hydrology*, 519, 1688-1697.

Singh, A. L., & Singh, V. K. (2018). Assessment of groundwater quality of Ballia district, Uttar Pradesh, India, with reference to arsenic contamination using multivariate statistical analysis. *Applied Water Science*, 8(3), 95. <https://doi.org/10.1007/s13201-018-0737-3>.

Singh A. P. (2008). An Integrated Fuzzy Approach to Assess Water Resources' Potential in a Watershed, *Journal of Computational Mathematics*, Vol. 1(1), pp. 7-23.

Singh, A.P., & Dubey, S.K. (2012). Optimal selection of a landfill disposal site using a modified fuzzy utility approach. *Fuzzy Information and Engineering*, 4, 313–338. <https://doi.org/10.1007/s12543-012-0118-9>.

Singh, A. P., & Ghosh, S. K. (1999). Water quality index for river Yamuna. *Pollution Research*, 18(4), 435-439.

Singh, A. P., & Ghosh, S. K. (2003). Conceptual modeling and management of water quality in a river basin. *Recent trends in hydrogeochemistry*, Capital Books, New Delhi, 207-220.

Singh, A. P., Ghosh, S. K., & Sharma, P. (2007). Water quality management of a stretch of river Yamuna: an interactive fuzzy multi-objective approach. *Water Resources Management*, 21(2), 515-532.

Singh, A. P., Srinivas, R., Kumar, S., & Chakrabarti, S. (2015). Water quality assessment of a river basin under fuzzy multi-criteria framework. *International Journal of Water*, 9(3), 226-247.

Singh, A. P., Chakrabarti, S., Kumar, S., & Singh, A. (2017). Assessment of air quality in Haora River basin using fuzzy multiple-attribute decision making techniques. *Environmental Monitoring and Assessment*, 189(8), 373.

Singh, A. P., Dhadse, K., & Ahlawat, J. (2019). Managing water quality of a river using an integrated geographically weighted regression technique with fuzzy decision-making model. *Environmental monitoring and assessment*, 191(6), 378.

Singh, A. P., Khakolia, A., Tavanshetti, S, & Yadav, J. (2019). Groundwater quality assessment using GIS and fuzzy logic—A case study of Jhunjhunu District. *Pollution Research*, 38(3), 655-662.

Singh, C. K., Shashtri, S., & Mukherjee, S. (2011). Integrating multivariate statistical analysis with GIS for geochemical assessment of groundwater quality in Shiwaliks of Punjab, India. *Environmental Earth Sciences*, 62(7), 1387-1405.

Singh, C. K., & Mukherjee, S. (2015). Aqueous geochemistry of fluoride enriched groundwater in arid part of Western India. *Environmental Science and Pollution Research*, 22(4), 2668-2678.

- Singh, C. K., Kumar, A., Shashtri, S., Kumar, A., Kumar, P., & Mallick, J. (2017). Multivariate statistical analysis and geochemical modeling for geochemical assessment of groundwater of Delhi, India. *Journal of Geochemical Exploration*, 175, 59-71.
- Singh, D. K., & Singh, A. K. (2002). Groundwater situation in India: Problems and perspective. *International Journal of Water Resources Development*, 18(4), 563-580.
- Singh, K. P., Malik, A., & Sinha, S. (2005). Water quality assessment and apportionment of pollution sources of Gomti river (India) using multivariate statistical techniques—a case study. *Analytica Chimica Acta*, 538(1-2), 355-374.
- Singh, R. V., Sinha, R. M., Bisht, B. S., & Banerjee, D. C. (2002). Hydrogeochemical exploration for unconformity-related uranium mineralization: example from Palnadu sub-basin, Cuddapah Basin, Andhra Pradesh, India. *Journal of Geochemical Exploration*, 76(2), 71-92.
- Srinivas, R., Bhakar, P., & Singh, A. P. (2015). Groundwater quality assessment in some selected area of Rajasthan, India using fuzzy multi-criteria decision making tool. *Aquatic Procedia*, 4, 1023-1030.
- Srinivas, R., Singh, A. P., Gupta, A. A., & Kumar, P. (2018). Holistic approach for quantification and identification of pollutant sources of a river basin by analyzing the open drains using an advanced multivariate clustering. *Environmental monitoring and assessment*, 190(12), 720.
- Srinivas, R., & Singh, A. P. (2018). Impact assessment of industrial wastewater discharge in a river basin using interval-valued fuzzy group decision-making and spatial approach. *Environment, Development and Sustainability*, 20(5), 2373-2397.

Srivastava, S. K., & Ramanathan, A. L. (2008). Geochemical assessment of groundwater quality in vicinity of Bhalswa landfill, Delhi, India, using graphical and multivariate statistical methods. *Environmental Geology*, 53(7), 1509-1528.

Srinivas, Y., Oliver, D. H., Raj, A. S., & Chandrasekar, N. (2013). Evaluation of groundwater quality in and around Nagercoil town, Tamilnadu, India: an integrated geochemical and GIS approach. *Applied Water Science*, 3(3), 631-651.

Standard, I. (1991). Drinking water-specification. 1st Revision, IS, 10500.

Study on planning of water resources of Rajasthan, 2014, Water Supply and Demand by Districts - Final Report No. 4.6, October 2014, Available at:[http://water.rajasthan.gov.in/content/dam/water/state-water-resources-planningdepartment/tahaldata/Final%20Report%204.6/Volume1%20Main%20Report/Report%204.6.%20IN-24740-R13-077\\_Part%20A%20and%20B.pdf](http://water.rajasthan.gov.in/content/dam/water/state-water-resources-planningdepartment/tahaldata/Final%20Report%204.6/Volume1%20Main%20Report/Report%204.6.%20IN-24740-R13-077_Part%20A%20and%20B.pdf) (Last accessed on: 18 May, 2019).

Subba Rao, N., Devadas, D. J., & Rao, K. S. (2006). Interpretation of groundwater quality using principal component analysis from Anantapur district, Andhra Pradesh, India. *Environmental Geosciences*, 13(4), 239-259.

Sullivan, C. (2002). Calculating a water poverty index. *World development*, 30(7), 1195-1210.

Sullivan, A., White, D. D., Larson, K. L., & Wutich, A. (2017). Towards water sensitive cities in the Colorado River Basin: A comparative historical analysis to inform future urban water sustainability transitions. *Sustainability*, 9(5), 761.

Summit, E. (1992). The United Nations Conference on Environment and Development. Rio de Janeiro, 3-14.

Swain, R., & Sahoo, B. (2017). Improving river water quality monitoring using satellite data products and a genetic algorithm processing approach. *Sustainability of Water Quality and Ecology*, 9, 88-114.

Swiss Centre for Life Cycle Inventories, 2015. Eco-invent database v 3.0 [WWW Document]. databases. URL <http://www.ecoinvent.org/database/ecoinvent-version-3/ecoinvent-version-3.html> (accessed 5.15.15).

Tafreshi, G. M., & Tafreshi, A. M. (2020). Statistical approaches and hydrochemical modeling of groundwater in the Golpayegan Plain aquifer, Iran. <https://doi.org/10.1007/s40808-020-00822-w>.

Tatawat, R. K., & CP, S. C. (2007). Hydrochemical investigations and correlation--analysis of ground water quality of Jaipur city, Rajasthan (India). *Journal of Environmental Science & Engineering*, 49(3), 229-234.

ten Brink, B. (1991). The AMOEBA approach as a useful tool for establishing sustainable development?. In *In search of indicators of sustainable development* (pp. 71-87). Springer, Dordrecht.

TERI. (2017). Study on Assessment of Water Foot Prints of India's Long Term Energy Scenarios, The Energy and Resources Institute (TERI), New Delhi, 2017, Available at: [https://www.niti.gov.in/writereadda/files/document\\_publication/Report%20Assessment%20of%20Water%20Foot%20Prints%20of%20India's%20Long%20Term%20Energy%20Scenarios\\_TERI%202017.pdf](https://www.niti.gov.in/writereadda/files/document_publication/Report%20Assessment%20of%20Water%20Foot%20Prints%20of%20India's%20Long%20Term%20Energy%20Scenarios_TERI%202017.pdf) (Last accessed on: 15 May, 2019).

The MathWorks Inc. (2012). Fuzzy Logic Toolbox User's Guide. 24 Prime Parkway, Natick, MA 01760-1520; <http://www.mathworks.com>.

Tietenberg, T. H., & Lewis, L. (2018). Environmental and natural resource economics. Routledge.

Tirkey, P., Bhattacharya, T., Chakraborty, S., & Baraik, S. (2017). Assessment of groundwater quality and associated health risks: a case study of Ranchi city, Jharkhand, India. *Groundwater for Sustainable Development*, 5, 85-100.

Tiwari, K., Goyal, R., & Sarkar, A. (2017). GIS-based spatial distribution of groundwater quality and regional suitability evaluation for drinking water. *Environmental Processes*, 4(3), 645-662. <https://doi.org/10.1007/s40710-017-0257-4>.

UEA. (2019). 'High-resolution gridded datasets (and derived products)', Climatic Research Unit, University of East Anglia, UK; available on: <https://crudata.uea.ac.uk/cru/data/hrg/> (accessed on 05 January, 2019)

UNEP. (2012). Measuring Water use in a Green Economy, United Nations Environment Programme, International Resource Panel, 2012, Available at: [https://waterfootprint.org/media/.../UNEP-2012-MeasuringWaterUse\\_1.pdf](https://waterfootprint.org/media/.../UNEP-2012-MeasuringWaterUse_1.pdf) (Last accessed on: 10 July, 2019).

United States Environmental Protection Agency (1998). Guidance on implementing the Capacity Development Provisions of the Safe Drinking Water Act Amendments of 1996. Washington, DC: United States Environmental Protection Agency, Office of Water.

UNSD. (2008). Water Indicators and Statistics, Abuja, 19-23 May 2008; available at: [https://unstats.un.org/unsd/environment/envpdf/UNSD\\_UNEP\\_ECOWAS%20Worksho](https://unstats.un.org/unsd/environment/envpdf/UNSD_UNEP_ECOWAS%20Worksho)

p/Session%2004-4-1%20Introduction%20to%20water%20statistics%20(UNSD).pdf

(last accessed on August 15, 2019).

UNSDG. (2015). Sustainable Development Goals 6.4, 2015; Available at <https://sustainabledevelopment.un.org/sdg6>; (last accessed on: 15 May 2019).

Urban Rajasthan Status & opportunities in septage. (2017). National Institute of Urban Affairs, Government of Rajasthan, Available at: <https://scbp.niua.org/download.php?fn=Urban%20Rajasthan-20Status%20and%20Opportunities%20in%20Septage.pdf> (Last accessed on: 27 June, 2019).

Vasanthavigar, M., Srinivasamoorthy, K., Vijayaragavan, K., Ganthi, R. R., Chidambaram, S., Anandhan, P., ... & Vasudevan, S. (2010). Application of water quality index for groundwater quality assessment: Thirumanimuttar sub-basin, Tamilnadu, India. Environmental monitoring and assessment, 171(1-4), 595-609.

Veleva, V., & Ellenbecker, M. (2001). Indicators of sustainable production: framework and methodology. Journal of cleaner production, 9(6), 519-549.

Vijay, R., Khobragade, P., & Mohapatra, P. K. (2011). Assessment of groundwater quality in Puri City, India: an impact of anthropogenic activities. Environmental monitoring and assessment, 177(1-4), 409-418.

Vollmer, D., Regan, H. M., & Andelman, S. J. (2016). Assessing the sustainability of freshwater systems: A critical review of composite indicators. Ambio, 45(7), 765-780.

- Voudouris, K., Panagopoulos, A., & Koumantakis, J. (2000). Multivariate statistical analysis in the assessment of hydrochemistry of the northern Korinthia prefecture alluvial aquifer system (Peloponnese, Greece). *Natural Resources Research*, 9(2), 135-146.
- Vrba, J., Girman, J., van der Gun, J., Haie, N., Hirata, R., Lopez-Gunn, E., ... & Wallin, B. (2007). Groundwater resources sustainability indicators (p. 114). A. Lipponen (Ed.). Paris: Unesco.
- Wada, Y., & Bierkens, M. F. (2014). Sustainability of global water use: past reconstruction and future projections. *Environmental Research Letters*, 9(10), 104003.
- Wagh, V., Mukate, S., Muley, A., Kadam, A., Panaskar, D., & Varade, A. (2020). Study of groundwater contamination and drinking suitability in basaltic terrain of Maharashtra, India through PIG and multivariate statistical techniques. *Journal of Water Supply: Research and Technology—AQUA*, 69(4), 398-414.
- Wang, Q., Li, S., & Li, R. (2019). Evaluating water resource sustainability in Beijing, China: Combining PSR model and matter-element extension method. *Journal of Cleaner Production*, 206, 171-179. <https://doi.org/10.1016/j.jclepro.2018.09.057>.
- WaterAid. (2019). Beneath the Surface: The State of the World's Water 2019; Available at: [https://washmatters.wateraid.org/sites/g/files/jkxoof256/files/beneath-the-surface-the-state-of-the-worlds-water-2019-\\_0.pdf](https://washmatters.wateraid.org/sites/g/files/jkxoof256/files/beneath-the-surface-the-state-of-the-worlds-water-2019-_0.pdf) (Last Accessed 16 March 2020)
- Water Crisis. (2020). The power of Water, Water.org A global nonprofit organization working to bring water and sanitation to the world. Available at: <https://water.org/our-impact/water-crisis/> (Last accessed on; 15 March 2020).

Water UN. (2007). Coping with Water Scarcity Challange of the Twenty-First Century, Prepared for World Water Day.

WHO. (2008). ‘Guideline for drinking water quality – second addendum’, Vol. 1, Recommendations, pp. 1-4, World Health Organization, Geneva

Wilcox, L. (1955). Classification and use of irrigation waters (No. 969). US Department of Agriculture.

World Economic Forum. (2015). Why World Water Crisis are a Top Global Risk, Available at: <https://www.weforum.org/agenda/2015/01/why-world-water-crises-are-a-top-global-risk/> (Last accessed 15 March 2020)

Worsa-Kozak, M., Zimroz, R., Michalak, A., Wolkersdorfer, C., Wyłomańska, A., & Kowalczyk, M. (2020). Groundwater Level Fluctuation Analysis in a Semi-Urban Area Using Statistical Methods and Data Mining Techniques—A Case Study in Wrocław, Poland. *Applied Sciences*, 10(10), 3553.

Yang, Q., Li, Z., Ma, H., Wang, L., & Martín, J. D. (2016). Identification of the hydrogeochemical processes and assessment of groundwater quality using classic integrated geochemical methods in the Southeastern part of Ordos basin, China. *Environmental Pollution*, 218, 879-888.

Zimmermann, H. J. (2011). Fuzzy set theory—and its applications. Springer Science & Business Media.



# Birla Institute of Technology & Science, Pilani

Pilani Campus

Prashant Bhakar, M.Tech., Research Scholar, Civil Engineering Department

Dear Sir/Madam,

I am Prashant Bhakar pursuing my doctoral thesis in the area of “Groundwater Resource Management” at Birla Institute of Technology and Science Pilani, Pilani Campus under the supervision of Prof. A P Singh and Prof. R. K. Mittal. It gives me immense pleasure to interact with working professionals/experts like you.

During my research work, I’m working on groundwater suitability for irrigation and drinking purposes. Groundwater quality for irrigation and drinking purposes depends upon various chemical as well as physical parameters. In order to generate various groundwater suitability maps I’m utilizing the “Weighted Overlay Technique” with the help of ArcGIS software. In this technique, a rating and weighing system is used for various parameters considered for the analysis. Depending upon the nature of parameter to be considered, I want that those parameters should be weighed and rated with such a diligence so that our results are more profound without false perception.

In order to achieve non-erronious results, I feel that an expert opinion should be taken from the professionals working in the field of groundwater management and related discipline.

This can be done only with your help. Kindly take some time out of your busy schedule to fill the attached questionnaire. It will take approximately 10 minutes to complete this questionnaire.

I fully understand the sacredness of the topic in India and therefore assure you that the views expressed in this survey will be kept strictly confidential and will be used only for academic research.

Thanking you.

Yours truly

Prashant Bhakar



Birla Institute of Technology & Science, Pilani  
Pilani Campus, Vidya Vihar  
Pilani 333031, Rajasthan, India

Email: bhakarprashant@gmail.com

Tel: +919461398786

Web: www.pilani.bits-pilani.ac.in

**PART – 1|General information of responding person**

Name of the responding : \_\_\_\_\_  
person (optional)

Designation (optional) : \_\_\_\_\_

Department (optional) : \_\_\_\_\_

Experience (years) : \_\_\_\_\_

E-mail (optional) : \_\_\_\_\_

Ph. No. / Mobile No. : \_\_\_\_\_  
(optional)

Would you like to be contacted for any further information?

YES/ NO

## APPENDIX - A

### PART – 2 | Feedback Questionnaire

Please indicate the extent to which you perceive that how important are these parameters for groundwater suitability and groundwater potential zone mapping. Field values for each of the parameters is given and you have to provide input on scale value for the respective field values (between 1 to 5). Kindly also provide your percent influence opinion in multiple of 5 (or a closer value in round figure), in order to achieve the ease of doing calculations, if possible. Kindly keep in mind that cumulative percent influence values should be equal to 100 percent in total for each of the respective tables. Scale values should be given depending upon the relative importance of field values on a scale of 1-5 where 1 corresponds to least important or worst value for that parameter and 5 represents the most beneficial or best value for the parameter value depending upon the field value.

Kindly provide your opinion on weighted overlay for **Irrigation Groundwater Suitability**

S. No.	Raster Layer	Percent Influence ( <i>Please choose a percentage value close to or multiple of 5 for each of the factor given below, as you perceive the share of it among other factors, for irrigation groundwater suitability</i> )	Scale Value ( <i>where, 1 = Least important; 2 = some but important; 3 = slightly important; 4 = important; and 5 = highly important</i> )
1	SAR		0 - 5
			5 - 10
			10 - 20
			20 - 27
2	Na %		0 - 25
			25 - 50
			50 - 80
			80 - 100
3	TDS (Irrigation)		0 – 500
			500 - 1500
			1500 - 3000
			3000 - 7500
4	EC		0 - 1000
			1000 - 2000
			2000 - 3000