Contents

Certificate **iii**

Acknowledgements **vi**

Abstract **ix**

1 Introduction **1**

1.1 Singularly Perturbed Boundary Value Problems (SPBVPs) 2

1.1.1 Singularly perturbed BVPs for differential-difference equations 4

1.1.2 Some singularly perturbed differential-difference models . . . 4

1.1.3 Singularly perturbed turning point problems 6

1.1.4 Some singularly perturbed turning point models 7

1.1.5 Two parameter singularly perturbed BVPs 9

1.2 Numerical Approximations of SPPs 9

1.2.1 Numerical instability 10

1.2.2 Fitted mesh 14

1.2.3 One parameter singularly perturbed boundary value problems . 15

1.2.4 Singularly perturbed differential- difference equations 17

1.2.5 Singularly perturbed turning point BVPs 19

1.2.6 Two parameter singularly perturbed BVPs 20

1.3 Organization of the Thesis 22

2 A parameter-uniform numerical scheme for the parabolic singularly perturbed initial boundary value problems with large time delay **25**

2.1 Introduction 25

2.2 Problem Statement: Preliminaries 26

2.3 Some Analytical Results: A Priori Estimates 28

2.4 Numerical Scheme 33

2.4.1 Semi-discretization for time variable 33

2.4.2 The spatial discretization 37
2.5 Parameter Uniform Convergence Analysis 38
2.6 Numerical Illustrations 45
2.7 Conclusion 55

3 A parameter uniform numerical method for the singularly perturbed initial-interval boundary value problems with unit space delay 57
3.1 Introduction 57
3.2 The Continuous Problem: Preliminary and a Priori Estimates 58
3.3 Semi-discretization for time variable 62
3.4 The Spatial Discretization 68
3.5 Parameter Uniform Convergence Analysis 72
3.6 Numerical Illustrations 76
3.7 Conclusion 85

4 An ε- uniform convergent scheme for the singularly perturbed parabolic partial differential equations with an interior turning point 87
4.1 Introduction 87
4.2 Some Analytical Results: A Priori Estimates 89
4.3 Numerical Scheme: The Discretization 90
4.3.1 Semi-discretization for time variable 90
4.3.2 The spatial discretization 92
4.4 Parameter Uniform Convergence Analysis 96
4.5 Numerical Illustrations 99
4.6 Conclusion 107

5 A parameter uniform numerical method for class of singularly perturbed parabolic partial differential equations with multiple boundary turning point 109
5.1 Introduction 109
5.2 Continuous Problem 111
5.3 Description of the Numerical Scheme 112
5.4 Parameter Uniform Convergence Analysis 116
5.5 Numerical Illustrations 120
5.6 Conclusion 130

6 A parameter-uniform implicit scheme for two-parameter singularly perturbed parabolic problems 131
6.1 Introduction 131
6.2 The Continuous Problem: Preliminaries and a Priori Estimates 131
6.3 The Proposed Scheme 135
6.4 Parameter Uniform Convergence Analysis 141
6.5 Numerical Illustrations 149
6.6 Conclusion 159

7 A robust numerical scheme for two-parameter singularly perturbed parabolic problems with a discontinuous convection term coefficient and source term 161
7.1 Introduction 161
7.2 Continuous Problem 163
7.3 The Discretization 166
7.4 Parameter Uniform Convergence Analysis 170
7.5 Numerical Illustrations 179
7.6 Conclusion 189

8 Conclusion and Future Scope 191
8.1 Summary of the Work Done 191
8.2 Future Scope 196

Brief Biography of the Supervisor 211

Brief Biography of the Candidate 213

List of Publications 215

Conferences/Workshop Attended 217

List of Figures

1.1 Numerical solution of (1.2) using uniform mesh with $\varepsilon = 10^{-4}$ and $N = 256$. 12
1.2 Numerical solution of (1.2) using uniform mesh with $\varepsilon = 10^{-4}$ and $N = 2^{13}$. 13

2.1 Numerical solution profiles for Example 2.6.1 for different values of ε (a) $\varepsilon = 1$ (b) $\varepsilon = 2^{-4}$ (c) $\varepsilon = 2^{-8}$ and (d) $\varepsilon = 2^{-12}$. 48
2.2 The log-log error plot for Example 2.6.1. 49
2.3 Numerical solution for Example 2.6.1 for different values of ε and t (a) $\varepsilon = 1$ (b) $\varepsilon = 0.1$ (c) $\varepsilon = 0.01$ and (d) $\varepsilon = 0.005$. 50
2.4 Numerical solution profiles for Example 2.6.2 for different values of ε (a) $\varepsilon = 1$ (b) $\varepsilon = 2^{-4}$ (c) $\varepsilon = 2^{-8}$ and (d) $\varepsilon = 2^{-12}$. 52
2.5 The log-log error plot for Example 2.6.2. 53
2.6 Numerical solution for Example 2.6.2 for different values of ε and t (a) $\varepsilon = 1$ (b) $\varepsilon = 0.1$ (c) $\varepsilon = 0.01$ and (d) $\varepsilon = 0.005$. 54

3.1 Surface plots for Example 3.6.1 for (a) $\varepsilon = 1$ (b) $\varepsilon = 2^{-4}$ (c) $\varepsilon = 2^{-8}$ and (d) $\varepsilon = 2^{-12}$. 78
3.2 Numerical solution for Example 3.6.1 at different time levels for (a) $\varepsilon = 1$ (b) $\varepsilon = 0.1$ (c) $\varepsilon = 0.01$ and (d) $\varepsilon = 0.001$. 79
3.3 Absolute errors profile for Example 3.6.1 for $\varepsilon = 0.01$. 80
3.4 Surface plots for Example 3.6.2 for (a) $\varepsilon = 1$ (b) $\varepsilon = 2^{-4}$ (c) $\varepsilon = 2^{-8}$ (d) $\varepsilon = 2^{-12}$. 82
3.5 Numerical solution for Example 3.6.2 at different time levels for (a) $\varepsilon = 1$ (b) $\varepsilon = 0.1$ (c) $\varepsilon = 0.01$ and (d) $\varepsilon = 0.001$. 83
3.6 Absolute errors profile for Example 3.6.2 for $\varepsilon = 0.01$. 84

4.1 Numerical solution profiles for Example 4.5.1 (a) $\varepsilon = 1$ (b) $\varepsilon = 2^{-4}$ (c) $\varepsilon = 2^{-8}$ and (d) $\varepsilon = 2^{-12}$. 102