

References:

- [1]. M.L. Mezzatesta, F. Gona, S. Stefani, Clinical impact and emerging antibiotic resistance, Future Microbiology. 7 (2012). <https://doi.org/10.2217/fmb.12.61>.
- [2]. A. Paauw, M.P.M. Caspers, F.H.J. Schuren, M.A. Leverstein-van Hall, A. Delétoile, R.C. Montijn, J. Verhoef, A.C. Fluit, Genomic diversity within the *Enterobacter cloacae* complex, PLoS ONE. 3 (2008). <https://doi.org/10.1371/journal.pone.0003018>.
- [3] WHO, Global priority list of antibiotic-resistant bacteria to guide research, discovery, and development of new antibiotics. Available at http://www.who.int/medicines/publications/WHO-PPL-Short_Summary_25Feb-ET_NM_WHO.pdf?ua=1, 2017
- Jr.JF. John, R.J. Sharbaugh, E.R. Bannister. *Enterobacter cloacae*: bacteremia, epidemiology, and antibiotic resistance. Reviews of infectious diseases. 13-28(1982). doi.org/10.1093/clinids/4.1.13
- [5] W.R. Jarvis, W.J. Martone, Predominant pathogens in hospital infections, Journal of Antimicrobial Chemotherapy. 29 (1992). https://doi.org/10.1093/jac/29.suppl_A.19.
- [6]R. Keller, M.Z. Pedroso, R. Ritchmann, R.M. Silva, Occurrence of virulence-associated properties in *Enterobacter cloacae*, Infection and Immunity. 66 (1998). <https://doi.org/10.1128/iai.66.2.645-649.1998>.
- [7] D. Selenic, D.R. Dodson, B. Jensen, M.J. Arduino, A. Panlilio, L.K. Archibald, *Enterobacter cloacae* bloodstream infections in pediatric patients traced to a hospital pharmacy, American Journal of Health-System Pharmacy. 60 (2003). <https://doi.org/10.1093/ajhp/60.14.1440>.
- [8] S.A. Wang, J.I. Tokars, P.J. Bianchine, L.A. Carson, M.J. Arduino, A.L. Smith, N.C. Hansen, E.A. Fitzgerald, J.S. Epstein, W.R. Jarvis, *Enterobacter cloacae* bloodstream infections traced to contaminated human albumin, Clinical Infectious Diseases. 30 (2000). <https://doi.org/10.1086/313585>.
- [9] N.M. Ayyal, Z.A. Abbas, A.J. Karim, Z.M. Abbas, K.A. Al-Salihi, J.M. Khalaf, D.D. Mahmood, E.A. Mohammed, R.S. Jumaa, D.I. Abdul-Majeed, Bacterial isolation from internal organs of rats (*Rattus rattus*) captured in Baghdad city of Iraq, Veterinary World. 12 (2019). <https://doi.org/10.14202/vetworld.2019.119-125>.
- [10]G. Dugleux, X. le Coutour, C. Hecquard, I. Oblin, Septicemia caused by contaminated parenteral nutrition pouches: The refrigerator as an unusual cause, Journal of Parenteral and Enteral Nutrition. 15 (1991). <https://doi.org/10.1177/0148607191015004474>.
- [11] V. Fernández-Baca, F. Ballesteros, J.A. Hervás, P. Villalón, M.A. Domínguez, V.J. Benedí, S. Albertí, Molecular epidemiological typing of *Enterobacter cloacae* isolates from a neonatal intensive care unit: Three-year prospective study, Journal of Hospital Infection. 49 (2001). <https://doi.org/10.1053/jhin.2001.1053>.
- [12]N. Pestourie, F. Garnier, O. Barraud, A. Bedu, MC. Ploy, M. Mounier. Outbreak of AmpC β -lactamase-hyper-producing *Enterobacter cloacae* in a neonatal intensive care unit in a French teaching hospital. American journal of infection control. 2014 Apr 1;42(4):456-8. <https://doi.org/10.1016/j.ajic.2013.11.005>.
- [13] W.H. van Nierop, A.G. Duse, R.G. Stewart, Y.R. Bilgeri, H.J. Koornhof, Molecular epidemiology of an outbreak of *Enterobacter cloacae* in the neonatal intensive care unit of a provincial hospital in Gauteng, South Africa, Journal of Clinical Microbiology. 36 (1998). <https://doi.org/10.1128/jcm.36.10.3085-3087.1998>.

References

- [14] R.H. Kuboyama, H.B. de Oliveira, M.L. Moretti-Branchini, Molecular Epidemiology of Systemic Infection Caused by *Enterobacter cloacae* in a High-Risk Neonatal Intensive Care Unit , Infection Control & Hospital Epidemiology. 24 (2003). <https://doi.org/10.1086/502249>.
- [15] M. Masyahit, K. Sijam, Y. Awang, M.G.M. Satar, First report on bacterial soft rot disease on dragon fruit (*Hylocereus* spp.) caused by *Enterobacter cloacae* in Peninsular Malaysia, International Journal of Agriculture and Biology. 11 (2009).
- [16] K.A. Nishijima, M.M. Wall, M.S. Siderhurst, Demonstrating pathogenicity of *Enterobacter cloacae* on Macadamia and identifying associated volatiles of gray kernel of Macadamia in Hawaii, Plant Disease. 91 (2007). <https://doi.org/10.1094/PDIS-91-10-1221>.
- [17] A.L. Bishop, Internal Decay of Onions Caused by *Enterobacter cloacae*, Plant Disease. 74 (1990). <https://doi.org/10.1094/pd-74-0692>.
- [18] J.C. Carter, Wetwood of Elms, Illinois Natural History Survey Bulletin. 23 (1945). <https://doi.org/10.21900/j.inhs.v23.20219>
- [19] M. George, V.P. Potty, and N.P. Jayasankar, 1976. Association of *Enterobacter* with coconut root (wilt) disease. 45(18):677- 678.
- [20] E.J. Cother, V. Dowling, Bacteria associated with internal breakdown of onion bulbs and their possible role in disease expression, Plant Pathology. 35 (1986). <https://doi.org/10.1111/j.1365-3059.1986.tb02023.x>.
- [21] K.A. Nishijima, Internal Yellowing, a Bacterial Disease of Papaya Fruits Caused by *Enterobacter cloacae*, Plant Disease. 71 (1987). <https://doi.org/10.1094/pd-71-1029>.
- [22] K.A. Nishijima, A.M. Alvarez, P.R. Hepperly, M.H. Shintaku, L.M. Keith, D.M. Sato, B.C. Bushe, J.W. Armstrong, F.T. Zee, Association of *Enterobacter cloacae* with rhizome rot of edible ginger in Hawaii, Plant Disease. 88 (2004). <https://doi.org/10.1094/PDIS.2004.88.12.1318>.
- [23] P.C. Morand, A. Billoet, M. Rottman, V. Sivadon-Tardy, L. Eyrolle, L. Jeanne, A. Tazi, P. Anract, J.P. Courpied, C. Poyart, V. Dumaine, Specific distribution within the *Enterobacter cloacae* complex of strains isolated from infected orthopedic implants, Journal of Clinical Microbiology. 47 (2009). <https://doi.org/10.1128/JCM.00290-09>.
- [24] A. Davin-Regli, J.P. Lavigne, J.M. Pagès, *Enterobacter* spp.: update on taxonomy, clinical aspects, and emerging antimicrobial resistance, Clinical Microbiology Reviews. 32 (2019). <https://doi.org/10.1128/CMR.00002-19>.
- [25] WHO publish list of bacteria for which new antibiotics are urgently needed, Saudi Medical Journal. 38 (2017).
- [26] A. Potron, L. Poirel, E. Rondinaud, P. Nordmann, Intercontinental spread of OXA-48 beta-lactamase-producing enterobacteriaceae over a 11-year period, 2001 to 2011, Eurosurveillance. 18 (2013). <https://doi.org/10.2807/1560-7917.ES2013.18.31.20549>.
- [27] V. Jarlier and INVS. Surveillance of Multidrug Resistant Bacteria in French Healthcare Facilities BMR-Raisin Network Données 2012. Saint-Maurice: Institut de Veille Sanitaire9(2014). Available at: <http://www.invs.sante.fr>.
- [28] S.J. Cai, M. Inouye, EnvZ-OmpR interaction and osmoregulation in *Escherichia coli*, Journal of Biological Chemistry. 277 (2002). <https://doi.org/10.1074/jbc.M110715200>.
- [29] J.P. Lavigne, A. Sotto, M.H. Nicolas-Chanoine, N. Bouziges, J.M. Pagès, A. Davin-Regli, An adaptive response of *Enterobacter aerogenes* to imipenem: Regulation of porin balance in clinical isolates, International Journal of Antimicrobial Agents. 41 (2013). <https://doi.org/10.1016/j.ijantimicag.2012.10.010>.

References

- [30] M. Mallea, J. Chevalier, C. Bornet, A. Eyraud, A. Davin-Regli, C. Bollet, J.M. Pagès, Porin alteration and active efflux: Two in vivo drug resistance strategies used by *Enterobacter aerogenes*, *Microbiology*. 144 (1998). <https://doi.org/10.1099/00221287-144-11-3003>.
- [31] J. Chevalier, C. Mulfinger, E. Garnotel, P. Nicolas, A. Davin-Régil, J.M. Pagès, Identification and evolution of drug efflux pump in clinical *Enterobacter aerogenes* strains isolated in 1995 and 2003, *PLoS ONE*. 3 (2008). <https://doi.org/10.1371/journal.pone.0003203>.
- [32] F. Guérin, C. Lallement, C. Isnard, A. Dhalluin, V. Cattoir, J.C. Giard, Landscape of resistance-nodulation-cell division (RND)-type efflux pumps in *Enterobacter cloacae* complex, *Antimicrobial Agents and Chemotherapy*. 60 (2016). <https://doi.org/10.1128/AAC.02840-15>.
- [33] A. Davin-Regli, J.M. Pagès, *Enterobacter aerogenes* and *Enterobacter cloacae*; Versatile bacterial pathogens confronting antibiotic treatment, *Frontiers in Microbiology*. 6 (2015). <https://doi.org/10.3389/fmicb.2015.00392>.
- [34] A.I. Barnes, C. Ortiz, M.G. Paraje, L.E. Balanzino, I. Albesa, Purification and characterization of a cytotoxin from *Enterobacter cloacae*, *Canadian Journal of Microbiology*. 43 (1997). <https://doi.org/10.1139/m97-105>.
- [35] J. Soria-Bustos, M.A. Ares, C.A. Gómez-Aldapa, J.A. González-y-Merchand, J.A. Girón, M.A. de la Cruz, Two Type VI Secretion Systems of *Enterobacter cloacae* are Required for Bacterial Competition, Cell Adherence, and Intestinal Colonization, *Frontiers in Microbiology*. 11 (2020). <https://doi.org/10.3389/fmicb.2020.560488>.
- [36] S.M. Kim, H.W. Lee, Y.W. Choi, S.H. Kim, J.C. Lee, Y.C. Lee, S.Y. Seol, D.T. Cho, J. Kim, Involvement of curli fimbriae in the biofilm formation of *Enterobacter cloacae*, *Journal of Microbiology*. 50 (2012). <https://doi.org/10.1007/s12275-012-2044-2>.
- [37] H. Byun, I.J. Jung, J. Chen, J.L. Valencia, J. Zhu, Siderophore piracy enhances *vibrio cholerae* environmental survival and pathogenesis, *Microbiology (United Kingdom)*. 166 (2020). <https://doi.org/10.1099/mic.0.000975>.
- [38] H. Schmidt, M. Hensel, Pathogenicity Islands in Bacterial Pathogenesis, *Clinical Microbiology Reviews*. 17 (2004). <https://doi.org/10.1128/CMR.17.1.14-56.2004>.
- [39] J. Mokracka, R. Koczura, A. Kaznowski, Yersiniabactin and other siderophores produced by clinical isolates of *Enterobacter* spp. and *Citrobacter* spp., *FEMS Immunology and Medical Microbiology*. 40 (2004). [https://doi.org/10.1016/S0928-8244\(03\)00276-1](https://doi.org/10.1016/S0928-8244(03)00276-1).
- [40] G.J. van Tiel-Menkveld, J.M. Mentjox-Vervuurt, B. Oudega, F.K. de Graaf, Siderophore production by *Enterobacter cloacae* and a common receptor protein for the uptake of aerobactin and cloacin DF13, *Journal of Bacteriology*. 150 (1982). <https://doi.org/10.1128/jb.150.2.490-497.1982>.
- [41] P. Aumont, C. Enard, D. Expert, C. Pieddeloup, C. Tancrède, A. Andremont, Production of haemolysin, aerobactin and enterobactin by strains of *Escherichia coli* causing bacteremia in cancer patients, and their resistance to human serum, *Research in Microbiology*. 140 (1989). [https://doi.org/10.1016/0923-2508\(89\)90055-7](https://doi.org/10.1016/0923-2508(89)90055-7).
- [42] A. Olsen, A. Arnqvist, M. Hammar, S. Normark, Environmental regulation of curli production in *Escherichia coli*, in: *Infectious Agents and Disease*, 1993.
- [43] X. Zogaj, W. Bokranz, M. Nimtz, U. Römling, Production of cellulose and curli fimbriae by members of the family Enterobacteriaceae isolated from the human gastrointestinal tract, *Infection and Immunity*. 71 (2003). <https://doi.org/10.1128/IAI.71.7.4151-4158.2003>.

References

- [44] E. Gouaux, M. Hobaugh, L. Song, α -hemolysin, γ -hemolysin, and leukocidin from *Staphylococcus aureus*: Distant in sequence but similar in structure, *Protein Science*. 6 (1997). <https://doi.org/10.1002/pro.5560061216>.
- [45] W.S. Probert, C. McQuaid, K. Schrader, Isolation and identification of an *Enterobacter cloacae* strain producing a novel subtype of Shiga toxin type 1, *Journal of Clinical Microbiology*. 52 (2014). <https://doi.org/10.1128/JCM.00338-14>.
- [46] M.G. Paraje, A.J. Eraso, I. Albesa, Pore formation, polymerization, hemolytic and leukotoxic effects of a new *Enterobacter cloacae* toxin neutralized by antiserum, *Microbiological Research*. 160 (2005). <https://doi.org/10.1016/j.micres.2005.01.005>.
- [47] M.A. Riley, J.E. Wertz, Bacteriocin diversity: Ecological and evolutionary perspectives, *Biochimie*. 84 (2002). [https://doi.org/10.1016/S0300-9084\(02\)01421-9](https://doi.org/10.1016/S0300-9084(02)01421-9).
- [48] A. Pérez, M. Poza, A. Fernández, M. del Carmen Fernández, S. Mallo, M. Merino, S. Rumbo-Feal, M.P. Cabral, G. Bou, Involvement of the AcrAB-TolC efflux pump in the resistance, fitness, and virulence of *Enterobacter cloacae*, *Antimicrobial Agents and Chemotherapy*. 56 (2012). <https://doi.org/10.1128/AAC.05509-11>.
- [49] T.G. Sana, C. Baumann, A. Merdes, C. Soscia, T. Rattei, A. Hachani, C. Jones, K.L. Bennett, A. Filloux, G. Superti-Furga, R. Voulhoux, S. Bleves, Internalization of *Pseudomonas aeruginosa* strain PAO1 into epithelial cells is promoted by interaction of a T6SS effector with the microtubule network, *MBio*. 6 (2015). <https://doi.org/10.1128/mBio.00712-15>.
- [50] M. Purcell, H.A. Shuman, The *Legionella pneumophila* icmGCDJBF genes are required for killing of human macrophages, *Infection and Immunity*. 66 (1998). <https://doi.org/10.1128/IAI.66.5.2245-2255.1998>.
- [51] J.R. Barker, A. Chong, T.D. Wehrly, J.J. Yu, S.A. Rodriguez, J. Liu, J. Celli, B.P. Arulanandam, K.E. Klose, The *Francisella tularensis* pathogenicity island encodes a secretion system that is required for phagosome escape and virulence, *Molecular Microbiology*. 74 (2009). <https://doi.org/10.1111/j.1365-2958.2009.06947.x>.
- [52] R.L. Ulrich, D. DeShazer, Type III Secretion: A Virulence Factor Delivery System Essential for the Pathogenicity of *Burkholderia mallei*, *Infection and Immunity*. 72 (2004). <https://doi.org/10.1128/IAI.72.2.1150-1154.2004>.
- [53] N.M.C. Bleumink-Pluym, L.B. van Alphen, L.I. Bouwman, M.M.S.M. Wösten, J.P.M. van Putten, Identification of a Functional Type VI Secretion System in *Campylobacter jejuni* Conferring Capsule Polysaccharide Sensitive Cytotoxicity, *PLoS Pathogens*. 9 (2013). <https://doi.org/10.1371/journal.ppat.1003393>.
- [54] D. von Tils, I. Blädel, M.A. Schmidt, G. Heusipp, Type II secretion in Yersinia-a secretion system for pathogenicity and environmental fitness., *Frontiers in Cellular and Infection Microbiology*. 2 (2012). <https://doi.org/10.3389/fcimb.2012.00160>.
- [55] S. Krzymińska, J. Mokracka, R. Koczura, A. Kaznowski, Cytotoxic activity of *Enterobacter cloacae* human isolates, *FEMS Immunology and Medical Microbiology*. 56 (2009). <https://doi.org/10.1111/j.1574-695X.2009.00572.x>.
- [56] K. Stuber, J. Frey, A.P. Burnens, P. Kuhnert, Detection of type III secretion genes as a general indicator of bacterial virulence, *Molecular and Cellular Probes*. 17 (2003). [https://doi.org/10.1016/S0890-8508\(02\)00108-1](https://doi.org/10.1016/S0890-8508(02)00108-1).
- [57] T.T. Tseng, B.M. Tyler, J.C. Setubal, Protein secretion systems in bacterial-host associations, and their description in the Gene Ontology, *BMC Microbiology*. 9 (2009). <https://doi.org/10.1186/1471-2180-9-S1-S2>.

References

- [58] M. Desvaux, M. Hébraud, R. Talon, I.R. Henderson, Secretion and subcellular localizations of bacterial proteins: a semantic awareness issue, *Trends in Microbiology.* 17 (2009). <https://doi.org/10.1016/j.tim.2009.01.004>.
- [59] S.T. Miyata, M. Kitaoka, T.M. Brooks, S.B. McAuley, S. Pukatzki, *Vibrio cholerae* requires the type VI secretion system virulence factor vassx to kill *Dictyostelium discoideum*, *Infection and Immunity.* 79 (2011). <https://doi.org/10.1128/IAI.01266-10>.
- [60] P. Delepelaire, Type I secretion in gram-negative bacteria, *Biochimica et Biophysica Acta - Molecular Cell Research.* 1694 (2004). <https://doi.org/10.1016/j.bbamcr.2004.05.001>.
- [61] N.P. Cianciotto, Type II secretion: A protein secretion system for all seasons, *Trends in Microbiology.* 13 (2005). <https://doi.org/10.1016/j.tim.2005.09.005>.
- [62] G.R. Cornelis, The type III secretion injectisome, *Nature Reviews Microbiology.* 4 (2006). <https://doi.org/10.1038/nrmicro1526>.
- [63] P.J. Christie, E. Cascales, Structural and dynamic properties of bacterial type IV secretion systems, *Molecular Membrane Biology.* 22 (2005). <https://doi.org/10.1080/09687860500063316>.
- [64] E. Grohmann, P.J. Christie, G. Waksman, S. Backert, Type IV secretion in Gram-negative and Gram-positive bacteria, *Molecular Microbiology.* 107 (2018). <https://doi.org/10.1111/mmi.13896>.
- [65] F. Jacob-Dubuisson, R. Fernandez, L. Coutte, Protein secretion through autotransporter and two-partner pathways, *Biochimica et Biophysica Acta - Molecular Cell Research.* 1694 (2004). <https://doi.org/10.1016/j.bbamcr.2004.03.008>.
- [66] E.R. Green, J. Mecsas, Bacterial secretion systems: An overview, in: *Virulence Mechanisms of Bacterial Pathogens*, 2016. <https://doi.org/10.1128/9781555819286.ch8>.
- [67] A.M. Lasica, M. Ksiazek, M. Madej, J. Potempa, The Type IX Secretion System (T9SS): Highlights and Recent Insights into Its Structure and Function, *Frontiers in Cellular and Infection Microbiology.* 7 (2017). <https://doi.org/10.3389/fcimb.2017.00215>.
- [68] F. Jiang, N.R. Waterfield, J. Yang, G. Yang, Q. Jin, A *Pseudomonas aeruginosa* type VI secretion phospholipase D effector targets both prokaryotic and eukaryotic cells, *Cell Host and Microbe.* 15 (2014). <https://doi.org/10.1016/j.chom.2014.04.010>.
- [69] M.N. Burtnick, P.J. Brett, S. v. Harding, S.A. Ngugi, W.J. Ribot, N. Chantratita, A. Scorpio, T.S. Milne, R.E. Dean, D.L. Fritz, S.J. Peacock, J.L. Prior, T.P. Atkins, D. DeShazer, The cluster 1 type VI secretion system is a major virulence determinant in *Burkholderia pseudomallei*, *Infection and Immunity.* 79 (2011). <https://doi.org/10.1128/IAI.01218-10>.
- [70] A. Zoued, Y.R. Brunet, E. Durand, M.S. Aschtgen, L. Logger, B. Douzi, L. Journet, C. Cambillau, E. Cascales, Architecture and assembly of the Type VI secretion system, *Biochimica et Biophysica Acta - Molecular Cell Research.* 1843 (2014). <https://doi.org/10.1016/j.bbamcr.2014.03.018>.
- [71] F. Boyer, G. Fichant, J. Berthod, Y. Vandenbrouck, I. Attree, Dissecting the bacterial type VI secretion system by a genome wide in silico analysis: What can be learned from available microbial genomic resources?, *BMC Genomics.* 10 (2009). <https://doi.org/10.1186/1471-2164-10-104>.
- [72] L.E. Bingle, C.M. Bailey, M.J. Pallen, Type VI secretion: a beginner's guide, *Current Opinion in Microbiology.* 11 (2008). <https://doi.org/10.1016/j.mib.2008.01.006>.
- [73] S. Pukatzki, A.T. Ma, A.T. Revel, D. Sturtevant, J.J. Mekalanos, Type VI secretion system translocates a phage tail spike-like protein into target cells where it cross-links actin, *Proceedings of the National Academy of Sciences of the United States of America.* 104 (2007). <https://doi.org/10.1073/pnas.0706532104>.

References

- [74] J.D. Mougous, M.E. Cuff, S. Raunser, A. Shen, M. Zhou, C.A. Gifford, A.L. Goodman, G. Joachimiak, C.L. Ordoñez, S. Lory, T. Walz, A. Joachimiak, J.J. Mekalanos, A virulence locus of *Pseudomonas aeruginosa* encodes a protein secretion apparatus, *Science*. 312 (2006). <https://doi.org/10.1126/science.1128393>.
- [75] A.B. Russell, S.B. Peterson, J.D. Mougous, Type VI secretion system effectors: Poisons with a purpose, *Nature Reviews Microbiology*. 12 (2014). <https://doi.org/10.1038/nrmicro3185>.
- [76] E. Durand, C. Cambillau, E. Cascales, L. Journet, VgrG, Tle, and beyond: The versatile arsenal of Type VI secretion effectors, *Trends in Microbiology*. 22 (2014). <https://doi.org/10.1016/j.tim.2014.06.004>.
- [77] M.J. Fritsch, K. Trunk, J.A. Diniz, M. Guo, M. Trost, S.J. Coulthurst, Proteomic identification of novel secreted antibacterial toxins of the *Serratia marcescens* Type VI secretion system, *Molecular and Cellular Proteomics*. 12 (2013). <https://doi.org/10.1074/mcp.M113.030502>.
- [78] R.D. Hood, P. Singh, F.S. Hsu, T. Güvener, M.A. Carl, R.R.S. Trinidad, J.M. Silverman, B.B. Ohlson, K.G. Hicks, R.L. Plemel, M. Li, S. Schwarz, W.Y. Wang, A.J. Merz, D.R. Goodlett, J.D. Mougous, A Type VI Secretion System of *Pseudomonas aeruginosa* Targets a Toxin to Bacteria, Cell Host and Microbe. 7 (2010). <https://doi.org/10.1016/j.chom.2009.12.007>.
- [79] J. Zheng, B. Ho, J.J. Mekalanos, Genetic analysis of anti-amoebae and anti-bacterial activities of the type vi secretion system in *Vibrio cholerae*, *PLoS ONE*. 6 (2011). <https://doi.org/10.1371/journal.pone.0023876>.
- [80] J.W. Veening, M. Blokesch, Interbacterial predation as a strategy for DNA acquisition in naturally competent bacteria, *Nature Reviews Microbiology*. 15 (2017). <https://doi.org/10.1038/nrmicro.2017.66>.
- [81] J.P.G. Leiman, M. Basler, U.A. Ramagopal, J.B. Bonanno, J.M. Sauder, S. Pukatzki, S.K. Burley, S.C. Almo, J.J. Mekalanos, Type VI secretion apparatus and phage tail-associated protein complexes share a common evolutionary origin, *Proceedings of the National Academy of Sciences of the United States of America*. 106 (2009). <https://doi.org/10.1073/pnas.0813360106>.
- [82] T.G. Sana, N. Flaugnatti, K.A. Lugo, L.H. Lam, A. Jacobson, V. Baylot, E. Durand, L. Journet, E. Cascales, D.M. Monack, *Salmonella* Typhimurium utilizes a T6SS-mediated antibacterial weapon to establish in the host gut, *Proceedings of the National Academy of Sciences of the United States of America*. 113 (2016). <https://doi.org/10.1073/pnas.1608858113>.
- [83] E.G. Dudley, N.R. Thomson, J. Parkhill, N.P. Morin, J.P. Nataro, Proteomic and microarray characterization of the AggR regulon identifies a pheU pathogenicity island in *Enteropathogenic Escherichia coli*, *Molecular Microbiology*. 61 (2006). <https://doi.org/10.1111/j.1365-2958.2006.05281.x>.
- [84] A. Filloux, A. Hachani, S. Bleves, The bacterial type VI secretion machine: Yet another player for protein transport across membranes, *Microbiology*. 154 (2008). <https://doi.org/10.1099/mic.0.2008/016840-0>.
- [85] S. Schwarz, T.E. West, F. Boyer, W.C. Chiang, M.A. Carl, R.D. Hood, L. Rohmer, T. Tolker-Nielsen, S.J. Skerrett, J.D. Mougous, *Burkholderia* type vi secretion systems have distinct roles in eukaryotic and bacterial cell interactions, *PLoS Pathogens*. 6 (2010). <https://doi.org/10.1371/journal.ppat.1001068>.

References

- [86] J.H. o. Chang, Y.G. Kim, Crystal structure of the bacterial type VI secretion system component TssL from *Vibrio cholerae*, Journal of Microbiology (Seoul, Korea). 53 (2015). <https://doi.org/10.1007/s12275-015-4539-0>.
- [87] M.S. Aschtgen, M.S. Thomas, E. Cascales, Anchoring the type VI secretion system to the peptidoglycan TssL, TagL, TagP,... what else?, Virulence. 1 (2010). <https://doi.org/10.4161/viru.1.6.13732>.
- [88] Y.R. Brunet, C.S. Bernard, E. Cascales, Fur-dam regulatory interplay at an internal promoter of the *Enteropathogenic Escherichia coli* type VI secretion *sci1* gene cluster, Journal of Bacteriology. 202 (2020). <https://doi.org/10.1128/JB.00075-20>.
- [89] L.S. Ma, F. Narberhaus, E.M. Lai, IcmF family protein TssM exhibits ATPase activity and energizes type VI secretion, Journal of Biological Chemistry. 287 (2012). <https://doi.org/10.1074/jbc.M111.301630>.
- [90] E. Durand, V.S. Nguyen, A. Zoued, L. Logger, G. Péhau-Arnaudet, M.S. Aschtgen, S. Spinelli, A. Desmyter, B. Bardiaux, A. Dujecourt, A. Roussel, C. Cambillau, E. Cascales, R. Fronzes, Biogenesis and structure of a type VI secretion membrane core complex, Nature. 523 (2015). <https://doi.org/10.1038/nature14667>.
- [91] L. Logger, M.S. Aschtgen, M. Guérin, E. Cascales, E. Durand, Molecular Dissection of the Interface between the Type VI Secretion TssM Cytoplasmic Domain and the TssG Baseplate Component, Journal of Molecular Biology. 428 (2016). <https://doi.org/10.1016/j.jmb.2016.08.032>.
- [92] S. Nazarov, J.P. Schneider, M. Brackmann, K.N. Goldie, H. Stahlberg, M. Basler, Cryo-EM reconstruction of Type VI secretion system baseplate and sheath distal end , The EMBO Journal. 37 (2018). <https://doi.org/10.15252/embj.201797103>.
- [93] M. Yin, Z. Yan, X. Li, Architecture of type VI secretion system membrane core complex, Cell Research. 29 (2019). <https://doi.org/10.1038/s41422-018-0130-7>.
- [94] N.M.I. Taylor, N.S. Prokhorov, R.C. Guerrero-Ferreira, M.M. Shneider, C. Browning, K.N. Goldie, H. Stahlberg, P.G. Leiman, Structure of the T4 baseplate and its function in triggering sheath contraction, Nature. 533 (2016). <https://doi.org/10.1038/nature17971>.
- [95] V.S. Nguyen, L. Logger, S. Spinelli, P. Legrand, T.T. Huyen Pham, T.T. Nhung Trinh, Y. Cherrak, A. Zoued, A. Desmyter, E. Durand, A. Roussel, C. Kellenberger, E. Cascales, C. Cambillau, Type VI secretion TssK baseplate protein exhibits structural similarity with phage receptor-binding proteins and evolved to bind the membrane complex, Nature Microbiology. 2 (2017). <https://doi.org/10.1038/nmicrobiol.2017.103>.
- [96] Y.J. Park, K.D. Lacourse, C. Cambillau, F. DiMaio, J.D. Mougous, D. Veesler, Structure of the type VI secretion system TssK–TssF–TssG baseplate subcomplex revealed by cryo-electron microscopy, Nature Communications. 9 (2018). <https://doi.org/10.1038/s41467-018-07796-5>.
- [97] A. Zoued, E. Durand, C. Bebeacua, Y.R. Brunet, B. Douzi, C. Cambillau, E. Cascales, L. Journet, TssK is a trimeric cytoplasmic protein interacting with components of both phage-like and membrane anchoring complexes of the type VI secretion system, Journal of Biological Chemistry. 288 (2013). <https://doi.org/10.1074/jbc.M113.499772>.
- [98] G. English, O. Byron, F.R. Cianfanelli, A.R. Prescott, S.J. Coulthurst, Biochemical analysis of TssK, a core component of the bacterial Type VI secretion system, reveals distinct oligomeric states of TssK and identifies a TssK-TssFG subcomplex, Biochemical Journal. 461 (2014). <https://doi.org/10.1042/BJ20131426>.
- [99] Y. Cherrak, C. Rapisarda, R. Pellarin, G. Bouvier, B. Bardiaux, F. Allain, C. Malosse, M. Rey, J. Chamot-Rooke, E. Cascales, R. Fronzes, E. Durand, Biogenesis and structure of a type VI secretion system membrane core complex, Nature. 523 (2015). <https://doi.org/10.1038/nature14667>.

References

- VI secretion baseplate, *Nature Microbiology*. 3 (2018). <https://doi.org/10.1038/s41564-018-0260-1>.
- [100] D. Liebl, M. Robert-Genthon, V. Job, V. Cogoni, I. Attrée, Baseplate Component TssK and Spatio-Temporal Assembly of T6SS in *Pseudomonas aeruginosa*, *Frontiers in Microbiology*. 10 (2019). <https://doi.org/10.3389/fmicb.2019.01615>.
- [101] M. Basler, J.J. Mekalanos, Type 6 secretion dynamics within and between bacterial cells, *Science*. 337 (2012). <https://doi.org/10.1126/science.1222901>.
- [102] M. Kudryashev, R.Y.R. Wang, M. Brackmann, S. Scherer, T. Maier, D. Baker, F. Dimaio, H. Stahlberg, E.H. Egelman, M. Basler, Structure of the Type VI secretion system contractile sheath, *Cell*. 160 (2015). <https://doi.org/10.1016/j.cell.2015.01.037>.
- [103] G. Bönemann, A. Pietrosiuk, A. Diemand, H. Zentgraf, A. Mogk, Remodelling of VipA/VipB tubules by ClpV-mediated threading is crucial for type VI protein secretion, *EMBO Journal*. 28 (2009). <https://doi.org/10.1038/emboj.2008.269>.
- [104] J. Zheng, K.Y. Leung, Dissection of a type VI secretion system in *Edwardsiella tarda*, *Molecular Microbiology*. 66 (2007). <https://doi.org/10.1111/j.1365-2958.2007.05993.x>.
- [105] M. Brodmann, R.F. Dreier, P. Broz, M. Basler, *Francisella* requires dynamic type VI secretion system and ClpB to deliver effectors for phagosomal escape, *Nature Communications*. 8 (2017). <https://doi.org/10.1038/ncomms15853>.
- [106] A. Zoued, E. Durand, Y.R. Brunet, S. Spinelli, B. Douzi, M. Guzzo, N. Flaugnatti, P. Legrand, L. Journet, R. Fronzes, T. Mignot, C. Cambillau, E. Cascales, Priming and polymerization of a bacterial contractile tail structure, *Nature*. 531 (2016). <https://doi.org/10.1038/nature17182>.
- [107] J.P. Schneider, S. Nazarov, R. Adaixo, M. Liuzzo, P.D. Ringel, H. Stahlberg, M. Basler, Diverse roles of TssA-like proteins in the assembly of bacterial type VI secretion systems, *The EMBO Journal*. 38 (2019). <https://doi.org/10.15252/embj.2018100825>.
- [108] A. Vettiger, M. Basler, Type VI Secretion System Substrates Are Transferred and Reused among Sister Cells, *Cell*. 167 (2016). <https://doi.org/10.1016/j.cell.2016.08.23>.
- L Chen, Y Zou, P She, Y Wu. Composition, function, and regulation of T6SS in *Pseudomonas aeruginosa*. *Microbiological research* (2015). <https://doi.org/10.1016/j.micres.2015.01.004>
- [110] J. Zheng, O.S. Shin, D.E. Cameron, J.J. Mekalanos, Quorum sensing and a global regulator TsxA control expression of type VI secretion and virulence in *Vibrio cholerae*, *Proceedings of the National Academy of Sciences of the United States of America*. 107 (2010). <https://doi.org/10.1073/pnas.1014998107>.
- [111] D.F. Aubert, R.S. Flannagan, M.A. Valvano, A novel sensor kinase-response regulator hybrid controls biofilm formation and type VI secretion system activity in *Burkholderia cenocepacia*, *Infection and Immunity*. 76 (2008). <https://doi.org/10.1128/IAI.01338-07>.
- [112] D. Salomon, H. Gonzalez, B.L. Updegraff, K. Orth, *Vibrio parahaemolyticus* Type VI Secretion System 1 Is Activated in Marine Conditions to Target Bacteria, and Is Differentially Regulated from System 2, *PLoS ONE*. 8 (2013). <https://doi.org/10.1371/journal.pone.0061086>.
- [113] Y.R. Brunet, C.S. Bernard, M. Gavioli, R. Lloubès, E. Cascales, An epigenetic switch involving overlapping fur and DNA methylation optimizes expression of a type VI secretion gene cluster, *PLoS Genetics*. 7 (2011). <https://doi.org/10.1371/journal.pgen.1002205>.
- [114] E. Gueguen, E. Durand, X.Y. Zhang, Q. d'Amalric, L. Journet, E. Cascales, Expression of a *Yersinia pseudotuberculosis* Type VI Secretion System Is Responsive to Envelope Stresses through the OmpR Transcriptional Activator, *PLoS ONE*. 8 (2013). <https://doi.org/10.1371/journal.pone.0066615>.

References

- [115] L. Escolar, J. Pérez-Martín, V. de Lorenzo, Opening the iron box: Transcriptional metal oregulation by the fur protein, *Journal of Bacteriology.* 181 (1999). <https://doi.org/10.1128/jb.181.20.6223-6229.1999>.
- [116] T.G. Sana, A. Hachani, I. Bucior, C. Soscia, S. Garvis, E. Termine, J. Engel, A. Filloux, S. Bleves, The second type VI secretion system of *Pseudomonas aeruginosa* strain PAO1 is regulated by quorum sensing and fur and modulates internalization in epithelial cells, *Journal of Biological Chemistry.* 287 (2012). <https://doi.org/10.1074/jbc.M112.376368>.
- YR Brunet, CS Bernard, M Gavioli, R Lloubès, E Cascales. An epigenetic switch involving overlapping fur and DNA methylation optimizes expression of a type VI secretion gene cluster. *PLoS genetics.*(2011). <https://doi.org/10.1371/journal.pgen.1002205>
- [118] K.Y. Leung, B.A. Siame, H. Snowball, Y.K. Mok, Type VI secretion regulation: Crosstalk and intracellular communication, *Current Opinion in Microbiology.* 14 (2011). <https://doi.org/10.1016/j.mib.2010.09.017>.
- [119] D. Storey, A. McNally, M. Åstrand, J.P.G. Santos, I. Rodriguez-Escudero, B. Elmore, L. Palacios, H. Marshall, L. Hobley, M. Molina, V.J. Cid, T.A. Salminen, J.A. Bengoechea, *Klebsiella pneumoniae* type VI secretion system-mediated microbial competition is PhoPQ controlled and reactive oxygen species dependent, *PLoS Pathogens.* 16 (2020). <https://doi.org/10.1371/journal.ppat.1007969>.
- [120] Y. Wu, J. Gong, S. Liu, D. Li, Y. Wu, X. Zhang, Y. Ren, S. Xu, J. Sun, T. Wang, Q. Lin, L. Liu, Crystal structure of PppA from *Pseudomonas aeruginosa*, a key regulatory component of type VI secretion systems, *Biochemical and Biophysical Research Communications.* 516 (2019). <https://doi.org/10.1016/j.bbrc.2019.06.020>.
- [121] M. Basler, B.T. Ho, J.J. Mekalanos, Tit-for-tat: Type VI secretion system counterattack during bacterial cell-cell interactions, *Cell.* 152 (2013). <https://doi.org/10.1016/j.cell.2013.01.042>.
- [122] C.A. Whittaker, R.O. Hynes, Distribution and evolution of von Willebrand/integrin A domains: Widely dispersed domains with roles in cell adhesion and elsewhere, *Molecular Biology of the Cell.* 13 (2002). <https://doi.org/10.1091/mbc.E02-05-0259>.
- [123] J.D. Mougous, C.A. Gifford, T.L. Ramsdell, J.J. Mekalanos, Threonine phosphorylation post-translationally regulates protein secretion in *Pseudomonas aeruginosa*, *Nature Cell Biology.* 9 (2007). <https://doi.org/10.1038/ncb1605>.
- [124] J.M. Silverman, L.S. Austin, F. Hsu, K.G. Hicks, R.D. Hood, J.D. Mougous, Separate inputs modulate phosphorylation-dependent and -independent type VI secretion activation, *Molecular Microbiology.* 82 (2011). <https://doi.org/10.1111/j.1365-2958.2011.07889.x>.
- [125] A. Ostrowski, F.R. Cianfanelli, M. Porter, G. Mariano, J. Peltier, J.J. Wong, J.R. Swedlow, M. Trost, S.J. Coulthurst, Killing with proficiency: Integrated post-translational regulation of an offensive Type VI secretion system, *PLoS Pathogens.* 14 (2018). <https://doi.org/10.1371/journal.ppat.1007230>.
- [126] J.S. Lin, H.H. Wu, P.H. Hsu, L.S. Ma, Y.Y. Pang, M.D. Tsai, E.M. Lai, Fha Interaction with Phosphothreonine of TssL Activates Type VI Secretion in *Agrobacterium tumefaciens*, *PLoS Pathogens.* 10 (2014). <https://doi.org/10.1371/journal.ppat.1003991>.
- [127] A. Camilli, B.L. Bassler, Bacterial small-molecule signaling pathways, *Science.* 311 (2006). <https://doi.org/10.1126/science.1121357>.
- [128] T. Ishikawa, P.K. Rompikuntal, B. Lindmark, D.L. Milton, S.N. Wai, Quorum sensing regulation of the two hcp alleles in *Vibrio cholerae* O1 strains, *PLoS ONE.* 4 (2009). <https://doi.org/10.1371/journal.pone.0006734>.

References

- [129] R.T. Pena, L. Blasco, A. Ambroa, B. González-Pedrajo, L. Fernández-García, M. López, I. Blierot, G. Bou, R. García-Contreras, T.K. Wood, M. Tomás, Relationship between quorum sensing and secretion systems, *Frontiers in Microbiology*. 10 (2019). <https://doi.org/10.3389/fmicb.2019.01100>.
- [130] X. Shao, X. Zhang, Y. Zhang, M. Zhu, P. Yang, J. Yuan, Y. Xie, T. Zhou, W. Wang, S. Chen, H. Liang, X. Deng, RpoN-dependent direct regulation of quorum sensing and the type VI secretion system in *Pseudomonas aeruginosa* PAO1, *Journal of Bacteriology*. 200 (2018). <https://doi.org/10.1128/JB.00205-18>.
- [131] M. Si, C. Zhao, B. Burkinshaw, B. Zhang, D. Wei, Y. Wang, T.G. Dong, X. Shen, Manganese scavenging and oxidative stress response mediated by type VI secretion system in *Burkholderia thailandensis*, *Proceedings of the National Academy of Sciences of the United States of America*. 114 (2017). <https://doi.org/10.1073/pnas.1614902114>.
- [132] F.C. Fang, E.R. Frawley, T. Tapscott, A. Vázquez-Torres, Bacterial Stress Responses during Host Infection, *Cell Host and Microbe*. 20 (2016). <https://doi.org/10.1016/j.chom.2016.07.009>.
- [133] A.T. Ma, J.J. Mekalanos, In vivo actin cross-linking induced by *Vibrio cholerae* type VI secretion system is associated with intestinal inflammation, *Proceedings of the National Academy of Sciences of the United States of America*. 107 (2010). <https://doi.org/10.1073/pnas.0915156107>.
- [134] G. Suarez, J.C. Sierra, M.L. Kirtley, A.K. Chopra, Role of Hcp, a type 6 secretion system effector, of *Aeromonas hydrophila* in modulating activation of host immune cells, *Microbiology*. 156 (2010). <https://doi.org/10.1099/mic.0.041277-0>.
- [135] M.A. Schell, R.L. Ulrich, W.J. Ribot, E.E. Brueggemann, H.B. Hines, D. Chen, L. Lipscomb, H.S. Kim, J. Mrázek, W.C. Nierman, D. DeShazer, Type VI secretion is a major virulence determinant in *Burkholderia mallei*, *Molecular Microbiology*. 64 (2007). <https://doi.org/10.1111/j.1365-2958.2007.05734.x>.
- [136] D.F. Aubert, E.P. O'Grady, M.A. Hamad, P.A. Sokol, M.A. Valvano, The *Burkholderia cenocepacia* sensor kinase hybrid AtsR is a global regulator modulating quorum-sensing signalling, *Environmental Microbiology*. 15 (2013). <https://doi.org/10.1111/j.1462-2920.2012.02828.x>.
- [137] M.R. Bladergroen, K. Badelt, H.P. Spalink, Infection-blocking genes of a symbiotic *Rhizobium leguminosarum* strain that are involved in temperature-dependent protein secretion, *Molecular Plant-Microbe Interactions*. 16 (2003). <https://doi.org/10.1094/MPMI.2003.16.1.53>.
- [138] A.B. Russell, P. Singh, M. Brittnacher, N.K. Bui, R.D. Hood, M.A. Carl, D.M. Agnello, S. Schwarz, D.R. Goodlett, W. Vollmer, J.D. Mougous, A widespread bacterial type VI secretion effector superfamily identified using a heuristic approach, *Cell Host and Microbe*. 11 (2012). <https://doi.org/10.1016/j.chom.2012.04.007>.
- [139] M.D. Carruthers, P.A. Nicholson, E.N. Tracy, R.S. Munson, *Acinetobacter baumannii* Utilizes a Type VI Secretion System for Bacterial Competition, *PLoS ONE*. 8 (2013). <https://doi.org/10.1371/journal.pone.0059388>.
- [140] D.L. MacIntyre, S.T. Miyata, M. Kitaoka, S. Pukatzki, The *Vibrio cholerae* type VI secretion system displays antimicrobial properties, *Proceedings of the National Academy of Sciences of the United States of America*. 107 (2010). <https://doi.org/10.1073/pnas.1012931107>.
- [141] S.L. Murdoch, K. Trunk, G. English, M.J. Fritsch, E. Pourkarimi, S.J. Coulthurst, The opportunistic pathogen *Serratia marcescens* utilizes type VI secretion to target bacterial competitors, *Journal of Bacteriology*. 193 (2011). <https://doi.org/10.1128/JB.05671-11>.

References

- [142] A.B. Russell, M. Leroux, K. Hathazi, D.M. Agnello, T. Ishikawa, P.A. Wiggins, S.N. Wai, J.D. Mougous, Diverse type VI secretion phospholipases are functionally plastic antibacterial effectors, *Nature*. 496 (2013). <https://doi.org/10.1038/nature12074>.
- [143] J. Liaw, G. Hong, C. Davies, A. Elmi, F. Sima, A. Stratakos, L. Stef, I. Pet, A. Hachani, N. Corcionivoschi, B.W. Wren, O. Gundogdu, N. Dorrell, The *Campylobacter jejuni* Type VI Secretion System Enhances the Oxidative Stress Response and Host Colonization, *Frontiers in Microbiology*. 10 (2019). <https://doi.org/10.3389/fmich.2019.02864>.
- [144] T.R.D. Costa, C. Felisberto-Rodrigues, A. Meir, M.S. Prevost, A. Redzej, M. Trokter, G. Waksman, Secretion systems in Gram-negative bacteria: Structural and mechanistic insights, *Nature Reviews Microbiology*. 13 (2015). <https://doi.org/10.1038/nrmicro3456>.
- [145] V. Decoin, C. Barbey, D. Bergeau, X. Latour, M.G.J. Feuilloye, N. Orange, A. Merieau, A type VI secretion system is involved in *Pseudomonas fluorescens* bacterial competition, *PLoS ONE*. 9 (2014). <https://doi.org/10.1371/journal.pone.0089411>.
- [146] R.P. Singh, P. Jha, P.N. Jha, The plant-growth-promoting bacterium *Klebsiella* sp. SBP-8 confers induced systemic tolerance in wheat (*Triticum aestivum*) under salt stress, *Journal of Plant Physiology*. 184 (2015). <https://doi.org/10.1016/j.jplph.2015.07.002>.
- [147] R.P. Singh, S. Nalwaya, P.N. Jha, The draft genome sequence of the plant growth promoting rhizospheric bacterium *Enterobacter cloacae* SBP-8, *Genomics Data*. 12 (2017). <https://doi.org/10.1016/j.gdata.2017.03.006>.
- [148] M. Gottar, V. Gobert, T. Michel, M. Belvin, G. Duyk, J.A. Hoffmann, D. Ferrandon, J. Royet, The *Drosophila* immune response against Gram-negative bacteria is mediated by a peptidoglycan recognition protein, *Nature*. 416 (2002). <https://doi.org/10.1038/nature734>.
- [149] H.F. Yang, A.J. Pan, L.F. Hu, Y.Y. Liu, J. Cheng, Y. Ye, J. bin Li, *Galleria mellonella* as an in vivo model for assessing the efficacy of antimicrobial agents against *Enterobacter cloacae* infection, *Journal of Microbiology, Immunology and Infection*. 50 (2017). <https://doi.org/10.1016/j.jmii.2014.11.011>.
- [150] A. Aballay, P. Yorgey, F.M. Ausubel, *Salmonella* Typhimurium proliferates and establishes a persistent infection in the intestine of *Caenorhabditis elegans*, *Current Biology*. 10 (2000). [https://doi.org/10.1016/S0960-9822\(00\)00830-7](https://doi.org/10.1016/S0960-9822(00)00830-7).
- [151] C. Darby, J.W. Hsu, N. Ghori, S. Falkow, *Caenorhabditis elegans*: Plague bacteria biofilm blocks food intake, *Nature*. 417 (2002). <https://doi.org/10.1038/417243a>.
- [152] M.W. Tan, S. Mahajan-Miklos, F.M. Ausubel, Killing of *Caenorhabditis elegans* by *Pseudomonas aeruginosa* used to model mammalian bacterial pathogenesis, *Proceedings of the National Academy of Sciences of the United States of America*. 96 (1999). <https://doi.org/10.1073/pnas.96.2.715>.
- [153] C.L. Kurz, J.J. Ewbank, *Caenorhabditis elegans* for the study of host-pathogen interactions, *Trends in Microbiology*. 8 (2000). [https://doi.org/10.1016/S0966-842X\(99\)01691-1](https://doi.org/10.1016/S0966-842X(99)01691-1).
- [154] C.D. Sifri, J. Begun, F.M. Ausubel, S.B. Calderwood, *Caenorhabditis elegans* as a model host for *Staphylococcus aureus* pathogenesis, *Infection and Immunity*. 71 (2003). <https://doi.org/10.1128/IAI.71.4.2208-2217.2003>.
- [155] Perlman R. L. (2016). Mouse models of human disease: An evolutionary perspective. *Evolution, medicine, and public health*, 2016(1), 170–176. <https://doi.org/10.1093/emph/eow014>.
- [156] S. Hu, H. Hu, W. Li, X. Hong, D. Cai, J. Lin, M. Li, Y. Zhao, Investigating the biodegradation of sulfadiazine in soil using: *Enterobacter cloacae* T2 immobilized on bagasse, *RSC Advances*. 10 (2019). <https://doi.org/10.1039/c9ra07302g>.

References

- [157] G. Banerjee, S. Pandey, A.K. Ray, R. Kumar, Bioremediation of heavy metals by a novel bacterial strain *Enterobacter cloacae* and its antioxidant enzyme activity, flocculant production, and protein expression in presence of lead, cadmium, and nickel, Water, Air, and Soil Pollution. 226 (2015). <https://doi.org/10.1007/s11270-015-2359-9>.
- [158] V. Thillai Sekar, T.C. Santiago, K.K. Vijayan, S. v. Alavandi, V. Stalin Raj, J.J.S. Rajan, M. Sanjuktha, N. Kalaimani, Involvement of *Enterobacter cloacae* in the mortality of the fish, *Mugil cephalus*, Letters in Applied Microbiology. 46 (2008). <https://doi.org/10.1111/j.1472-765X.2008.02365.x>.
- [159] M. Dalben, G. Varkulja, M. Basso, V.L. Krebs, M.A. Gibelli, I. van der Heijden, F. Rossi, G. Duboc, A.S. Levin, S.F. Costa, Investigation of an outbreak of *Enterobacter cloacae* in a neonatal unit and review of the literature, J Hosp Infect 70 (2008). doi: 10.1016/j.jhin.2008.05.003
- [160] Z.A. Qureshi, D.L. Paterson, D.L. Pakstis, J.M. Adams-Haduch, G. Sandkovsky, E. Sordillo, B. Polksky, A.Y. Peleg, M.K. Bhussar, Y. Doi, Risk factors and outcome of extended-spectrum beta-lactamase-producing *Enterobacter cloacae* bloodstream infections, Int J Antimicrob Agents 37 (2011). doi: 10.1016/j.ijantimicag.2010.09.009.
- [161] S. Krzyminska, R. Koczura, J. Mokracka, T. Puton, A. Kaznowski, Isolates of the *Enterobacter cloacae* complex induce apoptosis of human intestinal epithelial cells, Microb Pathog 49 (2010). doi.org/10.1016/j.micpath.2010.04.003
- [162] S. Krzyminska, J. Mokracka, R. Koczura, A. Kaznowski, Cytotoxic activity of *Enterobacter cloacae* human isolates, FEMS Immunol Med Microbiol 56 (2009). doi:10.1111/j.1574-695X.2009.00572.x
- [163] A. Lengeling, K. Pfeffer, R. Balling, The battle of two genomes: genetics of bacterial host/pathogen interactions in mice, Mamm Genome 12 (2001). doi: 10.1007/s003350040001
- [164] P. Tzou, E. De Gregorio, B. Lemaitre, How *Drosophila* combats microbial infection: a model to study innate immunity and host-pathogen interactions, Curr Opin Microbiol 5 (2002). doi: 10.1016/s1369-5274(02)00294-1
- [165] R. Zhang, A. Hou, Host-Microbe Interactions in *Caenorhabditis elegans*, ISRN Microbiol 2013 (2013). doi.org/10.1155/2013/356451
- [166] A. Kumar, A. Baruah, M. Tomioka, Y. Iino, M.C. Kalita, M. Khan, *Caenorhabditis elegans*: a model to understand host-microbe interactions, Cell Mol Life Sci 77 (2020). doi: 10.1007/s00018-019-03319-7.
- [167] S. Sim, M.L. Hibberd, *Caenorhabditis elegans* susceptibility to gut *Enterococcus faecalis* infection is associated with fat metabolism and epithelial junction integrity, BMC Microbiol 16 (2016). doi: 10.1186/s12866-016-0624-8
- [168] M. Shuhaimi, A.M. Ali, N.M. Saleh, A.M. Yazid, Utilisation of *enterobacterial repetitive intergenic consensus* (ERIC) sequence-based PCR to fingerprint the genomes of *Bifidobacterium* isolates and other probiotic bacteria, Biotechnol Lett 23 (2001).
- [169] B.S. Sivamaruthi, A. Ganguli, M. Kumar, S. Bhaviya, S.K. Pandian, K. Balamurugan, *Caenorhabditis elegans* as a model for studying *Cronobacter sakazakii* ATCC BAA-894 pathogenesis, J Basic Microb 51 (2011). doi: 10.1002/jobm.201000377.
- [170] X. Sem, M. Rhen, Pathogenicity of *Salmonella enterica* in *Caenorhabditis elegans* Relies on Disseminated Oxidative Stress in the Infected Host, Plos One 7 (2012). doi.org/10.1371/journal.pone.0045417
- [171] S. Durai, S.K. Pandian, K. Balamurugan, Establishment of a *Caenorhabditis elegans*. infection model for *Vibrio alginolyticus*, J Basic Microb 51 (2011). doi.org/10.1002/jobm.201000303

References

- [172] V. Chavez, A. Mohri-Shiomi, A. Maadani, L.A. Vega, D.A. Garsin, Oxidative stress enzymes are required for DAF-16-mediated immunity due to generation of reactive oxygen species by *Caenorhabditis elegans*, *Genetics* 176 (2007). doi: 10.1534/genetics.107.072587
- [173] N. Ghosh, A. Das, S. Chaffee, S. ROY, C.K. Sen, Reactive oxygen species, oxidative damage and cell death, In *Immunity and inflammation in health and disease* (2008) 45-55. Academic Press. doi.org/10.1016/B978-0-12-805417-8.00004-4
- [174] Y. Zhang, H. Lu, C.I. Bargmann, Pathogenic bacteria induce aversive olfactory learning in *Caenorhabditis elegans*, *Nature* 438 (2005). doi: 10.1038/nature04216
- [175] Y.L. Bai, D.J. Zhi, C.H. Li, D.L. Liu, J. Zhang, J. Tian, X. Wang, H. Ren, H.Y. Li, Infection and Immune Response in the Nematode *Caenorhabditis elegans* Elicited by the Phytopathogen *Xanthomonas*, *J Microbiol Biotechn* 24 (2014). doi: 10.4014/jmb.1401.01017
- [176] S.N. Reinke, X. Hu, B.D. Sykes, B.D. Lemire, *Caenorhabditis elegans* diet significantly affects metabolic profile, mitochondrial DNA levels, lifespan and brood size, *Mol Genet Metab* 100 (2010). doi: 10.1016/j.ymgme.2010.03.013.
- [177] J. Hodgkin, P.E. Kuwabara, B. Corneliusen, A novel bacterial pathogen, *Microbacterium nematophilum*, induces morphological change in the nematode *C. elegans*, *Curr Biol* 10 (2000) 1615-1618. doi: 10.1016/s0960-9822(00)00867-8.
- [178] A. Kamaladevi, K. Balamurugan, Role of PMK-1/p38 MAPK defense in *Caenorhabditis elegans* against *Klebsiella pneumoniae* infection during host-pathogen interaction, *Pathog Dis* 73 (2015). doi.org/10.1093/femspd/ftv021
- [179] D.A. Garsin, C.D. Sifri, E. Mylonakis, X. Qin, K.V. Singh, B.E. Murray, S.B. Calderwood, F.M. Ausubel, A simple model host for identifying Gram-positive virulence factors, *Proceedings of the National Academy of Sciences*. 98 (2001). doi.org/10.1073/pnas.191378698
- [180] S. Kumar, C. Aninat, G. Michaux, F. Morel, Anticancer drug 5-fluorouracil induces reproductive and developmental defects in *Caenorhabditis elegans*, *Reprod Toxicol* 29 (2010). doi: 10.1016/j.reprotox.2010.02.006
- [181] B. Vigneshkumar, S. Radhakrishnan, K. Balamurugan, Analysis of *Pseudomonas aeruginosa* PAO1 Lipid A Changes During the Interaction with Model Organism, *Caenorhabditis elegans*, *Lipids*. 49 (2014). doi: 10.1007/s11745-014-3898-3
- [182] J.L. Tenor, A. Aballay, A conserved Toll-like receptor is required for *Caenorhabditis elegans* innate immunity, *EMBO Rep*. 9 (2008). doi: 10.1038/sj.embo.7401104
- [183] R.A. Alegado, M.C. Campbell, W.C. Chen, S.S. Slutz, M.W. Tan, Characterization of mediators of microbial virulence and innate immunity using the *Caenorhabditis elegans* host-pathogen model, *Cell Microbiol* 5 (2003).doi: 10.1046/j.1462-5822.2003.00287.x
- [184] N. Pujol, E.M. Link, L.X. Liu, C.L. Kurz, G. Alloing, M.W. Tan, K.P. Ray, R. Solari, C.D. Johnson, J.J. Ewbank, A reverse genetic analysis of components of the toll signaling pathway in *Caenorhabditis elegans* (vol 11, pg 809, 2001), *Curr Biol* 16 (2006). doi: 10.1016/s0960-9822(01)00241-x.
- [185] P. Kesika, S. Karutha Pandian, K. Balamurugan, Analysis of *Shigella flexneri*-mediated infections in model organism *Caenorhabditis elegans*, *Scandinavian Journal of Infectious Diseases*. 43 (2011). doi: 10.3109/00365548.2010.548400.
- [186] S.N. Sahu, J. Lewis, I. Patel, S. Bozdag, J.H. Lee, J.E. LeClerc, H.N. Cinar, Genomic Analysis of Immune Response against *Vibrio cholerae* Hemolysin in *Caenorhabditis elegans*, *PLoS ONE*. 7 (2012) e38200 doi.org/10.1371/journal.pone.0038200

References

- [187] G.V. Mallo, C.L. Kurz, C. Couillault, N. Pujol, S. Granjeaud, Y. Kohara, J.J. Ewbank, Inducible antibacterial defense system in *C. elegans*, *Curr Biol* 12 (2002) 1209-1214. pii S0960-9822(02)00928-4. doi.org/10.1016/S0960-9822(02)00928-4
- [188] G. JebaMercy, S.K. Pandian, K. Balamurugan, Changes in *Caenorhabditis elegans* life span and selective innate immune genes during *Staphylococcus aureus* infection, *Folia Microbiol* 56 (2011). doi: 10.1007/s12223-011-0060-y
- [189] A. Kamaladevi, K. Balamurugan, *Lactobacillus casei* triggers a TLR mediated RACK-1 dependent p38 MAPK pathway in *Caenorhabditis elegans* to resist *Klebsiella pneumoniae* infection, *Food Funct* 7 (2016). doi: 10.1039/c6fo00510a.
- [190] M. Zhou, X. Liu, H. Yu, X. Yin, S.P. Nie, M.Y. Xie, W. Chen, J. Gong, Cell Signaling of *Caenorhabditis elegans* in Response to Enterotoxigenic *Escherichia coli* Infection and *Lactobacillus zeae* Protection, *Front Immunol* 9 (2018).doi: 10.3389/fimmu.2018.01745. eCollection 2018.
- [191] J.A. Govindan, E. Jayamani, G. Ruvkun, ROS-based lethality of *Caenorhabditis elegans* mitochondrial electron transport mutants grown on *Escherichia coli* siderophore iron release mutants, *P Natl Acad Sci USA* 116 (2019). doi: https://doi.org/10.1101/707968
- [192] D. Kang, D.R. Kirienko, P. Webster, A.L. Fisher, N.V. Kirienko, Pyoverdine, a siderophore from *Pseudomonas aeruginosa*, translocates into *C. elegans*, removes iron, and activates a distinct host response, *Virulence* 9 (2018). doi: 10.1080/21505594.2018.1449508
- [193] W.E. Eugene Sanders, C.C. Sanders, *Enterobacter* spp.: Pathogens poised to flourish at the turn of the century, *Clinical Microbiology Reviews*. 10 (1997).
- [194] R. Haertl, G. Bandlow, Epidemiological fingerprinting of *Enterobacter cloacae* by small-fragment restriction endonuclease analysis and pulsed-field gel electrophoresis of genomic restriction fragments, *Journal of Clinical Microbiology*. 31 (1993). doi: 10.1128/jcm.31.1.128-133.1993.
- [195] Y. Ren, Y. Ren, Z. Zhou, X. Guo, Y. Li, L. Feng, L. Wang, Complete genome sequence of *Enterobacter cloacae* subsp. *cloacae* type strain ATCC 13047, *Journal of Bacteriology*. 192 (2010).doi: 10.1128/JB.00067-10. Epub 2010 Mar 5
- [196] S.A. Joyce, C.G.M. Gahan, Molecular pathogenesis of *Listeria monocytogenes* in the alternative model host *Galleria mellonella*, *Microbiology*. 156 (2010). https://doi.org/10.1099/mic.0.040782-0
- [197] S. Khan, P. Paravastu, P.N. Jha, S.A. Marathe, Elucidating the pathogenic potential of *Enterobacter cloacae* SBP-8 using *Caenorhabditis elegans* as a model host, *Microbial Pathogenesis*. 148 (2020). https://doi.org/10.1016/j.micpath.2020.104449
- [198] D. Pletzer, S.C. Mansour, K. Wuerth, N. Rahanjam, R.E.W. Hancock, New mouse model for chronic infections by gram-negative bacteria enabling the study of anti-infective efficacy and host-microbe interactions, *MBio*. 8 (2017). doi: 10.1128/mBio.00140-17.
- [199] Y.T. Chu, Y.H. Wang, J.J. Wu, H.Y. Lei, Invasion and multiplication of *Helicobacter pylori* in gastric epithelial cells and implications for antibiotic resistance, *Infection and Immunity*. 78 (2010). doi: https://doi.org/10.1128/IAI.00524-10
- [200] F. Iovino, G. Molema, J.J.E. Bijlsma, *Streptococcus pneumoniae* interacts with pIgR expressed by the brain microvascular endothelium but does not co-localize with PAF receptor, *PLoS ONE*. 9 (2014).doi: 10.1371/journal.pone.0097914.
- SL. Fraser, SP. Sinave, MD. Mileno, *Enterobacter* Infections: Practice Essentials, Background. Pathophysiology. 2014.
- [202] J. Sotolongo, J. Ruiz, M. Fukata. The role of innate immunity in the host defense against intestinal bacterial pathogens. *Current infectious disease reports*. 5-23(2012)

References

- [203] S.N. Smith, E.C. Hagan, M.C. Lane, H.L. Mobley. Dissemination and systemic colonization of uropathogenic *Escherichia coli* in a murine model of bacteremia. *MBio.*(5).2010. doi: <https://doi.org/10.1128/mBio.00262-10>
- [204] P.E. Praveena, S. Periasamy, A.A. Kumar, N. Singh, Cytokine profiles, apoptosis and pathology of experimental *Pasteurella multocida* serotype A1 infection in mice, *Research in Veterinary Science.* 89 (2010).doi: 10.1016/j.rvsc.2010.04.012
- [205] M.M. Koopmans, J.Y. Engelen-Lee, M.C. Brouwer, V. Jaspers, W.K. Man, M. Vall Seron, D. van de Beek, Characterization of a *Listeria monocytogenes* meningitis mouse model, *Journal of Neuroinflammation.* 15 (2018).doi.org/10.1186/s12974-018-1293-3
- [206] L. Yao, J.W. Berman, S.M. Factor, F.D. Lowy, Correlation of histopathologic and bacteriologic changes with cytokine expression in an experimental murine model of bacteremic *Staphylococcus aureus* infection, *Infection and Immunity.* 65 (1997). doi: 10.1128/iai.65.9.3889-3895.1997.
- [207] W.W. Lathem, S.D. Crosby, V.L. Miller, W.E. Goldman, Progression of primary pneumonic plague: A mouse model of infection, pathology, and bacterial transcriptional activity, *Proceedings of the National Academy of Sciences of the United States of America.* 102 (2005). doi.org/10.1073/pnas.0506840102
- [208] A. Trzeciak, Y. v. Lerman, T.-H. Kim, M.R. Kim, N. Mai, M.W. Halterman, M. Kim, Long-Term Microgliosis Driven by Acute Systemic Inflammation, *The Journal of Immunology.* 203 (2019).doi:10.4049/jimmunol.1900317
- [209] J.L. Caswell, D.M. Middleton, S.D. Sorden, J.R. Gordon, Expression of the neutrophil chemoattractant interleukin-8 in the lesions of Bovine *pneumonic pasteurellosis*, *Veterinary Pathology.* 35 (1998). doi: 10.1177/030098589803500206.
- [210] D.C. Morrison, R. Silverstein, M. Luchi, A. Shnyra, Structure-function relationships of bacterial endotoxins: Contribution to microbial sepsis, *Infectious Disease Clinics of North America.* 13 (1999). doi: 10.1016/s0891-5520(05)70077-5.
- [211] S.N. Vogel. The role of cytokines in endotoxin-mediated responses. *Immunophysiology* role of cells and cytokines, *Immunity and inflammation.* 1990;238.
- [212] A. Keskitalo, E. Munukka, R. Toivonen, M. Hollmén, H. Kainulainen, P. Huovinen, S. Jalkanen, S. Pekkala, *Enterobacter cloacae* administration induces hepatic damage and subcutaneous fat accumulation in high-fat diet fed mice, *PLoS ONE.* 13 (2018). doi.org/10.1371/journal.pone.0198262
- [213] N. Fei, L. Zhao, An opportunistic pathogen isolated from the gut of an obese human causes obesity in germfree mice, *ISME Journal.* 7 (2013).
- [214] F. García-Del Portillo, *Salmonella* intracellular proliferation: Where, when and how?, *Microbes and Infection.* 3 (2001).doi:10.1016/s1286-4579(01)01491-5.
- Molnar , J. Gair, Innate Immune Response, Concepts of Biology-1st Canadian Edition. 2013.
- [216] K.E.R. Bachta, J.P. Allen, B.H. Cheung, C.H. Chiu, A.R. Hauser, Systemic infection facilitates transmission of *Pseudomonas aeruginosa* in mice, *Nature Communications.* 11 (2020).doi.org/10.1038/s41467-020-14363-4
- [217] A.T. Ma, S. McAuley, S. Pukatzki, J.J. Mekalanos, Translocation of a *Vibrio cholerae* Type VI Secretion Effector Requires Bacterial Endocytosis by Host Cells, *Cell Host and Microbe.* 5 (2009). <https://doi.org/10.1016/j.chom.2009.02.005>
- [218] R. Rosales-Reyes, A.M. Skeldon, D.F. Aubert, M.A. Valvano, The Type VI secretion system of *Burkholderia cenocepacia* affects multiple Rho family GTPases disrupting the actin

References

- cytoskeleton and the assembly of NADPH oxidase complex in macrophages, *Cellular Microbiology*. 14 (2012). <https://doi.org/10.1111/j.1462-5822.2011.01716.x>
- [219] J.M. Silverman, Y.R. Brunet, E. Cascales, J.D. Mougous, Structure and regulation of the type VI secretion system, *Annual Review of Microbiology*. 66 (2012). <https://doi.org/10.1146/annurev-micro-121809-151619>
- [220] K. Lertpiriyapong, E.R. Gamazon, Y. Feng, D.S. Park, J. Pang, G. Botka, M.E. Graffam, Z. Ge, J.G. Fox, *Campylobacter jejuni* type VI secretion system: Roles in adaptation to deoxycholic acid, host cell adherence, invasion, and in vivo colonization, *PLoS ONE*. 7 (2012). <https://doi.org/10.1371/journal.pone.0042842>.
- [221] L.M. Weiner, A.K. Webb, B. Limbago, M.A. Dudeck, J. Patel, A.J. Kallen, J.R. Edwards, D.M. Sievert, Antimicrobial-Resistant Pathogens Associated with Healthcare-Associated Infections: Summary of Data Reported to the National Healthcare Safety Network at the Centers for Disease Control and Prevention, 2011-2014, *Infection Control and Hospital Epidemiology*. 37 (2016). <https://doi.org/10.1017/ice.2016.174>.
- [222] W.Y. Liu, C.F. Wong, K.M.K. Chung, J.W. Jiang, F.C.C. Leung, Comparative Genome Analysis of *Enterobacter cloacae*, *PLoS ONE*. 8 (2013). <https://doi.org/10.1371/journal.pone.0074487>.
- [223] G. Mariano, K. Trunk, D.J. Williams, L. Monlezun, H. Strahl, S.J. Pitt, S.J. Coulthurst, A family of Type VI secretion system effector proteins that form ion-selective pores, *Nature Communications*. 10 (2019). <https://doi.org/10.1038/s41467-019-13439-0>.
- [224] D. Farmakis, T. Koeck, W. Mullen, J. Parassis, B.D. Gogas, M. Nikolaou, J. Lekakis, H. Mischak, G. Filippatos, Urine proteome analysis in heart failure with reduced ejection fraction complicated by chronic kidney disease: feasibility, and clinical and pathogenetic correlates, *European Journal of Heart Failure*. 18 (2016). <https://doi.org/10.1002/ejhf.544>.
- [225] K.A. Datsenko, B.L. Wanner, One-step inactivation of chromosomal genes in *Escherichia coli* K-12 using PCR products, *Proceedings of the National Academy of Sciences of the United States of America*. 97 (2000). <https://doi.org/10.1073/pnas.120163297>.
- [226] D.T. Mulder, C.A. Cooper, B.K. Coombes, Type VI secretion system-associated gene clusters contribute to pathogenesis of *Salmonella enterica* serovar typhimurium, *Infection and Immunity*. 80 (2012). <https://doi.org/10.1128/IAI.06205-11>.
- [227] Y. Zhou, J. Tao, H. Yu, J. Ni, L. Zeng, Q. Teng, K.S. Kim, G.P. Zhao, X. Guo, Y. Yao, Hcp family proteins secreted via the type VI secretion system coordinately regulate *Escherichia coli* K1 interaction with human brain microvascular endothelial cells, *Infection and Immunity*. 80 (2012). <https://doi.org/10.1128/IAI.05994-11>.
- [228] C.J. Alteri, S.D. Himpel, S.R. Pickens, J.R. Lindner, J.S. Zora, J.E. Miller, P.D. Arno, S.W. Straight, H.L.T. Mobley, Multicellular Bacteria Deploy the Type VI Secretion System to Preemptively Strike Neighboring Cells, *PLoS Pathogens*. 9 (2013). <https://doi.org/10.1371/journal.ppat.1003608>.
- [229] P.S. Srinivasa Rao, Y. Yamada, P.T. Yuen, Y.L. Ka, Use of proteomics to identify novel virulence determinants that are required for *Edwardsiella tarda* pathogenesis, *Molecular Microbiology*. 53 (2004). <https://doi.org/10.1111/j.1365-2958.2004.04123.x>.
- [230] T.G. Sana, K.A. Lugo, D.M. Monack, T6SS: The bacterial “fight club” in the host gut, *PLoS Pathogens*. 13 (2017). <https://doi.org/10.1371/journal.ppat.1006325>.
- [231] H.J. Busscher, H.C. van der Mei, How do bacteria know they are on a surface and regulate their response to an adhering state?, *PLoS Pathogens*. 8 (2012). <https://doi.org/10.1371/journal.ppat.1002440>.