Contents

Preface vi

Contents viii

List of Figures xii

List of Tables xiv

Nomenclature xv

1 Introduction 1

1.1 Outline Of the Thesis 5

2 The 21-cm signal: a cosmological probe 7

2.0.1 Evolution of the Spin temperature 9

2.0.2 The Dark Ages 10

2.0.3 Epoch of Reionization 11

2.1 The post-reionization era 15

2.1.1 Modeling the post-reionization H I 16

2.1.2 Post-reionization H I bias 17

2.1.3 Power spectrum of H I fluctuations from the post-reionization epoch 18

2.1.4 Cosmology with 21-cm observations from the post-reionization era 19

2.2 Observational challenges 20

3 Cross-correlations of the H I signal with other probes 23

3.1 Why cross-correlation ? 24

3.1.1 Cross-correlation between cosmological signals 26

3.2 Cross-correlation of 21 cm signal with Lyman-α forest 28

3.2.1 Observational aspects 36

4 Constraining Neutrino mass using the post-reionization H I distribution 39

4.1 Introduction 39
4.2 Cross correlation signal and estimation of Neutrino mass 41
4.3 Results and Discussion 47
4.3.1 Observational aspects 47
4.3.2 Telescope parameters 48
4.3.3 Results 48
4.3.4 Optimal strategy 53

5 Constraining WDM power spectrum using cross-correlation of 21 cm and the Ly-α forest 57

5.1 Introduction 57
5.2 The redshifted HI 21-cm and the Lyman-α forest cross-correlation signal in a WDM cosmology 60
5.3 Some observational aspects 64
5.4 Results 65
5.4.1 Predictions for the Ooty Wide Field Array (OWFA) 65
5.4.1.1 The WDM power spectrum estimation using a visibility based approach to the cross-correlation . . . 66
5.4.2 Predictions from SKA I mid 71
5.5 Conclusion 73

6 Constraining Dark energy equation of state using the 21-cm signal and Ly-α forest cross correlation 75

6.1 Introduction 75
6.2 Dark energy models 76
6.3 The Baryon Acoustic Oscillations 81
6.4 Results 83

7 Conclusion and scope for future study 87

7.1 Scope for Future Work 88

References 89

List of Publications and Presentations A-1

CONTENTS

Brief Biography of the Supervisor **A-3**

Brief Biography of the Candidate **A-4**