

## List of Figures

2.1	Solution curves and phase diagram for the model system (2.1)	39
2.2	Instable behavior of solutions and existence of stable limit cycle for $k = 1 (< k^*)$	40
2.3	Bifurcation diagram of both the populations with respect to cost of fear $k$ .	40
2.4	Effect of refuge parameter $\theta$ on the steady state level of populations.	41
2.5	Time evolution of $x$ & $y$ and phase portrait when $\tau = 0.1 (< \tau^*)$	41
2.6	Oscillations of solutions $x$ & $y$ and existence of stable limit cycle when $\tau = 0.4 (> \tau^*)$	42
2.7	Time evolution of $x$ & $y$ and chaotic attractor when $\tau = 18$ .	43
2.8	Bifurcation diagram of prey population with respect to gestation delay $\tau$ .	43
2.9	Maximum Lyapunov exponent with respect to $\tau$ corresponding to Fig. 2.8.	43
2.10	Sensitivity of solutions of system (2.2) with respect to initial condition when $\tau = 18$ .	44
2.11	Stability and instability regions of equilibrium $E^*$ with respect to $k$ and $\tau$ .	44
2.12	Chaotic and non-chaotic regions of model (2.2) in $k\tau$ -plane.	44
3.1	Time series of $u$ and $v$	73
3.2	Stable solution in $uv$ - plane, starting from different initial conditions	73
3.3	Behavior of $u$ and $v$ with time $t$ for different values of $c$	74
3.4	Behavior of $u$ and $v$ with time $t$ for different values of $m$	74
3.5	$E^*$ is asymptotically stable when $\tau_1 = 0$ and $\tau_2 = 3.6 < \tau_{20}$	76
3.6	$E^*$ is unstable when $\tau_1 = 0$ and $\tau_2 = 4 > \tau_{20}$	77
3.7	$E^*$ is asymptotically stable when $\tau_2 = 0$ and $\tau_1 = 3.8 < \tau_{10}$	78
3.8	$E^*$ is unstable when $\tau_2 = 0$ and $\tau_1 = 4.2 > \tau_{10}$	79
3.9	$E^*$ is asymptotically stable when $\tau_2 = 0.5$ and $\tau_1 = 3 < \tau'_{10}$	80
3.10	$E^*$ is unstable when $\tau_2 = 0.5$ and $\tau_1 = 3.3 > \tau'_{10}$	81
3.11	Bifurcation diagram of the prey and predator population with respect to $\tau_1$ when $\tau_2 = 0$	82
3.12	Bifurcation diagram of the prey and predator population with respect to $\tau_1$ when $\tau_2 = 0.5$	82

3.13	Bifurcation diagram of the prey and predator population with respect to $\tau_2$ when $\tau_1 = 0$ . . . . .	82
3.14	Stability and instability regions of model (3.14) . . . . .	83
4.1	Time series of $x, y$ and $z$ . . . . .	100
4.2	Stable solution in $xyz$ -space . . . . .	100
4.3	Behavior of $x, y$ and $z$ with time $t$ for different values of $\alpha$ . . . . .	101
4.4	Behavior of $x, y$ and $z$ with time $t$ for different values of $c$ . . . . .	101
4.5	Behavior of $x, y$ and $z$ with time $t$ for different values of $E$ . . . . .	102
4.6	Trajectory of $x, y, z$ and limit cycle with respect to the parameter $b$ . . . . .	103
4.7	Trajectory of $x, y, z$ and limit cycle with respect to the parameter $\delta_1$ . . . . .	104
5.1	Local asymptotic stability of system 5.2 . . . . .	134
5.2	$E^*$ is unstable when $a = 0.07 > a^*$ . . . . .	134
5.3	$E^*$ is unstable when $b = 0.002 < b^*$ . . . . .	135
5.4	Bifurcation diagram of $x, y$ and $z$ with respect to parameter $a$ . . . . .	136
5.5	Stability and instability regions of model (5.2) for the set of values of parameters in (5.37) with respect to parameters $a$ and $b$ . . . . .	137
5.6	Stability of the system (5.2) switches only once with respect to parameter $s$ when $\alpha = 1.5$ . . . . .	137
5.7	Stability of the system (5.2) switches twice with respect to parameter $s$ when $\alpha = 2.6$ . . . . .	138
5.8	$E^*$ is stable when $\tau_2 = 0.05 < \tau_{2_0}$ . . . . .	139
5.9	$E^*$ is unstable when $\tau_2 = 0.15 > \tau_{2_0}$ . . . . .	139
5.10	$E^*$ is stable when $\tau_1 = 0.5 \in (0, 0.8216)$ and $\tau_2 = 0$ . . . . .	140
5.11	$E^*$ is unstable when $\tau_1 = 1.5 \in (0.8216, 1.9083)$ and $\tau_2 = 0$ . . . . .	140
5.12	$E^*$ is stable when $\tau_1 = 2.7 \in (1.9083, 3.8377)$ and $\tau_2 = 0$ . . . . .	141
5.13	Bifurcation diagram of $x, y$ and $z$ with respect to $\tau_1$ when $\tau_2 = 0$ . . . . .	141
5.14	$E^*$ is stable when $\tau_2 = 0.22 < \tau_2^*$ and $\tau_1 = 0.4$ is fixed . . . . .	142
5.15	$E^*$ is unstable when $\tau_2 = 0.3 > \tau_2^*$ and $\tau_1 = 0.4$ is fixed . . . . .	142
5.16	Bifurcation diagram of $x, y$ and $z$ with respect to $\tau_2$ when $\tau_1 = 0.4$ is fixed. . . . .	142
5.17	$E^*$ is stable when $\tau_1 = 0.65 \in (0, 0.7512)$ and $\tau_2 = 0.025$ . . . . .	143
5.18	$E^*$ is unstable when $\tau_1 = 0.82 \in (0.7512, 2.64)$ and $\tau_2 = 0.025$ . . . . .	144
5.19	$E^*$ is stable when $\tau_1 = 3.1 \in (2.64, 3.4307)$ and $\tau_2 = 0.025$ . . . . .	144
5.20	$E^*$ is stable when $\tau_1 = 4 > 3.4307$ and $\tau_2 = 0.025$ . . . . .	145
5.21	Bifurcation diagram of $x, y$ and $z$ with respect to parameter $\tau_1$ when $\tau_2 = 0.025$ is fixed. . . . .	145

6.1	Plot of per capita growth rate as a function of population size. . . . .	148
6.2	Four possible relative of the prey and predator zero growth isoclines . . . . .	154
6.3	Time series of $x$ and $y$ , system (6.2) shows bi-stability . . . . .	164
6.4	Time series evolution of $x$ and $y$ for the different values of parameter $\delta_1$ . . . . .	164
6.5	Time series solutions of $x$ and $y$ for the different values of Allee parameter $\theta_s$ . . . . .	166
6.6	Time evolution of species and existence of periodic solution when $f = 3.7 > f^*$ . . . . .	166
6.7	Time series of $x$ and $y$ and phase portrait when $\theta_w = 2.5 < \theta_w^*$ . . . . .	167
6.8	Time series of $x$ and $y$ and existence of periodic solution when $\theta_w = 4.3 > \theta_w^*$ . . . . .	167
6.9	Bifurcation diagram of the prey and predator population with respect to Allee parameter $\theta_w$ . . . . .	168
6.10	Phase portrait of system with strong Allee effect, weak Allee effect and without Allee effect . . . . .	168
6.11	The system (6.4) is locally asymptotically stable when $\tau_s = 0.16 < \tau_{s_0}$ . . . . .	169
6.12	The system (6.4) is unstable and have a periodic solution when $\tau_s = 0.45 > \tau_{s_0}$ . . . . .	170
6.13	Bifurcation diagram of the prey and predator population with respect to gestation time delay $\tau_s$ . . . . .	170
6.14	The system (6.5) is locally asymptotically stable when $\tau_w = 0.22 < \tau_{w_0}$ , and unstable when $\tau_w = 0.48 > \tau_{w_0}$ . . . . .	171
7.1	Four possibilities of the prey and predator zero growth isoclines. . . . .	182
7.2	Time series evolution and phase portrait of species . . . . .	193
7.3	Instable behavior of solutions and existence of stable limit cycle for $A_0 = 0.45 (< A_0^*)$ . . . . .	194
7.4	Bifurcation diagram of the prey and predator population with respect to parameter $A_0$ . . . . .	194
7.5	Bifurcation diagram of the prey and predator population with respect to parameter $\phi$ . . . . .	194
7.6	Region of stability and instability for system (7.1) in $A_0\phi$ -plane. . . . .	195
7.7	Trajectories initiated from region of attraction of both the locally asymptotically stable equilibrium points, system (7.1) shows bistability. . . . .	196
7.8	Time series evolution and phase portrait of species for the set of parameters in (7.25) and $\tau_1 = 0.2 < \tau_{1_0} = 0.2889$ when $\tau_2 = 0$ . . . . .	207
7.9	System (7.2) is unstable when $\tau_1 = 0.35 > \tau_{1_0} = 0.2889$ and $\tau_2 = 0$ . . . . .	208
7.10	Bifurcation diagram of the prey and predator population with respect to delay parameter $\tau_1$ when $\tau_2 = 0$ . . . . .	208
7.11	Stable time series solutions and phase diagram of system (7.2) for $\tau_2 = 0.7 < \tau_{2_0} = 0.9618$ and $\tau_1 = 0$ . . . . .	208

7.12 Instable behavior and existence of periodic solutions of system (7.2) around the positive equilibrium  $E^*$  at  $\tau_2 = 1.2 > \tau_{2_0} = 0.9618$  and  $\tau_1 = 0$ . . . . . 209

7.13 Bifurcation diagram of the prey and predator population with respect to delay parameter  $\tau_2$  and  $\tau_1 = 0$ . . . . . 209

7.14  $E^*$  is locally asymptotically stable when  $\tau_1 = 0.12$  is fixed in its stable range  $(0, \tau_{1_0})$  and  $\tau_2 = 0.4 < \tau'_{2_0} = 0.4731$ . . . . . 210

7.15  $E^*$  is unstable when  $\tau_1 = 0.12$  is fixed in its range of stability  $(0, \tau_{1_0})$  and  $\tau_2 = 0.6 > \tau'_{2_0} = 0.4731$ . . . . . 210

7.16 Bifurcation diagram of the prey and predator species with respect to parameter  $\tau_2$  when  $\tau_1 = 0.12$  is fixed in its range of stability  $(0, \tau_{1_0})$ . . . . . 210

7.17  $E^*$  is locally asymptotically stable when  $\tau_2 = 0.42$  is fixed in its stable range  $(0, \tau'_{2_0})$  and  $\tau_1 = 0.1 < \tau_{1_0} = 0.1336$ . . . . . 211

7.18  $E^*$  is unstable when  $\tau_2 = 0.42$  is fixed in its stable range  $(0, \tau_{2_0})$  and  $\tau_1 = 0.2 > \tau'_{1_0} = 0.1336$ . . . . . 211

7.19 Bifurcation diagram of the prey and predator species with respect to parameter  $\tau_1$  when  $\tau_2 = 0.42$  is fixed in its stable range  $(0, \tau_{2_0})$ . . . . . 212

7.20 Region of stability and instability for system (7.2) in  $\tau_1 \tau_2$ -plane. . . . . 212

8.1 comparison of two types of fear functions. . . . . 219

8.2 Time series evolution of species and phase portrait for parametric set (8.28) . . . 239

8.3 Unstable nature of solutions and existence of stable limit cycle of system (8.2) . 239

8.4 Bifurcation diagram for  $x$  and  $y$  with respect to cost of fear  $k$  . . . . . 240

8.5 Stable limit cycle when  $v = 0.18$ . . . . . 241

8.6 Region of stability and instability in  $v k$ - plane. . . . . 241

8.7 Bifurcation diagram for both the species with respect to parameter  $\mu$  . . . . . 242

8.8 Bi-stability phenomenon between equilibrium points  $E_1^*$  and  $E_*$ . . . . . 243

8.9 Saddle node bifurcation diagram with respect to  $\mu$  . . . . . 244

8.10 Saddle node bifurcation diagram of system (8.2) with respect to  $\mu$  . . . . . 245

8.11 Time series evolution of species and phase portrait at  $\tau_1 = 0.08 < \tau_1^{[Hf]}$  . . . . . 247

8.12 Unstable nature of solutions and existence of stable limit cycle . . . . . 247

8.13 Bifurcation diagram with respect to delay parameter  $\tau_1$  . . . . . 248

8.14 Region of stability and instability of the system in  $k \tau_1$ -plane . . . . . 249

8.15 Sensitivity of solutions to initial condition . . . . . 250

8.16 Stranger attractor at  $\tau_2 = 18$ . . . . . 251

8.17 Bifurcation diagram of system (8.3) with respect to delay parameter  $\tau_2$  when  $\tau_1 = 0$  . . . . . 251

8.18 Maximum Lyapunov exponent with respect to the delay parameter  $\tau_2$  . . . . . 251

8.19 Poincare sections of system (8.3) for different values of $\tau_2$ . . . . .	252
8.20 Presence of a stable limit cycle when $\tau_2 = 1 < 1.183063$ and stable phase diagram at $1.183063 < \tau_2 = 4 < 5.025491$ when $\tau_1 = 0.25$ is fixed . . . . .	253
8.21 Bifurcation diagram of delayed system (8.3) with respect to $\tau_2$ when $\tau_1 = 0.25$ is fixed. . . . .	253
8.22 Phase portrait of system (8.3) when $\tau_1 = 0.1 < 0.128111$ and presence of a stable limit cycle at $\tau_1 = 0.15 > 0.128111$ when $\tau_2 = 6$ is fixed . . . . .	254
8.23 Region of stability and instability of the system (8.3) in $\tau_2 \tau_1$ -plane . . . . .	254
8.24 Uneven oscillations are controlled by introducing $\tau_1$ . . . . .	255



## List of Tables

2.1	List of parameters for model (2.1) and (2.2) . . . . .	38
5.1	Variables and parameters used in model (5.1), and (5.2). . . . .	111
5.2	Multiplicity of stability switching of system (5.2) with respect to parameter $s$ in different range of $\alpha$ . . . . .	136
5.3	Effect of gestation delay $\tau_2$ on critical value of parameters $a$ and $b$ . . . . .	138
6.1	Comparative results for strong Allee (6.2) and weak Allee system (6.3). . . . .	158
7.1	Variables and parameters used in models (7.1) & (7.2). . . . .	176
7.2	Existing equilibria and their stability nature. . . . .	192
7.3	Dependence of total number of interior equilibria and their stability on parameters $a$ and $d$ . . . . .	196
8.1	Dependence of total number of interior equilibrium points and their stability on parameters $r, k, \mu$ and $v$ . . . . .	226