

BIBLIOGRAPHY

- [1] J. Mitola III, "Cognitive radio for flexible mobile multimedia communications," in *Proceedings of the IEEE International Workshop on Mobile Multimedia Communications*, San Diego, CA, USA, vol. 1, pp. 3–10, Nov. 1999.
- [2] S. Haykin, "Cognitive radio: brain-empowered wireless communications," *IEEE J. Select. Areas Commun.*, vol. 3, no. 2, pp. 201–220, Feb. 2005.
- [3] H. O. Kpojime and G. A. Safdar, "Interference Mitigation in Cognitive-Radio-Based Femtocells," in *IEEE Communications Surveys & Tutorials*, vol. 17, no. 3, pp. 1511–1534, Third quarter 2015.
- [4] B. Fette, "Fourteen years of Cognitive Radio Development," in *Proc IEEE Military Communications Conference*, San Diego, CA, USA, November 2013, pp.1166–1175.
- [5] A. Ahmad, S. Ahmad, M. H. Rehmani, and N. U. Hassan, "A Survey on Radio Resource Allocation in Cognitive Radio Sensor Networks," in *IEEE Communications Surveys and Tutorials*, vol. 17, no. 02, pp. 888–917, Second quarter 2015.
- [6] E. Z. Traqos, and V. Angelakis, "Cognitive Radio Inspired M2M Communications," in *Proc. of 16th International Symposium on Wireless Personal Multimedia Communications*, Atlantic City, NJ, USA, June 2013, pp. 1–5.
- [7] R. Yu, W. Zhong, S. Xie, Y. Zhang, and Y. Zhang, "QoS Differential Scheduling in Cognitive-Radio-Based Smart Grid Networks: An Adaptive Dynamic Programming

Approach,” in *IEEE Transactions on Neural Networks and Learning Systems*, vol. 27, no. 27, pp. 435-443, February 2016.

[8] S. Ghafoor, P. D. Sutton, C. J. Sreenan, and K. N. Brown, “Cognitive Radio for Disaster Response Networks: Survey, Potential, and Challenges,” in *IEEE Wireless Communications*, vol. 21, no. 5, pp. 70–80, October 2014.

[9] P. Rawat, K. D. Singh, and J. M. Bonnin, “Cognitive Radio for M2M and Internet of Things: A Survey, 2016,” in *Computer Communications - Elsevier*, vol. 94, pp. 1-29, November 2016.

[10] P. Jacob, R. P. Sirigina, A. S. Madhukumar and V. A. Prasad, “Cognitive Radio for Aeronautical Communications: A Survey,” in *IEEE Access*, vol. 4, pp. 3417–3443, May 2016.

[11] F. B. S. de Carvalho, W. T. A. Lopes, M. S. Alencar, and J. V. S. Filho, “Cognitive Vehicular Networks: An Overview,” in *Procedia Computer Science – Elsevier*, vol. 65, pp. 107–114, 2015.

[12] E. Biglieri, “An Overview of Cognitive Radio for Satellite Communications,” in *Proc. of IEEE First AESS European Conference on Satellite Telecommunications*, Rome, Italy, October 2012, pp. 1–3.

[13] X. Huang, T. Han, and N. Ansari, “On Green Energy Powered Cognitive Radio Networks,” in *IEEE Communications Surveys and Tutorials*, vol. 17, no. 2, pp. 827–842, Second quarter 2015.

- [14] M. A. Matin, “Cognitive Radio and the New Spectrum Paradigm for 5G,” from *Spectrum Access and Management for Cognitive Radio Networks*, Springer, pp. 265-286. September 2016.
- [15] A. Khattab, and M. A. Bayoumi, “An Overview of IEEE Standardization Efforts for Cognitive Radio Networks,” in *Proc. of IEEE International Symposium on Circuits and Systems (ISCAS)*, Lisbon, Portugal, May 2015, pp. 982–985.
- [16] V. Mishra, J. Mathew, and C.-T. Lau, “Cognitive Radio Network- A Review,” *QoS and Energy Management in Cognitive Radio Network*, Springer, pp. 39-95, October 2016.
- [17] A. M. Fakhrudeen and O. Y. Alani, “Spectrum Improvement in Cognitive Radio Network: Survey,” in *Proc. Postgraduate Symposium on the Convergence of Telecommunications, Networking and Broadcasting (PGNet2014)*, Liverpool, UK, June 2014, pp. 119-124.
- [18] R. Yu, Y. Zhang, L. Yi, S. Xie, L. Song and M. Guizani, “Secondary Users Cooperation in Cognitive Radio Networks: Balancing Sensing Accuracy and Efficiency,” in *IEEE Wireless Communications*, vol. 19, no. 2, pp. 30-37, April 2012.
- [19] A. Fakhrudeen, and O. Alani, “Comprehensive Survey on Quality of Service Provisioning Approaches in Cognitive Radio Networks: Part One,” in *International Journal of Wireless Information Networks – Springer*, vol. 20, no. 3, pp. 1-33, April 2017.

- [20] S. Pandit and G. Singh, "Cognitive Radio Communication System: Spectrum Sharing Techniques," in *Spectrum Sharing in Cognitive Radio Networks*, Springer, pp. 1-33, April 2017.
- [21] I. Christian S. Moh, I. Chung and J. Lee, "Spectrum Mobility in Cognitive Radio Networks," in *IEEE Communications Magazine*, vol. 50, no. 6, pp. 114-121, June 2014.
- [22] I. Sobron, P. S. R. Diniz, W. A. Martins, and M. Velez, "Energy Detection Technique for Adaptive Spectrum Sensing," in *IEEE Transactions on Communications*, vol. 63, no. 3, pp. 617–627, March 2015.
- [23] B. Li, M. Sun, X. Li, A. Nallanathan and C. Zhao, "Energy Detection Based Spectrum Sensing for Cognitive Radios Over Time-Frequency Doubly Selective Fading Channels," in *IEEE Transactions on Signal Processing*, vol. 63, no. 2, pp. 402–417, January 2015.
- [24] R. S. Kale Sandikar, V. M. Wadhai, and J. B. Helonde, "Efficient Spectrum Sensing in Cognitive Radio using Energy Detection Method with New Threshold Formulation," in *Proc. of IEEE Annual International Conference on Emerging Research Areas (AICERA) - International Conference on Microelectronics, Communications and Renewable Energy (ICMiCR)*, June 4–6, 2013, pp. 1–5.
- [25] H. M. Farag and E. M. Mohamed, "Improved Cognitive Radio Energy Detection Algorithm Based upon Noise Uncertainty Estimation," in *Proc. of 31st National Radio Science Conference (NRSC)*, Cairo, Egypt, April 2014, pp. 107–115.

- [26] A. Sahai, N. Hoven, and R. Tandra, "Some fundamental limits on cognitive radio," in *Proc. Allerton Conf. on Commun., Control, and Computing*, Monticello, Illinois, Oct. 2004.
- [27] M. P. Olivieri, G. Barnett, A. Lackpour, and A. Davis, "A scalable dynamic spectrum allocation system with interference mitigation for teams of spectrally agile software defined radios," in *Proc. IEEE Int. Symposium on New Frontiers in Dynamic Spectrum Access Networks*, Baltimore, Maryland, USA, Nov. 2005, pp. 170–179.
- [28] F. Weidling, D. Datla, V. Petty, P. Krishnan, and G. Minden, "A framework for RF spectrum measurements and analysis," in *Proc. IEEE Int. Symposium on New Frontiers in Dynamic Spectrum Access Networks*, vol. 1, Baltimore, Maryland, USA, Nov. 2005, pp. 573–576.
- [29] J. Lehtomäki, J. Vartiainen, M. Juntti, and H. Saarnisaari, "Spectrum sensing with forward methods," in *Proc. IEEE Military Commun. Conf.*, Washington, D.C., USA, Oct. 2006, pp.1-7.
- [30] S. Geirhofer, L. Tong, and B. Sadler, "Dynamic spectrum access in the time domain: Modelling and exploiting white space," *IEEE Commun. Mag.*, vol. 45, no. 5, pp. 66–72, May 2007.
- [31] S. Geirhofer, L. Tong, and B. Sadler, "A measurement-based model for dynamic spectrum access in WLAN channels," in *Proc. IEEE Military Commun. Conf.*, Washington, D.C., USA, Oct. 2006.

- [32] S. Geirhofer, B. Sadler, and L. Tong, "Dynamic spectrum access in WLAN channels: Empirical model and its stochastic analysis," in *Proc. of Int. Workshop on Technology and Policy for Accessing Spectrum*, Boston, Massachusetts, USA, Aug. 2006.
- [33] P. Papadimitratos, S. Sankaranarayanan, and A. Mishra, "A bandwidth sharing approach to improve licensed spectrum utilization," *IEEE Commun. Mag.*, vol. 43, no. 12, pp. 10–14, Dec. 2005.
- [34] S. Lal and A. Mishra, "A look ahead scheme for adaptive spectrum utilization," in *Proc. IEEE Radio and Wireless Conf.*, Boston, Massachusetts, USA, Aug. 2003, pp. 83–86.
- [35] A. Leu, K. Steadman, M. McHenry, and J. Bates, "Ultra sensitive TV detector measurements," in *Proc. IEEE Int. Symposium on New Frontiers in Dynamic Spectrum Access Networks*, Baltimore, Maryland, USA, Nov. 2005, pp. 30–36.
- [36] F. Digham, M. Alouini, and M. Simon, "On the energy detection of unknown signals over fading channels," in *Proc. IEEE Int. Conf. Commun.*, vol. 5, Seattle, Washington, USA, May 2003, pp. 3575–3579
- [37] A. Ghasemi and E. Sousa, "Collaborative spectrum sensing for opportunistic access in fading environments," in *Proc. IEEE Int. Symposium on New Frontiers in Dynamic Spectrum Access Networks*, Baltimore, Maryland, USA, Nov. 2005, pp. 131–136.

- [38] H. Tang, "Some physical layer issues of wide-band cognitive radio systems," in *Proc. IEEE Int. Symposium on New Frontiers in Dynamic Spectrum Access Networks*, Baltimore, Maryland, USA, Nov. 2005, pp. 151–159.
- [39] A. Sahai, R. Tandra, S. M. Mishra, and N. Hoven, "Fundamental design tradeoffs in cognitive radio systems," in *Proc. of Int. Workshop on Technology and Policy for Accessing Spectrum*, Aug. 2006.
- [40] S. t. B. S. M. Mishra, R. Mahadevappa, and R. W. Brodersen, "Cognitive technology for ultra-wideband/WiMax coexistence," in *Proc. IEEE Int. Symposium on New Frontiers in Dynamic Spectrum Access Networks*, Dublin, Ireland, Apr. 2007, pp. 179–186.
- [41] D. Cabric, A. Tkachenko, and R. Brodersen, "Spectrum sensing measurements of pilot, energy, and collaborative detection," in *Proc. IEEE Military Commun. Conf.*, Washington, D.C., USA, Oct. 2006, pp. 1–7.
- [42] Supplement to IEEE standard for information technology telecommunications and information exchange between systems - local and metropolitan area networks - specific requirements. Part 11: wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) specifications: high-speed physical layer extension in the 2.4 GHz band, The Institute of Electrical and Electronics Engineering, Inc. Std. IEEE 802.11b, Sept. 1999.
- [43] S. Shankar, C. Cordeiro, and K. Challapali, "Spectrum agile radios: utilization and sensing architectures," in *Proc. IEEE Int. Symposium on New Frontiers in Dynamic Spectrum Access Networks*, Baltimore, Maryland, USA, Nov. 2005, pp. 160–169.

- [44] D. Cabric, S. Mishra, and R. Brodersen, "Implementation issues in spectrum sensing for cognitive radios," in *Proc. Asilomar Conf. on Signals, Systems and Computers*, vol. 1, Pacific Grove, California, USA, Nov. 2004, pp. 772–776.
- [45] N. Khambekar, L. Dong, and V. Chaudhary, "Utilizing OFDM guard interval for spectrum sensing," in *Proc. IEEE Wireless Commun. And Networking Conf.*, Hong Kong, Mar. 2007, pp. 38–42.
- [46] P. Qihang, Z. Kun, W. Jun, and L. Shaoqian, "A distributed spectrum sensing scheme based on credibility and evidence theory in cognitive radio context," in *Proc. IEEE Int. Symposium on Personal, Indoor and Mobile Radio Commun.*, Helsinki, Finland, Sept. 2006, pp. 1–5.
- [47] J. Bang, J. Lee, S. Kim and D. Hong, "An Efficient Relay Selection Strategy for Random Cognitive Relay Networks," in *IEEE Transactions on Wireless Communications*, vol. 14, no. 3, pp. 1555–1566, March 2015.
- [48] U. Gardner, WA, "Exploitation of spectral redundancy in cyclostationary signals," *IEEE Signal Processing Mag.*, vol. 8, no. 2, pp. 14–36, 1991.
- [49] K. Maeda, A. Benjebbour, T. Asai, T. Furuno, and T. Ohya, "Recognition among OFDM-based systems utilizing cyclostationarity-inducing transmission," in *Proc. IEEE Int. Symposium on New Frontiers in Dynamic Spectrum Access Networks*, Dublin, Ireland, Apr. 2007, pp. 516–523.

- [50] P. D. Sutton, K. E. Nolan, and L. E. Doyle, "Cyclostationary signatures for rendezvous in OFDM-based dynamic spectrum access networks," in *Proc. IEEE Int. Symposium on New Frontiers in Dynamic Spectrum Access Networks*, Dublin, Ireland, Apr. 2007, pp. 220–231.
- [51] P. D. Sutton, J. Lotze, K. E. Nolan, and L. E. Doyle, "Cyclostationary signature detection in multipath rayleigh fading environments," in *Proc. IEEE Int. Conf. Cognitive Radio Oriented Wireless Networks and Commun. (Crowncom)*, Orlando, Florida, USA, Aug. 2007.
- [52] J. Lund'en, V. Koivunen, A. Huttunen, and H. V. Poor, "Spectrum sensing in cognitive radios based on multiple cyclic frequencies," in *Proc. IEEE Int. Conf. Cognitive Radio Oriented Wireless Networks and Commun. (Crowncom)*, Orlando, Florida, USA, July/Aug. 2007.
- [53] M. Ghozzi, F. Marx, M. Dohler, and J. Palicot, "Cyclostationarity based test for detection of vacant frequency bands," in *Proc. IEEE Int. Conf. Cognitive Radio Oriented Wireless Networks and Commun. (Crowncom)*, Mykonos Island, Greece, June 2006.
- [54] A. Tkachenko, D. Cabric, and R. W. Brodersen, "Cyclostationary feature detector experiments using reconfigurable BEE2," in *Proc. IEEE Int. Symposium on New Frontiers in Dynamic Spectrum Access Networks*, Dublin, Ireland, Apr. 2007, pp. 216–219.
- [55] T. Farnham, G. Clemo, R. Haines, E. Seidel, A. Benamar, S. Billington, N. Greco, N. Drew, T. Le, B. Arram, and P. Mangold, "IST-TRUST: A perspective on the

reconfiguration of future mobile terminals using software download,” in *Proc. IEEE Int. Symposium on Personal, Indoor and Mobile Radio Commun.*, London, UK, Sept. 2000, pp. 1054–1059.

[56] G. Vardoulas, J. Faroughi-Esfahani, G. Clemo, and R. Haines, “Blind radio access technology discovery and monitoring for software defined radio communication systems: problems and techniques,” in *Proc. Int. Conf. 3G Mobile Communication Technologies*, London, UK, Mar. 2001, pp. 306–310.

[57] Blumenfeld, D.: “Operations research calculations handbook” (CRC Press, 2001)

[58] J. Palicot and C. Roland, “A new concept for wireless reconfigurable receivers,” *IEEE Commun. Mag.*, vol. 41, no. 7, pp. 124–132, 2003.

[59] T. Yucek and H. Arslan, “Spectrum characterization for opportunistic cognitive radio systems,” in *Proc. IEEE Military Commun. Conf.*, Washington, D.C., USA, Oct. 2006, pp. 1–6.

[60] A. F. Cattoni, I. Minetti, M. Gandetto, R. Niu, P. K. Varshney, and C. S. Regazzoni, “A spectrum sensing algorithm based on distributed cognitive models,” in *Proc. SDR Forum Technical Conference*, Orlando, Florida, USA, Nov. 2006.

[61] M. Gandetto, M. Guainazzo, F. Pantisano, and C. S. Regazzoni, “A mode identification system for a reconfigurable terminal using Wigner distribution and non-parametric classifiers,” in *Proc. IEEE Global Telecomm. Conf. (Globecom)*, vol. 4, Dallas, Texas, USA, Nov./Dec. 2004, pp. 2424–2428.

[62] M. Oner and F. Jondral, “Cyclostationarity based air interface recognition for software radio systems,” in *Proc. IEEE Radio and Wireless Conf.*, Atlanta, Georgia, USA, Sept. 2004, pp. 263–266.

[63] A. Fehske, J. Gaeddert, and J. Reed, “A new approach to signal classification using spectral correlation and neural networks,” in *Proc. IEEE Int. Symposium on New Frontiers in Dynamic Spectrum Access Networks*, Baltimore, Maryland, USA, Nov. 2005, pp. 144–150.

[64] J. G. Proakis, *Digital Communications*, 4th ed. McGraw-Hill, 2001.

[65] R. Tandra and A. Sahai, “Fundamental limits on detection in low SNR under noise uncertainty,” in *Proc. IEEE Int. Conf. Wireless Networks, Commun. and Mobile Computing*, vol. 1, Maui, HI, June 2005, pp. 464–469.

[66] D. Cabric, S. Mishra, and R. Brodersen, “Implementation issues in spectrum sensing for cognitive radios,” in *Proc. Asilomar Conf. on Signals, Systems and Computers*, vol. 1, Pacific Grove, California, USA, Nov. 2004, pp. 772–776.

[67] Z. Tian and G. B. Giannakis, “A wavelet approach to wideband spectrum sensing for cognitive radios,” in *Proc. IEEE Int. Conf. Cognitive Radio Oriented Wireless Networks and Commun. (Crowncom)*, Mykonos Island, Greece, June 2006.

- [68] Z. Tian and G. Giannakis, "Compressed sensing for wideband cognitive radios," in *Proc. IEEE Int. Conf. on Acoustics, Speech, and Signal Processing*, vol. 4, Honolulu, Hawaii, USA, Apr. 2007, pp. 1357–1360.
- [69] Y. Hur, J. Park, W. Woo, K. Lim, C. Lee, H. Kim, and J. Laskar, "A wideband analog multi-resolution spectrum sensing (MRSS) technique for cognitive radio (CR) systems," in *Proc. IEEE Int. Symp. Circuits and Systems*, Island of Kos, Greece, May 2006, pp. 4090–4093.
- [70] Y. Youn, H. Jeon, J. Choi, and H. Lee, "Fast spectrum sensing algorithm for 802.22 WRAN systems," in *Proc. IEEE Int. Symp. Commun. and Information Techn.*, Bangkok, Thailand, Oct. 2006, pp. 960–964.
- [71] S. Haykin, "The Multitaper Method for Accurate Spectrum Sensing in Cognitive Radio Environments," 2007 Conference Record of the Forty-First Asilomar Conference on Signals, Systems and Computers, Pacific Grove, CA, 2007, pp. 436-439.
- [72] K. Challapali, S. Mangold, and Z. Zhong, "Spectrum agile radio: Detecting spectrum opportunities," in *Proc. Int. Symposium on Advanced Radio Technologies*, Boulder, Colorado, USA, Mar. 2004.
- [73] Y. Zeng and Y.-C. Liang, "Covariance based signal detections for cognitive radio," in *Proc. IEEE Int. Symposium on New Frontiers in Dynamic Spectrum Access Networks*, Dublin, Ireland, Apr. 2007, pp. 202–207.

- [74] M.Lopez-Benitez, F. Casadevall: "Improved energy detection spectrum sensing for cognitive radio", *IET Commun.*, 2012, Vol 6 Issue 8, pp. 785-796
- [75] 4G Americas, "Mobile Broadband Explosion," *Rysavy Research*, pp. 1 - 144, August 2012.
- [76] "X-Series Real-Time Spectrum Analyzer User's & Programmer's Reference", Keysight Technologies.
- [77] Q. Zhao, L. Tong, A. Swami, and Y. Chen, "Decentralized cognitive MAC for opportunistic spectrum access in ad hoc networks: a POMDP framework," *IEEE J. Select. Areas Commun.*, vol. 25, no. 3, pp. 589-600, Apr. 2007.
- [78] L. Lai, H. El Gamal, H. Jiang, and H. V. Poor, "Cognitive medium access: exploration, exploitation and competition," *IEEE/ACM Trans. Networking*, submitted Oct. 2007
- [79] A. Motamedi and A. Bahai, "Dynamic channel selection for spectrum sharing in unlicensed bands," *European Trans. Telecommun. Related Technol.*, submitted 2007.
- [80] N. B. Chang and M. Liu, "Optimal channel probing and transmission scheduling for opportunistic spectrum access," in *Proc. 13th ACM Annual International Conf. Mobile Computing Networking (MobiCom'07)*, pp. 27-38, Montreal, QC, Canada, Sept. 2007.

- [81] M. Sikora, J. N. Laneman, M. Haenggi, D. J. Costello, Jr., and T. E. Fuja, "Bandwidth- and power-efficient routing in linear wireless networks," *IEEE Trans. Inf. Theory*, vol. 52, pp. 2624-2633, June 2006.
- [82] M. K. Kaushik, T. S. Sai and Y. Yoganandam, "Enhanced energy detection and moving average thresholding for cognitive femtocell networks," 2013 IEEE Asia Pacific Conference on Postgraduate Research in Microelectronics and Electronics (PrimeAsia), Visakhapatnam, 2013, pp. 250-253.
- [83] L. Xiao, T. E. Fuja and D. J. Costello, "Mobile Relaying: Coverage Extension and Throughput Enhancement," in *IEEE Transactions on Communications*, vol. 58, no. 9, pp. 2709-2717, September 2010.
- [84] H. Xie and S. Kuek, "Priority handoff analysis," in *Proc. 43rd IEEE Veh. Technol. Conf. (VTC)*, NJ, May 1993, pp. 855-858.
- [85] H. Xie and D. J. Goodman, "Mobility models and biased sampling problem," in *Proc. 2nd IEEE International Conf. Universal Personal Commun. (ICUPC)*, Ottawa, Canada, Oct. 1993, pp. 804-807.
- [86] D. Bertsekas and R. Gallager, *Data Networks*. Englewood Cliffs, NJ: Prentice-Hall, 1992.
- [87] Gaafar M, Amin O, Abediseid W, Alouini MS. Underlay spectrum sharing techniques with in-band full-duplex systems using improper Gaussian signaling. *IEEE Transactions on Wireless Communications*. 2017 Jan;16(1):235-49.

- [88] Amin O, Abediseid W, Alouini MS. Overlay spectrum sharing using improper Gaussian signaling. *IEEE Journal on Selected Areas in Communications*. 2017 Jan;35(1):50-62.
- [89] Kibria MG, Villardi GP, Nguyen K, Ishizu K, Kojima F. Heterogeneous Networks in Shared Spectrum Access Communications. *IEEE Journal on Selected Areas in Communications*. 2017 Jan;35(1):145-58.
- [90] Jiang C, Zhang H, Ren Y, Chen HH. Energy-efficient non-cooperative cognitive radio networks: micro, meso, and macro views. *IEEE Communications Magazine*. 2014 Jul;52(7):14-20.
- [91] Samarakoon S, Bennis M, Saad W, Debbah M, Latva-Aho M. Ultra dense small cell networks: Turning density into energy efficiency. *IEEE Journal on Selected Areas in Communications*. 2016 May;34(5):1267-80.
- [92] Zhang H, Dong Y, Cheng J, Hossain MJ, Leung VC. Fronthauling for 5G LTE-U ultra dense cloud small cell networks. *IEEE Wireless Communications*. 2016 Dec;23(6):48-53.
- [93] Dikmese S, Ilyas Z, Sofotasios PC, Renfors M, Valkama M. Sparse Frequency Domain Spectrum Sensing and Sharing Based on Cyclic Prefix Autocorrelation. *IEEE Journal on Selected Areas in Communications*. 2017 Jan;35(1):159-72.

- [94] Kibria MG, Villardi GP, Nguyen K, Ishizu K, Kojima F. Heterogeneous Networks in Shared Spectrum Access Communications. *IEEE Journal on Selected Areas in Communications*. 2017 Jan;35(1):145-58.
- [95] Zhang H, Nie Y, Cheng J, Leung VC, Nallanathan A. Sensing time optimization and power control for energy efficient cognitive small cell with imperfect hybrid spectrum sensing. *IEEE Transactions on Wireless Communications*. 2017 Feb;16(2):730-43.
- [96] Kulkarni K, Banerjee A. Adaptive transmission strategies to maximize packet throughput of cognitive radio under primary user queue stability constraint. In *Signal Processing and Communications (SPCOM), 2014 International Conference on* 2014 Jul 22 (pp. 1-6). IEEE.
- [97] Dai J, Wang S. Clustering-Based Spectrum Sharing Strategy for Cognitive Radio Networks. *IEEE Journal on Selected Areas in Communications*. 2017 Jan;35(1):228-37.
- [98] Duan R, Elmusrati M, Virrankoski R. Stable transmission for a cognitive-shared channel with rechargeable transmitters. In *Communications (ICC), 2012 IEEE International Conference on* 2012 Jun 10 (pp. 4632-4636). IEEE.
- [99] Simeone O, Bar-Ness Y, Spagnolini U. Stable throughput of cognitive radios with and without relaying capability. *IEEE Transactions on Communications*. 2007 Dec;55(12):2351-60.
- [100] Zhang Q, Jia J, Zhang J. Cooperative relay to improve diversity in cognitive radio networks. *IEEE Communications Magazine*. 2009 Feb;47(2):111-7.

- [101] Zou Y, Zhu J, Zheng B, Yao YD. An adaptive cooperation diversity scheme with best-relay selection in cognitive radio networks. *IEEE transactions on signal processing*. 2010 Oct;58(10):5438-45.
- [102] Lee J, Wang H, Andrews JG, Hong D. Outage probability of cognitive relay networks with interference constraints. *IEEE Transactions on Wireless Communications*. 2011 Feb;10(2):390-5.
- [103] Krikidis I, Devroye N, Thompson JS. Stability analysis for cognitive radio with multi-access primary transmission. *IEEE Transactions on Wireless Communications*. 2010 Jan;9(1).
- [104] Wang L, Fodor V. Dynamic cooperative secondary access in hierarchical spectrum sharing networks. *IEEE Transactions on Wireless Communications*. 2014 Nov;13(11):6068-80.
- [105] Cheng SM, Ao WC, Tseng FM, Chen KC. Design and analysis of downlink spectrum sharing in two-tier cognitive femto networks. *IEEE Transactions on Vehicular Technology*. 2012 Jun;61(5):2194-207.
- [106] Wang XY, Ho PH, Chen KC. Interference analysis and mitigation for cognitive-empowered femtocells through stochastic dual control. *IEEE Transactions on Wireless Communications*. 2012 Jun;11(6):2065-75.

- [107] Xie R, Yu FR, Ji H, Li Y. Energy-efficient resource allocation for heterogeneous cognitive radio networks with femtocells. *IEEE Transactions on Wireless Communications*. 2012 Nov;11(11):3910-20.
- [108] Le LB, Niyato D, Hossain E, Kim DI, Hoang DT. QoS-aware and energy-efficient resource management in OFDMA femtocells. *IEEE Transactions on Wireless Communications*. 2013 Jan;12(1):180-94.
- [109] Tragos EZ, Zeadally S, Fragkiadakis AG, Siris VA. Spectrum assignment in cognitive radio networks: A comprehensive survey. *IEEE Communications Surveys & Tutorials*. 2013 Jan 1;15(3):1108-35.
- [110] Feng D, Jiang C, Lim G, Cimini LJ, Feng G, Li GY. A survey of energy-efficient wireless communications. *IEEE Communications Surveys & Tutorials*. 2013 Mar;15(1):167-78.
- [111] Pei Y, Liang YC, Teh KC, Li KH. Energy-efficient design of sequential channel sensing in cognitive radio networks: optimal sensing strategy, power allocation, and sensing order. *IEEE Journal on Selected Areas in Communications*. 2011 Sep;29(8):1648-59.
- [112] Liang YC, Zeng Y, Peh EC, Hoang AT. Sensing-throughput tradeoff for cognitive radio networks. *IEEE transactions on Wireless Communications*. 2008 Apr;7(4):1326-37.

- [113] S. Stotas and A. Nallanathan, "On the Throughput and Spectrum Sensing Enhancement of Opportunistic Spectrum Access Cognitive Radio Networks," in *IEEE Transactions on Wireless Communications*, vol. 11, no. 1, pp. 97-107, January 2012.
- [114] Stotas S, Nallanathan A. On the outage capacity of sensing-enhanced spectrum sharing cognitive radio systems in fading channels. *IEEE Transactions on communications*. 2011 Oct;59(10):2871-82.
- [115] Hong X, Wang J, Wang CX, Shi J. Cognitive radio in 5G: a perspective on energy-spectral efficiency trade-off. *IEEE Communications Magazine*. 2014 Jul;52(7):46-53.
- [116] Ng DW, Lo ES, Schober R. Energy-efficient resource allocation in multi-cell OFDMA systems with limited backhaul capacity. *IEEE Transactions on Wireless Communications*. 2012 Oct;11(10):3618-31.
- [117] A. Al-Fuqaha, M. Guizani, M. Mohammadi, M. Aledhari and M. Ayyash, "Internet of Things: A Survey on Enabling Technologies, Protocols, and Applications," in *IEEE Communications Surveys & Tutorials*, vol. 17, no. 4, pp. 2347-2376, Fourthquarter 2015. DOI: 10.1109/COMST.2015.2444095
- [118] P. Rawat, K. Singh, and J. Bonnin, "Cognitive radio for M2M and internet of things: A survey," *Computer Communications*, Vol. 94, pp. 1-29, 2016.
- [119] V. Petrov, S. Edelev, M. Komar and Y. Koucheryavy, "Towards the era of wireless keys: How the IoT can change authentication paradigm," 2014 IEEE World Forum on

Internet of Things (WF-IoT), Seoul, 2014, pp. 51-56. DOI: 10.1109/WF-IoT.2014.6803116

[120] H. A. Bany Salameh and M. Krunz, "Channel access protocols for multihop opportunistic networks: challenges and recent developments," in *IEEE Network*, vol. 23, no. 4, pp. 14-19, July-August 2009. DOI: 10.1109/MNET.2009.5191141

[121] S. Haykin, "Cognitive radio: brain-empowered wireless communications," in *IEEE Journal on Selected Areas in Communications*, vol. 23, no. 2, pp. 201-220, Feb. 2005. DOI: 10.1109/JSAC.2004.839380

[122] B. Wang and K. J. R. Liu, "Advances in cognitive radio networks: A survey," in *IEEE Journal of Selected Topics in Signal Processing*, vol. 5, no. 1, pp. 5-23, Feb. 2011. DOI: 10.1109/JSTSP.2010.2093210

[123] M. Zareei, E. Mahmoud Mohamed, M. H. Anisi, C. Vargas Rosales, K. Tsukamoto and M. Khurram Khan, "On-Demand Hybrid Routing for Cognitive Radio Ad-Hoc Network," in *IEEE Access*, vol. 4, pp. 8294-8302, 2016. DOI: 10.1109/ACCESS.2016.2626721

[124] O. B. Akan, O. B. Karli and O. Ergul, "Cognitive radio sensor networks," in *IEEE Network*, vol. 23, no. 4, pp. 34-40, July-August 2009. DOI: 10.1109/MNET.2009.5191144

[125] M. Yan, S. Ji, M. Han, Y. Li and Z. Cai, "Data aggregation scheduling in wireless networks with Cognitive Radio capability," 2014 Eleventh Annual IEEE International

Conference on Sensing, Communication, and Networking (SECON), Singapore, 2014, pp. 513-521. DOI: 10.1109/SAHCN.2014.6990390

[126] Z. Yang, Z. Shi, and C. Jin, "SACRB-MAC: A high-capacity MAC protocol for cognitive radio sensor networks in smart grid," *Sensors*, vol. 16, no. 4, p. 464, 2016.

[127] S. Zubair, S. K. S. Yusoff, and N. Fisal, "Mobility-enhanced reliable geographical forwarding in cognitive radio sensor networks," *Sensors*, vol. 16, no. 2, p. 172, 2016.

[128] G. P. Joshi and S.W. Kim, "A survey on node clustering in cognitive radio wireless sensor networks," *Sensors*, vol. 16, no. 9, p. 1465, 2016.

[129] A. R. Syed, K. A. Yau, J. Qadir, H. Mohamad, N. Ramli and S. L. Keoh, "Route Selection for Multi-Hop Cognitive Radio Networks Using Reinforcement Learning: An Experimental Study," in *IEEE Access*, vol. 4, pp. 6304-6324, 2016. DOI: 10.1109/ACCESS.2016.2613122

[130] G. P. Joshi, S. Y. Nam, and S. W. Kim, "Cognitive radio wireless sensor networks: Applications, challenges and research trends," *Sensors*, vol. 13, no. 9, pp. 11196-11228, 2013.

[131] L. Zhang, Z. Cai, P. Li, and X. Wang, "Exploiting spectrum availability and quality in routing for multi-hop cognitive radio networks," in *Proc. 11th Int. Conf. Wireless Algorithms, Syst., Appl. (WASA)*, Aug. 2016, pp. 283-294.

- [132] K. Wei, X. Liang and K. Xu, "A Survey of Social-Aware Routing Protocols in Delay Tolerant Networks: Applications, Taxonomy and Design-Related Issues," in *IEEE Communications Surveys & Tutorials*, vol. 16, no. 1, pp. 556-578, First Quarter 2014. DOI: 10.1109/SURV.2013.042313.00103
- [133] L. Zhang, X. Wang, J. Lu, M. Ren, Z. Duan, and Z. Cai, "A novel contact prediction-based routing scheme for DTNs," *Trans. Emerg. Telecommun. Technol.*, vol. 28, no. 1, pp. e2889-1-e2889-12, 2017.
- [134] L. Zhang, Z. Cai, J. Lu, and X. Wang, "Mobility-aware routing in delay tolerant networks," *Pers. Ubiquitous Comput.*, vol. 19, no. 7, pp. 1111-1123, 2015.
- [135] R. Zhao, X. Wang, Y. Lin, Y. Yang, T. Hui, and L. Zhang, "A controllable multi-replica routing approach for opportunistic networks," *IEEJ Trans. Elect. Electron. Eng.*, 2017 doi: 10.1002/tee.22437.
- [136] S. Sengupta and K. P. Subbalakshmi, "Open research issues in multi-hop cognitive radio networks," in *IEEE Communications Magazine*, vol. 51, no. 4, pp. 168-176, April 2013. DOI: 10.1109/MCOM.2013.6495776
- [137] M. Cesana, F. Cuomo, and E. Ekici, "Routing in cognitive radio networks: Challenges and solutions," *Ad Hoc Netw.*, vol. 9, no. 3, pp. 228-248, 2011.
- [138] K. R. Chowdhury and M. D. Felice, "Search: A routing protocol for mobile cognitive radio ad-hoc networks," *Comput. Commun.*, vol. 32, no. 18, pp. 1983-1997, 2009.

[139] O. S. Badarneh and H. B. Salameh, "Opportunistic Routing in Cognitive Radio Networks: Exploiting Spectrum Availability and Rich Channel Diversity," 2011 IEEE Global Telecommunications Conference - GLOBECOM 2011, Kathmandu, 2011, pp. 1-5. DOI: 10.1109/GLOCOM.2011.6134241

[140] C. Perkins, E. Belding-Royer, and S. Das, *Ad Hoc On-Demand Distance Vector (AODV) routing*, document RFC 3561, 2003, pp. 1-5.

[141] W. Feng, J. Cao, C. Zhang and C. Liu, "Joint Optimization of Spectrum Handoff Scheduling and Routing in Multi-hop Multi-radio Cognitive Networks," 2009 29th IEEE International Conference on Distributed Computing Systems, Montreal, QC, 2009, pp. 85-92. DOI: 10.1109/ICDCS.2009.64

[142] X. Jin, R. Zhang, J. Sun and Y. Zhang, "TIGHT: A Geographic Routing Protocol for Cognitive Radio Mobile Ad Hoc Networks," in *IEEE Transactions on Wireless Communications*, vol. 13, no. 8, pp. 4670-4681, Aug. 2014. DOI: 10.1109/TWC.2014.2320950

[143] Y. Liu, L. X. Cai and X. S. Shen, "Spectrum-Aware Opportunistic Routing in Multi-Hop Cognitive Radio Networks," in *IEEE Journal on Selected Areas in Communications*, vol. 30, no. 10, pp. 1958-1968, November 2012. DOI: 10.1109/JSAC.2012.121111

- [144] Z. Cai, Y. Duan, and A. G. Bourgeois, "Delay efficient opportunistic routing in asynchronous multi-channel cognitive radio networks," *J. Combinat.Optim.*, vol. 29, no. 4, pp. 815-835, 2015.
- [145] S. Ji, M. Yan, R. Beyah and Z. Cai, "Semi-Structure Routing and Analytical Frameworks for Cognitive Radio Networks," in *IEEE Transactions on Mobile Computing*, vol. 15, no. 4, pp. 996-1008, 1 April 2016. DOI: 10.1109/TMC.2015.2442250
- [146] L. Zhang, Z. Cai, P. Li, L. Wang and X. Wang, "Spectrum-Availability Based Routing for Cognitive Sensor Networks," in *IEEE Access*, vol. 5, pp. 4448-4457, 2017. DOI: 10.1109/ACCESS.2017.2681743
- [147] H. A. Bany Salameh, M. Krunz and O. Younis, "Cooperative Adaptive Spectrum Sharing in Cognitive Radio Networks," in *IEEE/ACM Transactions on Networking*, vol. 18, no. 4, pp. 1181-1194, Aug. 2010. DOI: 10.1109/TNET.2009.2039490
- [148] M. K. Kaushik and Y. Yoganandam, "Studies on route sustenance and outage probability in cognitive mobile secondary user networks," 2016 Sixth International Symposium on Embedded Computing and System Design (ISED), Patna, 2016, pp. 245-248. DOI: 10.1109/ISED.2016.7977090
- [149] S. Stotas and A. Nallanathan, "On the Outage Capacity of Sensing-Enhanced Spectrum Sharing Cognitive Radio Systems in Fading Channels," in *IEEE Transactions on Communications*, vol. 59, no. 10, pp. 2871-2882, October 2011. DOI: 10.1109/TCOMM.2011.063011.100787

[150] N. Wisitpongphan, G. Ferrari, S. Panichpapiboon, J. S. Parikh and O. K. Tonguz, "QoS provisioning using BER-based routing in ad hoc wireless networks," 2005 IEEE 61st Vehicular Technology Conference, Stockholm, 2005, pp. 2483-2487 Vol. 4. DOI: 10.1109/VETECS.2005.1543782