Bibliography

[1] L. Prandtl, "Über flussigkeitsbewegung bei sehr kleiner reibung", *Verhandl. III, Internat. Math.-Kong., Heidelberg, Teubner, Leipzig, 1904*, pp. 484–491, 1904.

[2] K. O. Friedrichs and W. R. Wasow, "Singular perturbations of non-linear oscillations", *Duke Mathematical Journal*, vol. 13, no. 3, pp. 367–381, 1946.

[3] W. R. Wasow, "On boundary layer problems in the theory of ordinary differential equations", Wisconsin Univ-Madison Mathematics Research Center, Tech. Rep., 1981.

[4] H. Baumert, P. Braun, E. Glos, W.-D. Müller, and G. Stoyan, "Modelling and computation of water quality problems in river networks", in *Optimization Techniques*, Springer, 1980, pp. 482–491.

[5] R. E. Ewing, *The mathematics of reservoir simulation*. SIAM, 1983.

[6] S. Kaplun and P. A. Lagerstrom, *Fluid mechanics and singular perturbations: a collection of papers*. Academic Press New York, NY, 1967.

[7] P. W. Hemker, *A numerical study of stiff two-point boundary problems*. Amsterdam : Mathematisch Centrum, 1977.

[8] E. P. Doolan, J. J. H. Miller, and W. H. Schilders, *Uniform numerical methods for problems with initial and boundary layers*. Boole Press, 1980.

[9] R. E. O'Malley, *Singular perturbation methods for ordinary differential equations*. Springer, 1991, vol. 89.

[10] P. Farrell, A. Hegarty, J. J. H. Miller, E. O'Riordan, and G. I. Shishkin, *Robust computational techniques for boundary layers*. CRC Press, 2000.

[11] C. M. Bender and S. A. Orszag, *Advanced mathematical methods for scientists and engineers I: Asymptotic methods and perturbation theory*. Springer Science & Business Media, 2013.

[12] M. D. Ardema, *Singular perturbations in systems and control*. Springer, 2014, vol. 280.

[13] R. E. Meyer and S. V. Parter, *Singular perturbations and asymptotics: proceedings of an advanced seminar conducted by the mathematics research center, the university of wisconsin—madison, May 28-30, 1980*, 45. Academic Press, 2014.

[14] W. Wasow, *Asymptotic expansions for ordinary differential equations*. Courier Dover Publications, 2018.

[15] R. Shymko and L. Glass, "Spatial switching in chemical reactions with heterogeneous catalysis", *The Journal of Chemical Physics*, vol. 60, no. 3, pp. 835–841, 1974.

[16] Y. Kuramoto and T. Yamada, "Turbulent state in chemical reactions", *Progress of Theoretical Physics*, vol. 56, no. 2, pp. 679–681, 1976.

[17] I. R. Epstein, "Delay effects and differential delay equations in chemical kinetics", *International Reviews in Physical Chemistry*, vol. 11, no. 1, pp. 135–160, 1992.

[18] G. Adomian and R. Rach, "Nonlinear stochastic differential delay equations", *Journal of Mathematical Analysis and Applications*, vol. 91, no. 1, pp. 94–101, 1983.

[19] B. McCartin, *Discretization of the semiconductor device equations from new problems and new solutions for device and process modelling*. Boole Press, Dublin, 1985.

[20] A. Kaushik and M. D. Sharma, "Numerical analysis of a mathematical model for propagation of an electrical pulse in a neuron", *Numerical Methods for Partial Differential Equations*, vol. 24, no. 4, pp. 1055–1079, 2008.

[21] P. W. Nelson, J. D. Murray, and A. S. Perelson, "A model of HIV-1 pathogenesis that includes an intracellular delay", *Mathematical Biosciences*, vol. 163, no. 2, pp. 201–215, 2000.

[22] P. Smolen, D. A. Baxter, and J. H. Byrne, "A reduced model clarifies the role of feedback loops and time delays in the drosophila circadian oscillator", *Biophysical journal*, vol. 83, no. 5, pp. 2349–2359, 2002.

[23] F. M. Asl and A. G. Ulsoy, "Analysis of a system of linear delay differential equations", *Transactions-American Society of Mechanical Engineers Journal of Dynamic Systems Measurement and Control*, vol. 125, no. 2, pp. 215–223, 2003.

[24] S. A. Campbell, R. Edwards, and P. van den Driessche, "Delayed coupling between two neural network loops", *SIAM Journal on Applied Mathematics*, vol. 65, no. 1, pp. 316 –335, 2004.

[25] M. Ciupe, B. Bivort, D. Bortz, and P. Nelson, "Estimating kinetic parameters from HIV primary infection data through the eyes of three different mathematical models", *Mathematical Biosciences*, vol. 200, no. 1, pp. 1–27, 2006.

[26] H. G. Roos, M. Stynes, and L. Tobiska, *Robust numerical methods for singularly perturbed differential equations: convection-diffusion-reaction and flow problems*. Springer Science & Business Media, 2008, vol. 24.

[27] J. Baranowski, "Legendre polynomial approximations of time delay systems", in *Proceedings of the 12th International PhD Workshop*, 2010, p. 2326.

[28] Y. Kuang, *Delay differential equations: with applications in population dynamics*. Academic Press, 1993, vol. 191.

[29] P. W. Nelson and A. S. Perelson, "Mathematical analysis of delay differential equation models of HIV-1 infection", *Mathematical Biosciences*, vol. 179, no. 1, pp. 73–94, 2002.

[30] M. Villasana and A. Radunskaya, "A delay differential equation model for tumor growth", *Journal of Mathematical Biology*, vol. 47, no. 3, pp. 270–294, 2003.

[31] K. Ikeda, "Multiple-valued stationary state and its instability of the transmitted light by a ring cavity system", *Optics Communications*, vol. 30, no. 2, pp. 257–261, 1979.

[32] K. Ikeda, H. Daido, and O. Akimoto, "Optical turbulence: Chaotic behavior of transmitted light from a ring cavity", *Physical Review Letters*, vol. 45, no. 9, pp. 709 –712, 1980.

[33] H. M. Gibbs, F. A. Hopf, D. Kaplan, and R. L. Shoemaker, "Observation of chaos in optical bistability", *Physical Review Letters*, vol. 46, no. 7, pp. 474–477, 1981.

[34] M. Derstine, H. Gibbs, F. Hopf, and D. Kaplan, "Bifurcation gap in a hybrid optically bistable system", *Physical Review A*, vol. 26, no. 6, pp. 3720 –3722, 1982.

[35] K. Ikeda, K. Kondo, and O. Akimoto, "Successive higher-harmonic bifurcations in systems with delayed feedback", *Physical Review Letters*, vol. 49, no. 20, pp. 1467 –1470, 1982.

[36] P. K. C. Wang, "Asymptotic stability of a time-delayed diffusion system", *Journal of Applied Mechanics*, vol. 30, pp. 500–504, 1963.

[37] D. Israelsson and A. Johnsson, "A theory for circumnutations in helianthus annuus", *Physiologia Plantarum*, vol. 20, no. 4, pp. 957–976, 1967.

[38] V. Emanuel, "How to obtain properties of the solution of differential equations without actually solving them", *Research report, Cornell Univ.*, EE 403, 1958.

[39] F. Stumpers, "Balth. van der pol's work on nonlinear circuits", *IRE Transactions on Circuit Theory*, vol. 7, no. 4, pp. 366–367, 1960.

[40] J. De Oliveira, "Oscillations in a van der pol equation with delayed argument", *Journal of Mathematical Analysis and Applications*, vol. 275, no. 2, pp. 789–803, 2002.

[41] L. R. Abrahamson, "A priori estimates for solutions of singular perturbations with a turning point", *Studies in Applied Mathematics*, vol. 56, no. 1, pp. 51–69, 1977.

[42] A. E. Berger, H. D. Han, and R. B. Kellogg, "A priori estimates and analysis of a numerical method for a turning point problem", *Mathematics of Computation*, vol. 42, no. 166, pp. 465–492, 1984.

[43] H.-O. Kreiss, N. Nichols, and D. L. Brown, "Numerical methods for stiff two-point boundary value problems", *SIAM Journal on Numerical Analysis*, vol. 23, no. 2, pp. 325–368, 1986.

[44] P. A. Farrell, "Sufficient conditions for the uniform convergence of a difference scheme for a singularly perturbed turning point problem", *SIAM Journal on Numerical Analysis*, vol. 25, no. 3, pp. 618–643, 1988.

[45] R. Vulanović and P. A. Farrell, "Continuous and numerical analysis of a multiple boundary turning point problem", *SIAM Journal on Numerical Analysis*, vol. 30, no. 5, pp. 1400–1418, 1993.

[46] F. Geng, S. Qian, and S. Li, "A numerical method for singularly perturbed turning point problems with an interior layer", *Journal of Computational and Applied Mathematics*, vol. 255, pp. 97–105, 2014.

[47] H. Schlichting, *Boundary layer theory*. Springer, 1960, vol. 960.

[48] T. C. Hanks, "Model relating heat-flow values near, and vertical velocities of mass transport beneath, oceanic rises", *Journal of Geophysical Research*, vol. 76, no. 2, pp. 537–544, 1971.

[49] G. I. Shishkin, "Grid approximations to singularly perturbed parabolic equations with turning points", *Differential Equations*, vol. 37, no. 7, pp. 1037–1050, 2001.

[50] R. C. Ackerberg and R. E. O'Malley Jr, "Boundary layer problems exhibiting resonance", *Studies in Applied Mathematics*, vol. 49, no. 3, pp. 277–295, 1970.

[51] J. Grasman, "Small random perturbations of dynamical systems with applications in population genetics", in *Asymptotic Analysis*, Springer, 1979, pp. 158–175.

[52] S. Shao, "Boundary and interior layer behavior in a time-dependent singularly perturbed system", *Nonlinear Analysis: Theory, Methods & Applications*, vol. 22, no. 9, pp. 1105–1119, 1994.

[53] S. Li, G. I. Shishkin, and L. P. Shishkina, "Approximation of the solution and its derivative for the singularly perturbed black-scholes equation with nonsmooth initial data", *Computational Mathematics and Mathematical Physics*, vol. 47, no. 3, pp. 442–462, 2007.

[54] R. C. DiPrima, "Asymptotic methods for an infinitely long slider squeeze-film bearing", *Journal of Lubrication Technology*, vol. 90, no. 1, pp. 173–183, 1968.

[55] A. H. Nayfeh, *Introduction to perturbation techniques*. John Wiley & Sons, 2011.

[56] R. E. O'Malley, *Two-parameter singular perturbation problems*. Stanford University, 1967.

[57]   R. E. O'Malley, "Two-parameter singular perturbation problems for second-order equations(constant and variable coefficient initial and boundary value problems for second order differential equations)", *Journal of Mathematics and Mechanics*, vol. 16, pp. 1143–1164, 1967.

[58]   R. E. O'Malley Jr, "Singular perturbations of boundary value problems for linear ordinary differential equations involving two parameters", *Journal of Mathematical Analysis and Applications*, vol. 19, no. 2, pp. 291–308, 1967.

[59]   R. E. O'Malley, "Boundary value problems for linear systems of ordinary differential equations involving many small parameters", *Journal of Mathematics and Mechanics*, vol. 18, no. 9, pp. 835–855, 1969.

[60]   R. E. O'Malley Jr, *Introduction to singular perturbations*. Academic Press, INC., 1974.

[61]   A. Bush, *Perturbation methods for engineers and scientists*. Routledge, 2017.

[62]   E. C. Gartland, "Graded-mesh difference schemes for singularly perturbed two-point boundary value problems", *Mathematics of computation*, vol. 51, no. 184, pp. 631–657, 1988.

[63]   G. I. Shishkin, "A difference scheme for a singularly perturbed equation of parabolic type with discontinuous boundary conditions", *USSR Computational Mathematics and Mathematical Physics*, vol. 28, no. 6, pp. 32–41, 1988.

[64]   Y. Qiu and D. Sloan, "Analysis of difference approximations to a singularly perturbed two-point boundary value problem on an adaptively generated grid", *Journal of Computational and Applied Mathematics*, vol. 101, no. 1-2, pp. 1–25, 1999.

[65]   C. Clavero, J. C. Jorge, F. Lisbona, and G. I. Shishkin, "An alternating direction scheme on a nonuniform mesh for reaction-diffusion parabolic problems", *IMA Journal of Numerical Analysis*, vol. 20, no. 2, pp. 263–280, 2000.

[66]   M. K. Kadalbajoo and D. Kumar, "Initial value technique for singularly perturbed two point boundary value problems using an exponentially fitted finite difference scheme", *Computers & Mathematics with Applications*, vol. 57, no. 7, pp. 1147–1156, 2009.

[67]   J. Mohapatra and S. Natesan, "Parameter-uniform numerical methods for singularly perturbed mixed boundary value problems using grid equidistribution", *Journal of Applied Mathematics and Computing*, vol. 37, no. 1-2, pp. 247–265, 2011.

[68]   S. Kumar and B. R. Kumar, "A domain decomposition taylor galerkin finite element approximation of a parabolic singularly perturbed differential equation", *Applied Mathematics and Computation*, vol. 293, pp. 508–522, 2017.

[69]   S. Shiralasetti *et al.*, "Some results on haar wavelets matrix through linear algebra", *Wavelet and Linear Algebra*, vol. 4, no. 2, pp. 49–59, 2018.

[70]   Z. Xiong, A. Chi, and Y. Wang, "The finite element method and its computational effectiveness for solving semilinear singularly perturbed two-point boundary value problems using shishkin mesh", in *Proceedings of the 2nd International Conference on Computer Science and Application Engineering*, ACM, 2018, p. 66.

[71]   P. W. Hemker, G. I. Shishkin, and L. P. Shishkina, "The use of defect correction for the solution of parabolic singular perturbation problems", *ZAMM-Journal of Applied Mathematics and Mechanics/Zeitschrift für Angewandte Mathematik und Mechanik*, vol. 77, no. 1, pp. 59–74, 1997.

[72]   M. K. Kadalbajoo and D. Kumar, "A computational method for singularly perturbed nonlinear differential-difference equations with small shift", *Applied Mathematical Modelling*, vol. 34, no. 9, pp. 2584–2596, 2010.

[73]   D. Kumar and M. K. Kadalbajoo, "A parameter-uniform numerical method for time-dependent singularly perturbed differential-difference equations", *Applied Mathematical Modelling*, vol. 35, no. 6, pp. 2805–2819, 2011.

[74]   D. Kumar and M. K. Kadalbajoo, "A parameter uniform method for singularly perturbed differential-difference equations with small shifts", *Journal of Numerical Mathematics*, vol. 21, no. 1, pp. 1–22, 2013.

[75]   X. T. Wang, "Numerical solution of delay systems containing inverse time by hybrid functions", *Applied Mathematics and Computation*, vol. 173, no. 1, pp. 535–546, 2006.

[76]   A. R. Ansari, S. A. Bakr, and G. I. Shishkin, "A parameter-robust finite difference method for singularly perturbed delay parabolic partial differential equations", *Journal of Computational and Applied Mathematics*, vol. 205, no. 1, pp. 552–566, 2007.

[77]   E. B. Bashier and K. C. Patidar, "A novel fitted operator finite difference method for a singularly perturbed delay parabolic partial differential equation", *Applied Mathematics and Computation*, vol. 217, no. 9, pp. 4728–4739, 2011.

[78]   A. Das and S. Natesan, "Uniformly convergent hybrid numerical scheme for singularly perturbed delay parabolic convection–diffusion problems on shishkin mesh", *Applied Mathematics and Computation*, vol. 271, pp. 168–186, 2015.

[79]   I. Aziz and R. Amin, "Numerical solution of a class of delay differential and delay partial differential equations via Haar wavelet", *Applied Mathematical Modelling*, vol. 40, no. 23-24, pp. 10 286–10 299, 2016.

[80]   K. Bansal, P. Rai, and K. K. Sharma, "Numerical treatment for the class of time dependent singularly perturbed parabolic problems with general shift arguments", *Differential Equations and Dynamical Systems*, vol. 25, no. 2, pp. 327–346, 2017.

[81]   Y. Wang, D. Tian, and Z. Li, "Numerical method for singularly perturbed delay parabolic partial differential equations", *Thermal Science*, vol. 21, no. 4, pp. 1595–1599, 2017.

[82]   K. Bansal and K. K. Sharma, "Parameter-robust numerical scheme for time-dependent singularly perturbed reaction–diffusion problem with large delay", *Numerical Functional Analysis and Optimization*, vol. 39, no. 2, pp. 127–154, 2018.

[83]   D. Kumar, "An implicit scheme for singularly perturbed parabolic problem with retarded terms arising in computational neuroscience", *Numerical Methods for Partial Differential Equations*, vol. 34, no. 6, pp. 1933–1952, 2018.

[84]   D. Kumar, "A collocation method for singularly perturbed differential-difference turning point problems exhibiting boundary/interior layers", *Journal of Difference Equations and Applications*, vol. 24, no. 12, pp. 1847–1870, 2018.

[85] V. Liseikin and V. Petrenko, "Adaptive invariant method for the numerical solution of problems with boundary and interior layers", *Computer Center SD AS USSR, Novosibirsk (Russian)*, 1989.

[86] V. D. Liseikin, "The use of special transformations in the numerical solution of boundary-layer problems", *USSR Computational Mathematics and Mathematical Physics*, vol. 30, no. 1, pp. 43–53, 1990.

[87] R. Vulanović, "On numerical solution of a mildly nonlinear turning point problem", *ESAIM: Mathematical Modelling and Numerical Analysis-Modélisation Mathématique et Analyse Numérique*, vol. 24, no. 6, pp. 765–783, 1990.

[88] R. Vulanović and P. Lin, "Numerical solution of quasilinear attractive turning point problems", *Computers & Mathematics with Applications*, vol. 23, no. 12, pp. 75–82, 1992.

[89] C. Clavero and F. Lisbona, "Uniformly convergent finite difference methods for singularly perturbed problems with turning points", *Numerical Algorithms*, vol. 4, no. 3, pp. 339–359, 1993.

[90] G. Sun and M. Stynes, "Finite element methods on piecewise equidistant meshes for interior turning point problems", *Numerical Algorithms*, vol. 8, no. 1, pp. 111–129, 1994.

[91] K. Surla and Z. Uzelac, "A difference scheme for boundary value problems with turning point", *Univ. u Novom Sadu Zb. Rad. Prirod.-Mat. Fak. Ser. Mat.*, vol. 25, no. 1, pp. 67–73, 1995.

[92] S. Natesan and N. Ramanujam, "A computational method for solving singularly perturbed turning point problems exhibiting twin boundary layers", *Applied Mathematics and Computation*, vol. 93, no. 2-3, pp. 259–275, 1998.

[93] S. Natesan and M. Ramanujam, "Initial-value technique for singularly-perturbed turning-point problems exhibiting twin boundary layers", *Journal of Optimization Theory and Applications*, vol. 99, no. 1, pp. 37–52, 1998.

[94] T. Linß and R. Vulanovic, "Uniform methods for semilinear problems with an attractive boundary turning point", *Novi Sad Journal of Mathematics*, vol. 31, no. 2, pp. 99–114, 2001.

[95] S. Natesan, J. Jayakumar, and J. Vigo-Aguiar, "Parameter uniform numerical method for singularly perturbed turning point problems exhibiting boundary layers", *Journal of Computational and Applied Mathematics*, vol. 158, no. 1, pp. 121–134, 2003.

[96] M. K. Kadalbajoo and V. Gupta, "A parameter uniform b-spline collocation method for solving singularly perturbed turning point problem having twin boundary layers", *International Journal of Computer Mathematics*, vol. 87, no. 14, pp. 3218–3235, 2010.

[97] A. A. Samarskii, *The theory of difference schemes*. Marcel Dekker New York, 2001, vol. 240.

[98] R. K. Dunne, E. O'Riordan, and G. I. Shishkin, "A fitted mesh method for a class of singularly perturbed parabolic problems with a boundary turning point", *Computational Methods in Applied Mathematics*, vol. 3, no. 3, pp. 361–372, 2003.

[99] G. I. Shishkin and V. A. Titov, "A difference scheme for a differential equation with two small parameters at the derivatives", *Chisl. Metody Meh. Sploshn. Sredy*, vol. 7, no. 2, pp. 145–155, 1976.

[100] R. Vulanović, "A higher-order scheme for quasilinear boundary value problems with two small parameters", *Computing*, vol. 67, no. 4, pp. 287–303, 2001.

[101] H. G. Roos and Z. Uzelac, "The SDFEM for a convection-diffusion problem with two small parameters", *Computational Methods in Applied Mathematics*, vol. 3, no. 3, pp. 443–458, 2003.

[102] K. Surla, Z. Uzelac, and L. Teofanov, "On a spline collocation method for a singularly perturbed problem", in *PAMM: Proceedings in Applied Mathematics and Mechanics*, Wiley Online Library, vol. 6, 2006, pp. 769–770.

[103] W. K. Zahra and A. M. El Mhlawy, "Numerical solution of two-parameter singularly perturbed boundary value problems via exponential spline", *Journal of King Saud University-Science*, vol. 25, no. 3, pp. 201–208, 2013.

[104] M. Brdar and H. Zarin, "Convection-diffusion-reaction problems on a b-type mesh", *PAMM*, vol. 13, no. 1, pp. 423–424, 2013.

[105] E. O'Riordan, M. L. Pickett, and G. I. Shishkin, "Parameter-uniform finite difference schemes for singularly perturbed parabolic diffusion-convection-reaction problems", *Mathematics of Computation*, vol. 75, no. 255, pp. 1135–1154, 2006.

[106] M. K. Kadalbajoo and A. S. Yadaw, "Parameter-uniform finite element method for two-parameter singularly perturbed parabolic reaction-diffusion problems", *International Journal of Computational Methods*, vol. 9, no. 04, p. 1 250 047, 2012.

[107] J. B. Munyakazi, "A robust finite difference method for two-parameter parabolic convection-diffusion problems", *Applied Mathematics & Information Sciences*, vol. 9, no. 6, pp. 2877 –2883, 2015.

[108] V. Shanthi, N. Ramanujam, and S. Natesan, "Fitted mesh method for singularly perturbed reaction-convection-diffusion problems with boundary and interior layers", *Journal of Applied Mathematics and Computing*, vol. 22, no. 1-2, pp. 49–65, 2006.

[109] C. Clavero, J. L. Gracia, G. I. Shishkin, and L. P. Shishkina, "An efficient numerical scheme for 1d parabolic singularly perturbed problems with an interior and boundary layers", *Journal of Computational and Applied Mathematics*, vol. 318, pp. 634–645, 2017.

[110] T. Prabha, M. Chandru, and V. Shanthi, "Hybrid difference scheme for singularly perturbed reaction-convection-diffusion problem with boundary and interior layers", *Applied Mathematics and Computation*, vol. 314, pp. 237–256, 2017.

[111] M. Chandru, T. Prabha, and V. Shanthi, "A parameter robust higher order numerical method for singularly perturbed two parameter problems with non-smooth data", *Journal of Computational and Applied Mathematics*, vol. 309, pp. 11–27, 2017.

[112] M. Chandru, P. Das, and H. Ramos, "Numerical treatment of two-parameter singularly perturbed parabolic convection diffusion problems with non-smooth data", *Mathematical Methods in the Applied Sciences*, vol. 41, no. 14, pp. 5359–5387, 2018.

[113]   T. Prabha, M. Chandru, V. Shanthi, and H. Ramos, "Discrete approximation for a two-parameter singularly perturbed boundary value problem having discontinuity in convection coefficient and source term", *Journal of Computational and Applied Mathematics*, vol. 359, pp. 102–118, 2019.

[114]   M. Chandru, T. Prabha, P. Das, and V. Shanthi, "A numerical method for solving boundary and interior layers dominated parabolic problems with discontinuous convection coefficient and source terms", *Differential Equations and Dynamical Systems*, vol. 27, no. 1-3, pp. 91–112, 2019.

[115]   O. A. Ladyzhenskaia, V. A. Solonnikov, and N. N. Ural'ceva, *Linear and quasi-linear equations of parabolic type*. American Mathematical Society, 1968, vol. 23.

[116]   R. B. Kellogg and A. Tsan, "Analysis of some difference approximations for a singular perturbation problem without turning points", *Mathematics of Computation*, vol. 32, no. 144, pp. 1025–1039, 1978.

[117]   M. K. Kadalbajoo and A. Awasthi, "A parameter uniform difference scheme for singularly perturbed parabolic problem in one space dimension", *Applied Mathematics and Computation*, vol. 183, no. 1, pp. 42–60, 2006.

[118]   J. J. H. Miller, E. O'Riordan, and G. I. Shishkin, *Fitted numerical methods for singular perturbation problems: error estimates in the maximum norm for linear problems in one and two dimensions*. World Scientific, 2012.

[119]   C. Clavero, J. L. Gracia, and J. C. Jorge, "High-order numerical methods for one-dimensional parabolic singularly perturbed problems with regular layers", *Numerical Methods for Partial Differential Equations*, vol. 21, no. 1, pp. 149–169, 2005.

[120]   C. Clavero and J. L. Gracia, "On the uniform convergence of a finite difference scheme for time dependent singularly perturbed reaction-diffusion problems", *Applied Mathematics and Computation*, vol. 216, no. 5, pp. 1478–1488, 2010.

[121]   C. Clavero and J. L. Gracia, "A high order hodie finite difference scheme for 1d parabolic singularly perturbed reaction diffusion problems", *Applied Mathematics and Computation*, vol. 218, no. 9, pp. 5067–5080, 2012.

[122] M. Manikandan, N. Shivaranjani, J. J. H. Miller, and S. Valarmathi, "A parameter-uniform numerical method for a boundary value problem for a singularly perturbed delay differential equation", in *Advances in Applied Mathematics*, Springer, 2014, pp. 71–88.

[123] J. J. H. Miller, E. O'Malley, and G. I. Shishkin, *Fitted numerical methods for singular perturbation problems: error estimates in the maximum norm for linear problems in one and two dimensions*. World Scientific, 1996.

[124] C. Clavero, J. Jorge, and F. Lisbona, "A uniformly convergent scheme on a nonuniform mesh for convection–diffusion parabolic problems", *Journal of Computational and Applied Mathematics*, vol. 154, no. 2, pp. 415–429, 2003.

[125] M. K. Kadalbajoo and K. C. Patidar, "ε-Uniformly convergent fitted mesh finite difference methods for general singular perturbation problems", *Applied mathematics and computation*, vol. 179, no. 1, pp. 248–266, 2006.

[126] P. M. Prenter, *Splines and variational methods*. Courier Corporation, 2008.

[127] C. A. Hall and W. W. Meyer, "Optimal error bounds for cubic spline interpolation", *Journal of Approximation Theory*, vol. 16, no. 2, pp. 105–122, 1976.

[128] J. M. Varah, "A lower bound for the smallest singular value of a matrix", *Linear Algebra and its Applications*, vol. 11, no. 1, pp. 3–5, 1975.

[129] D. Kumar and P. Kumari, "A parameter-uniform numerical scheme for the parabolic singularly perturbed initial boundary value problems with large time delay", *Journal of Applied Mathematics and Computing*, vol. 59, no. 1-2, pp. 179–206, 2019.

[130] L. Bobisud, "Second-order linear parabolic equations with a small parameter", *Archive for Rational Mechanics and Analysis*, vol. 27, no. 5, pp. 385–397, 1968.

[131] V. Gupta, M. K. Kadalbajoo, and R. K. Dubey, "A parameter-uniform higher order finite difference scheme for singularly perturbed time-dependent parabolic problem with two small parameters", *International Journal of Computer Mathematics*, vol. 96, no. 3, pp. 474–499, 2019.

[132] F. Verhulst, *Methods and applications of singular perturbations: boundary layers and multiple timescale dynamics*. Springer Science & Business Media, 2005, vol. 50.

[133] P. A. Farrell, A. F. Hegarty, J. J. H. Miller, E. O'Riordan, and G. I. Shishkin, "Global maximum norm parameter-uniform numerical method for a singularly perturbed convection-diffusion problem with discontinuous convection coefficient", *Mathematical and Computer Modelling*, vol. 40, no. 11-12, pp. 1375–1392, 2004.

[134] E. O'Riordan and G. I. Shishkin, "Singularly perturbed parabolic problems with non-smooth data", *Journal of Computational and Applied Mathematics*, vol. 166, no. 1, pp. 233–245, 2004.

[135] J. L. Gracia, E. O'Riordan, and M. L. Pickett, "A parameter robust second order numerical method for a singularly perturbed two-parameter problem", *Applied Numerical Mathematics*, vol. 56, no. 7, pp. 962–980, 2006.

[136] M. K. Kadalbajoo, L. P. Tripathi, and A. Kumar, "A cubic b-spline collocation method for a numerical solution of the generalized black–scholes equation", *Mathematical and Computer Modelling*, vol. 55, no. 3-4, pp. 1483–1505, 2012.

[137] C. De Falco and E. O'Riordan, "Interior layers in a reaction-diffusion equation with a discontinuous diffusion coefficient", *International Journal of Numerical Analysis and Modeling*, vol. 7, no. 3, pp. 444–461, 2010.