

Contents

Certificate	v
Acknowledgements	ix
Abstract	xi
1 Introduction	1
1.1 Motivation	1
1.2 Research Objectives	3
1.3 Fundamentals of Rectangular Duals	4
1.4 The State of the Art	5
1.4.1 Characterizations of Rectangular Duals	6
1.4.2 Constructive Algorithms for Rectangular Duals	7
1.4.3 Adjacency Preserving Transformations of Rectangular Duals	7
1.4.4 Rectangulations	10
1.4.5 Rectangular Duals With Area-Universality Characteristic	11
1.4.6 Extension of Rectangular Duals	12
1.5 Research Gaps and Results	13
1.6 Outline	14
2 Fundamentals Tools and Methodology	17
2.1 Planar And Plane Graphs	17
2.2 Rectangularly Dualizable Graphs	18
2.3 Concept of Regular Edge Labeling	20
2.4 Area-Universality	24
2.5 Methodology	24
3 Theory of Rectangularly Dualizable Graphs	27
3.1 Introduction	27

3.2	Extended RDG	29
3.3	Stereographic Projection	30
3.4	RDG Existence Theory	31
3.5	Concluding Remarks	39
4	Maximal Rectangularly Dualizable Graphs	41
4.1	Introduction	41
4.2	Properties of Maximal RDGs	42
4.3	MRDG Construction	44
4.4	Algorithm for Constructing of an MRDG	49
4.5	Concluding Remarks	53
5	Edge-Reducible Rectangularly Dualizable Graphs	55
5.1	Introduction	55
5.2	Concept of Edge-Reduction	57
5.3	Theory of Edge-Reducible RDG	58
5.4	Theory of Edge-Irreducible RDGs	64
5.5	Constructive Algorithms for Rectangular Duals	70
5.5.1	RDG Transformation Algorithm	71
5.5.2	Transformation algorithm for rectangular duals	74
5.6	Concluding Remarks	82
6	Uniqueness of Rectangular Duals	83
6.1	Introduction	83
6.2	The Class of Unique Rectangular Duals	84
6.3	Concluding Remarks	90
7	A Class of Area-Universal Rectangular Duals	91
7.1	Introduction	91
7.2	Constructive Algorithm for Area-Universal Weak Rectangular Duals	92
7.3	Concluding Remarks	99
8	Summary and Future Research Work	101
8.1	Conclusive Summary	101
8.2	Open problems and conjectures	102
	List of Publications	112

Presented Works	113
Brief Biography of the Candidate	114
Brief Biography of the Supervisor	115

List of Figures

1.1	A rectangular dual of a plane graph described by a VLSI system.	2
1.2	(a) A population cartogram of Germany [34] and (b) its rectangular cartogram	3
1.3	(a) a slicible rectangular dual and (b) a non-slicible rectangular dual	5
2.1	R_1 and R_4 are corner rectangles, R_3 is an end rectangle, and R_2 is a through rectangle.	19
2.2	(a) Presence of CIPs $v_1v_2v_3$ and (b) a separating triangle $v_4v_6v_7$	19
2.3	(a) An RDG G , (b) an extended graph $E(G)$ and (c) a rectangular dual of $E(G)$	20
2.4	(a) Regular edge labeling of an extended graph $E(G)$	21
2.5	Two combinatorially equivalent rectangular duals induce the same regular edge labeling of their extended graph	22
2.6	Two topologically distinct rectangular duals induce the different regular edge labelings of their extended graph	22
2.7	(a-d) Single edge simple T-structures in a rectangular dual and (e-h) corresponding single edge simple T-structures in its RDG	23
2.8	Multiple edge simple T-structures in G	23
2.9	(a) An area-universal rectangular dual and (b) an rectangular dual that is not area-universal.	24
2.10	Rectangular dualization: (a) A plane graph G , (b) its extended graph, (c) dual of the extended graph, and (d) a rectangular dual of G	25
3.1	A counter example that invalidates Theorem 3.1.1.	28
3.2	Construction of an extended RDG (red edges) of a rectangular dual (dark edges).	30
3.3	Two possibilities of a critical separating triangle enclosing an enclosure corner vertex.	32

3.4	(a) Sketch of the graph H when there are three edges between v_∞ and enclosure vertex v_i , (b) sketch of the graph H_1 when there are exactly two edges between each enclosure corner vertex and v_∞ , and (c) the construction of an rectangular dual for H	34
3.5	(a) A separating cycle shown by red edges and (b) the appearance of H_u	35
3.6	(a) Merging two RDGs of H_u and H_b into an RDG for H	36
3.7	(a) A separable connected graph constituted by three blocks A, B and C, and (b) its BNG. Here only the outermost cycles of the blocks are shown.	38
3.8	A separable connected graph constituted by three blocks A, B, C and D, and (b) its BNG. Here only the outermost cycles of the blocks are shown.	38
4.1	(a) An MRDG and (b) corresponding rectangular dual	44
4.2	Constructing a nonseparable RDG of a separable connected RDG G_1 with a cut-vertex v_t shared by its two components C_1 and C_2	47
4.3	(a) A random addition of new edges (red edges) to a separable connected RDG destroy the RDG property because of the presence of a separating triangle $v_4v_5v_7v_4$ in the resultant graph (b) while addition of new edges (red edges) using Lemma 4.3.4 do not destroy RDG property (neither separating triangle nor any CIP in the resultant graph).	47
4.4	Three possible depictions of G_2 obtained from G_1 (consists of black edges) by adding a red edge.	49
4.5	(a-b)A given RDG G_1 and its rectangular dual, and (c-d) the derivation of an MRDG M_2 from G_1 and its rectangular dual.	51
5.1	Example showing that it is not always possible to shift a rectangle to the boundary while preserving the rectangularity of a floorplan.	57
5.2	(a) An edge-reducible RDG G_1 , (b) an edge-irreducible RDG G_2 , (c) a rectangular dual for G_1 and (d) a rectangular dual for G_2	58
5.3	(a) A nonseparable RDG G is reducible to (b) another nonseparable RDG H . Their respective rectangular duals are shown in (c) and (d).	63
5.4	Showing that the converse of Theorem 5.4.2 is not true.	67
5.5	(a) A separable connected edge-irreducible graph G and (b) its rectangular dual	71
5.6	Geometric demonstrations of conditions and transformations	75

5.7	Geometric demonstrations of conditions and transformations	78
5.8	(a) An existing rectangular dual, (b-i) intermediate steps of the transformations, and (i) a reduced rectangular dual.	81
6.1	(a) An RDG that admits (b) a unique rectangular dual upto combinatorial equivalence.	84
6.2	(b) An RDG with exactly 4 vertices of degree 2, (a) and (c) the corresponding more than one topological distinct rectangular duals, (d) and (e) respective regular edge labelings of these rectangular duals in (c) and (d).	85
6.3	Two 4-cycles intersecting at two non-adjacent vertices of each other.	86
6.4	Demonstrations of all possible T-structures upto isomorphism.	88
6.5	(a) A nonseparable RDG, (b) its extended RDG and (c) a unique rectangular dual for the RDG upto the fixed orientations of its corner rectangles.	89
6.6	Multiple rectangles on both sides of a maximal line segment s	90
7.1	An RDG G_1 that belongs to \mathcal{L}	95
7.2	Constructing an area-universal rectangular dual for G_1 in Fig. 7.1	96
7.3	(a-b) Possible positions for an exterior rectangle R_t in the rectangular dual R of G , (c) dual R' after deleting R_t from R and (d) adjusting R_p so that the resultant dual is a rectangular dual for H_1	97

List of Abbreviations

RDG(s):	rectangularly dualizable graph(s)
MRDG(s):	maximal rectangularly dualizable graph(s)
PTG(s):	plane triangulated graph(s)
EPTG(s):	extended plane triangulated graph(s)
CIP(s):	corner implying path
BNG:	block neighborhood graph
T-structure:	turnable structure
4-cycle:	cycle of length 4

List of Symbols

G :	RDG
R :	rectangular dual
v_i :	vertex of a graph
V :	vertex set of a graph
E :	edge set of a graph
R_i :	component rectangle
$E(G)$:	extended rectangular dual of G
C :	cycle of a graph
W_n :	wheel graph
M :	MRDG
$N(v_i)$:	neighborhood of v_i
P :	path
$d(v_k)$:	degree of v_k



This document was created with the Win2PDF "print to PDF" printer available at <http://www.win2pdf.com>

This version of Win2PDF 10 is for evaluation and non-commercial use only.

This page will not be added after purchasing Win2PDF.

<http://www.win2pdf.com/purchase/>